

# TECHNICAL SPECIFICATION



---

**Recommendations for renewable energy and hybrid systems for rural  
electrification –  
Part 9-5: Integrated systems – Selection of stand-alone lighting kits for rural  
electrification**



## THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2016 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office  
3, rue de Varembe  
CH-1211 Geneva 20  
Switzerland

Tel.: +41 22 919 02 11  
Fax: +41 22 919 03 00  
[info@iec.ch](mailto:info@iec.ch)  
[www.iec.ch](http://www.iec.ch)

### About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

### About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

#### IEC Catalogue - [webstore.iec.ch/catalogue](http://webstore.iec.ch/catalogue)

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

#### IEC publications search - [www.iec.ch/searchpub](http://www.iec.ch/searchpub)

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

#### IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

#### Electropedia - [www.electropedia.org](http://www.electropedia.org)

The world's leading online dictionary of electronic and electrical terms containing 20 000 terms and definitions in English and French, with equivalent terms in 15 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

#### IEC Glossary - [std.iec.ch/glossary](http://std.iec.ch/glossary)

65 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

#### IEC Customer Service Centre - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: [csc@iec.ch](mailto:csc@iec.ch).

# TECHNICAL SPECIFICATION



---

**Recommendations for renewable energy and hybrid systems for rural electrification –  
Part 9-5: Integrated systems – Selection of stand-alone lighting kits for rural electrification**

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

---

ICS 27.160

ISBN 978-2-8322-3495-2

**Warning! Make sure that you obtained this publication from an authorized distributor.**

## CONTENTS

FOREWORD.....	15
INTRODUCTION.....	18
1 Scope.....	20
2 Normative references.....	20
3 Terms and definitions .....	21
4 System limits .....	25
4.1 System description .....	25
4.1.1 Components .....	25
4.1.2 Component categories .....	26
4.1.3 Lighting parts definitions .....	29
4.1.4 Additional system elements .....	30
4.2 System measurements and observations .....	30
4.2.1 General .....	30
4.2.2 Product design, manufacture, and marketing aspects.....	31
4.2.3 Product durability and workmanship aspects.....	34
4.2.4 Lighting durability aspects .....	37
4.2.5 Battery performance aspects .....	38
4.2.6 Solar module aspects.....	39
4.2.7 Electrical characteristics .....	39
4.2.8 Performance aspects .....	40
4.2.9 Light output aspects.....	42
4.2.10 Battery-charging circuit efficiency.....	43
4.2.11 Self-certification aspects .....	43
5 Product specification .....	44
5.1 General.....	44
5.2 Applications .....	45
5.3 Quality assurance principles.....	45
5.4 Product specification framework description.....	46
5.4.1 General .....	46
5.4.2 Product specification template.....	46
5.4.3 Tolerances.....	50
5.4.4 Quality standards criteria .....	50
5.4.5 Warranty requirements criteria .....	56
6 Quality test method.....	56
6.1 General.....	56
6.2 Applications .....	56
6.3 Sampling requirements.....	56
6.4 Laboratory requirements .....	57
6.5 Testing requirements.....	57
6.6 Recommended tests programme .....	59
6.6.1 General .....	59
6.6.2 Test preparation.....	60
6.6.3 Batch A tests .....	60
6.6.4 Batch B tests .....	62
6.6.5 Batch C – potentially destructive tests .....	63
6.6.6 Report preparation .....	63

6.7	Reporting .....	64
7	Market check method.....	64
7.1	General.....	64
7.2	Applications .....	64
7.3	Sampling requirements.....	65
7.4	Laboratory requirements .....	65
7.5	Testing requirements.....	65
7.6	Recommended tests programme .....	65
7.7	Report requirements.....	65
8	Initial screening method .....	66
8.1	General.....	66
8.2	Applications .....	66
8.3	Sampling requirements.....	66
8.4	Laboratory requirements .....	66
8.5	Testing requirements.....	66
8.6	Recommended tests programme .....	68
8.7	Reporting.....	68
9	Accelerated verification method .....	69
9.1	General.....	69
9.2	Applications .....	69
9.3	Sampling requirements.....	70
9.3.1	General .....	70
9.3.2	Verification entry testing.....	70
9.3.3	Follow-up QTM testing .....	70
9.4	Laboratory requirements .....	71
9.5	Testing requirements.....	71
9.5.1	General .....	71
9.5.2	Verification entry testing.....	71
9.5.3	Follow-up QTM testing .....	73
9.6	Recommended tests programme .....	74
9.7	Report requirements.....	74
10	Standardized specification sheets .....	74
10.1	General.....	74
10.2	Applications .....	74
10.2.1	General .....	74
10.2.2	Guidance .....	74
10.2.3	Framework for SSS guidelines document.....	75
Annex A (informative) Recommended quality standards for off-grid lighting market support programme qualification .....		80
A.1	Overview.....	80
A.2	Test requirements .....	80
A.3	Product category requirements .....	80
A.4	Quality standards .....	80
A.5	Warranty and end user support requirements.....	82
Annex B (informative) Reserved.....		84
Annex C (informative) Recommended SSS guidelines .....		85
C.1	General.....	85
C.2	Qualification standards.....	85

C.3	Test result requirements.....	85
C.3.1	Original testing .....	85
C.3.2	Retesting and updates .....	85
C.4	Style and format.....	86
C.5	Reporting precision .....	86
C.6	Results verification.....	87
C.7	Section descriptions .....	87
C.7.1	General .....	87
C.7.2	Header/overall performance .....	87
C.7.3	General information .....	88
C.7.4	Performance details .....	89
C.7.5	Light output.....	90
C.7.6	Special features .....	90
C.7.7	Durability .....	90
C.7.8	Solar module details .....	91
C.7.9	Battery details.....	91
C.7.10	Marks and certifications .....	92
C.7.11	SSS information .....	92
C.8	Example sheet .....	93
Annex D (normative)	Manufacturer self-reported information.....	94
D.1	Background.....	94
D.2	Outcomes .....	94
D.3	Solicited information.....	94
D.3.1	General .....	94
D.3.2	Confidential information (not released publicly).....	94
D.3.3	Public information (may be released publicly) .....	95
D.4	Reporting.....	96
Annex E (normative)	Product sampling .....	98
E.1	Background.....	98
E.2	Test outcomes .....	98
E.3	Related tests.....	98
E.4	Procedure .....	98
E.4.1	Retail sampling .....	98
E.4.2	Warehouse sampling.....	99
E.5	Reporting .....	100
Annex F (normative)	Visual screening .....	101
F.1	Background.....	101
F.2	Test outcomes .....	101
F.3	Related tests.....	101
F.4	Procedure .....	101
F.4.1	Properties, features, and information .....	101
F.4.2	Specifications .....	105
F.4.3	Functionality and internal inspection.....	107
F.5	Reporting .....	109
Annex G (normative)	Sample preparation .....	114
G.1	Background.....	114
G.2	Test outcomes .....	114
G.3	Related tests.....	114

G.4	Procedure .....	114
G.4.1	General .....	114
G.4.2	Equipment requirements .....	114
G.4.3	Test prerequisites .....	115
G.4.4	Procedure .....	115
G.4.5	Calculations .....	117
G.5	Reporting .....	117
Annex H (normative)	Power supply setup procedure .....	118
H.1	Background .....	118
H.2	Test outcomes .....	118
H.3	Related tests .....	118
H.4	Equipment requirements .....	118
H.5	Setup procedure for photometric measurements and lumen maintenance tests .....	119
H.5.1	Test setup .....	119
H.5.2	DC voltage and current levels .....	119
H.5.3	Stabilization period .....	120
H.5.4	4-wire power supply measurements .....	121
H.5.5	Filtering electronic noise .....	121
H.5.6	Troubleshooting .....	121
H.6	Reporting .....	122
Annex I (normative)	Light output test .....	123
I.1	Background .....	123
I.2	Test outcomes .....	123
I.3	Related tests .....	123
I.4	Luminous flux measurement techniques .....	124
I.4.1	General .....	124
I.4.2	Luminous flux measurements with an integrating sphere or goniophotometer .....	124
I.4.3	Luminous flux measurements using the multi-plane method .....	125
I.5	Correlated colour temperature (CCT) measurement .....	127
I.6	Colour rendering index (CRI) measurement .....	127
I.7	Reporting .....	127
Annex J (normative)	Lumen maintenance test .....	129
J.1	Background .....	129
J.2	Test outcomes .....	129
J.3	Related tests .....	130
J.4	Procedure .....	130
J.4.1	General .....	130
J.4.2	Full screening .....	130
J.4.3	Initial screening (500 h test) .....	135
J.5	Calculations .....	136
J.6	Alternate method for testing lumen maintenance using IESNA LM-80-08 .....	136
J.6.1	Background .....	136
J.6.2	Test prerequisites .....	136
J.6.3	Procedure .....	137
J.6.4	DUT preparation and LED thermocouple attachment guidelines .....	137
J.6.5	Calculations .....	137
J.7	Reporting .....	138

Annex K (normative) Battery test.....	140
K.1 Background.....	140
K.2 Test outcomes .....	140
K.3 Related tests.....	140
K.4 Procedure .....	140
K.4.1 General .....	140
K.4.2 Valve-regulated lead-acid battery test.....	141
K.4.3 Nickel-metal hydride battery test .....	143
K.4.4 Lithium-ion battery test.....	145
K.4.5 Lithium iron phosphate battery test.....	146
K.5 Reporting.....	147
Annex L (informative) Battery testing recommended practices.....	148
L.1 Background.....	148
L.2 Deep discharge protection specifications by battery type.....	148
L.3 Overcharge protection specifications by battery type.....	149
Annex M (normative) Full-battery run time test .....	150
M.1 Background.....	150
M.2 Test outcomes .....	150
M.3 Related tests.....	151
M.4 Procedure .....	151
M.4.1 Full-battery run time test .....	151
M.4.2 Full-battery run time test with deep discharge protection measurement .....	155
M.5 Reporting.....	156
Annex N (normative) Full discharge preparation .....	158
N.1 Background.....	158
N.2 Test outcomes .....	158
N.3 Related tests.....	158
N.4 Procedure .....	158
N.4.1 General .....	158
N.4.2 Equipment requirements .....	158
N.4.3 Test prerequisites .....	158
N.4.4 Procedure.....	159
N.4.5 Calculations.....	160
N.5 Reporting.....	160
Annex O (normative) Grid charge test .....	161
O.1 Background.....	161
O.2 Test outcomes .....	161
O.3 Related tests.....	161
O.4 Procedure .....	161
O.4.1 General .....	161
O.4.2 Equipment requirements .....	161
O.4.3 Test prerequisites .....	161
O.4.4 Apparatus .....	162
O.4.5 Procedure.....	162
O.4.6 Calculations.....	162
O.5 Reporting.....	162
Annex P (normative) Electromechanical charge test .....	164
P.1 Background.....	164

P.2	Test outcomes .....	164
P.3	Related tests.....	164
P.4	Procedure .....	164
P.4.1	General .....	164
P.4.2	Equipment requirements .....	164
P.4.3	Test prerequisites .....	164
P.4.4	Apparatus .....	165
P.4.5	Procedure.....	165
P.4.6	Calculations.....	165
P.5	Reporting.....	165
Annex Q (normative)	Photovoltaic module I-V characteristics test .....	167
Q.1	Background.....	167
Q.2	Test outcomes .....	167
Q.3	Related tests.....	168
Q.4	Procedure .....	168
Q.4.1	Testing using IEC 61215 (all parts).....	168
Q.4.2	Test programme using a solar simulator .....	168
Q.4.3	Outdoor photovoltaic module I-V characteristics test.....	169
Q.5	Reporting.....	173
Annex R (normative)	Solar charge test .....	175
R.1	Background.....	175
R.2	Test outcomes .....	175
R.3	Related tests.....	175
R.4	Procedure .....	176
R.4.1	General .....	176
R.4.2	Test method using a resistor network .....	176
R.4.3	Test method using a solar array simulator (SAS) .....	181
R.4.4	Calculations.....	183
R.5	Reporting.....	188
Annex S (normative)	Charge controller behaviour test .....	191
S.1	Background.....	191
S.2	Test outcomes .....	191
S.3	Related tests.....	192
S.4	Procedure .....	192
S.4.1	Active deep discharge protection test .....	192
S.4.2	Active overcharge protection test.....	194
S.4.3	Passive deep discharge protection test.....	197
S.4.4	Passive overcharge protection test.....	199
S.4.5	Standby loss measurement .....	201
S.5	Reporting.....	202
Annex T (normative)	Light distribution test.....	203
T.1	Background.....	203
T.2	Test outcomes .....	203
T.3	Related tests.....	204
T.4	Approved test methods.....	204
T.4.1	General .....	204
T.4.2	Goniophotometer .....	208
T.4.3	Multi-plane method .....	208

T.4.4	Illuminance on a plane method .....	211
T.4.5	Turntable method .....	215
T.4.6	Illuminance on a desktop method .....	217
T.5	Reporting .....	218
Annex U (normative)	Physical and water ingress protection test.....	223
U.1	Background.....	223
U.2	Test outcomes .....	223
U.3	Related tests.....	224
U.4	Procedure .....	224
U.4.1	General .....	224
U.4.2	IP testing at a laboratory that has been accredited to test according to IEC 60529 .....	224
U.4.3	Simplified IP inspection for ingress of solid foreign objects.....	224
U.4.4	Simplified IP preliminary inspection for ingress of water with harmful effects .....	226
U.5	Reporting .....	228
Annex V (normative)	Level of water protection.....	229
V.1	Background.....	229
V.2	Test outcomes .....	229
V.3	Related tests.....	230
V.4	Laboratory requirements .....	230
V.5	Procedure .....	230
V.5.1	General .....	230
V.5.2	Level of water protection for enclosure only .....	231
V.5.3	Level of water protection from technical aspects .....	231
V.5.4	Overall level of water protection .....	233
V.6	Reporting .....	234
Annex W (normative)	Mechanical durability test.....	236
W.1	Background.....	236
W.2	Test outcomes .....	236
W.3	Related tests.....	237
W.4	Procedures .....	237
W.4.1	Drop test.....	237
W.4.2	Switch and connector test .....	238
W.4.3	Gooseneck and moving part test .....	239
W.4.4	Strain relief test .....	240
W.5	Reporting .....	241
Annex X (informative)	Reserved .....	243
Annex Y (informative)	Photometer box for relative luminous flux measurements .....	244
Y.1	Background.....	244
Y.2	Plans .....	245
Y.3	Instructions for construction.....	248
Annex Z (informative)	Photometer tube for relative luminous flux measurements .....	249
Z.1	Background.....	249
Z.2	Plans .....	249
Z.3	Instructions for construction.....	249
Annex AA (informative)	Field testing methods.....	250
AA.1	Background.....	250

AA.2	Test outcomes .....	250
AA.3	Related tests.....	250
AA.4	Laboratory requirements .....	250
AA.5	Procedures .....	251
AA.5.1	Full-battery run time test .....	251
AA.5.2	Solar run time test.....	252
AA.5.3	Luminous flux test.....	253
AA.5.4	Light distribution test.....	254
AA.6	Reporting .....	254
Annex BB (normative)	Battery durability test.....	256
BB.1	Background.....	256
BB.2	Test outcomes .....	256
BB.3	Related tests.....	256
BB.4	Procedure .....	256
BB.4.1	Durability storage test for valve-regulated lead-acid batteries.....	256
BB.4.2	Durability storage test for nickel-metal hydride batteries .....	257
BB.4.3	Durability storage test for lithium-ion batteries .....	258
BB.4.4	Durability storage test for lithium iron phosphate batteries .....	259
BB.5	Reporting .....	259
Annex CC (normative)	Equipment requirements.....	261
Annex DD (normative)	Protection tests .....	270
DD.1	Background.....	270
DD.2	Test outcomes .....	270
DD.3	Related tests.....	270
DD.4	Procedure .....	271
DD.4.1	PV overvoltage protection test.....	271
DD.4.2	Miswiring protection test.....	273
DD.4.3	Output overload protection test.....	275
DD.5	Reporting .....	278
Annex EE (normative)	Assessment of DC ports .....	282
EE.1	Background.....	282
EE.2	Test outcomes .....	282
EE.3	Related tests.....	283
EE.4	Procedure .....	283
EE.4.1	Preparation.....	283
EE.4.2	Measurement of steady-state port characteristics .....	284
EE.4.3	Dynamic measurement.....	290
EE.4.4	Summary calculations .....	294
EE.4.5	Pass/fail tests for functionality and truth in advertising .....	295
EE.5	Reporting .....	296
Annex FF (normative)	Appliance tests .....	298
FF.1	Background.....	298
FF.2	Test outcomes .....	298
FF.3	Related tests.....	298
FF.4	Procedure .....	299
FF.4.1	General .....	299
FF.4.2	Test procedure for LED or CFL light points .....	299
FF.4.3	Test procedure for television sets.....	300

FF.4.4	Test procedure for radios without internal batteries .....	300
FF.4.5	Test procedure for fans, motor-driven appliances, and other appliances without internal batteries .....	301
FF.4.6	Test procedure for other appliances with internal batteries .....	302
FF.5	Appliance operating voltage range test procedure .....	303
FF.5.1	General .....	303
FF.5.2	Equipment requirements .....	304
FF.5.3	Procedure for appliances without internal batteries .....	304
FF.5.4	Procedure for appliances with internal batteries .....	304
FF.6	Reporting .....	305
Annex GG (normative)	Energy service calculations .....	307
GG.1	Background .....	307
GG.2	Test outcomes .....	308
GG.3	Related tests .....	310
GG.4	Procedure .....	310
GG.4.1	Full-battery run time energy service calculations .....	310
GG.4.2	Solar run time energy service calculations .....	314
GG.5	Reporting .....	321
Annex HH (normative)	Generic appliances .....	323
HH.1	Background .....	323
HH.2	Test outcomes .....	323
HH.3	Related tests .....	323
HH.4	Equipment requirements .....	323
HH.5	Procedure .....	324
HH.6	Reporting .....	325
Bibliography	.....	326
Figure 1	– Fixed indoor components – Example .....	27
Figure 2	– Fixed outdoor components with an indoor light point – Example .....	27
Figure 3	– Portable separate components – Example .....	28
Figure 4	– Portable integrated components – Example .....	28
Figure 5	– Division of a lighting kit into subsystems – Illustrative example .....	30
Figure 6	– The two components of a product specification .....	44
Figure 7	– Recommended sequence of testing for QTM .....	60
Figure 8	– First portion of example SSS .....	78
Figure 9	– Last (second) portion of example SSS .....	79
Figure H.1	– 4-wire test configuration with input filter capacitors .....	119
Figure I.1	– Conceptual schematic of the light output test setup, including the 11 × 11 grid, Cartesian coordinate axes for rotation reference, and the DUT .....	126
Figure J.1	– Schematic of a photometer tube .....	131
Figure J.2	– Example lumen maintenance plot .....	139
Figure M.1	– Interior view of photometer box with suspended light .....	152
Figure M.2	– Plot of example results from the full-battery run time test .....	154
Figure Q.1	– PV module I-V curve testing rack .....	170
Figure R.1	– Schematic of the power supply and DUT connection for the solar charge efficiency test .....	178
Figure R.2	– Example "true" and simulated I-V curves plotted with the deviation ratio .....	180

Figure R.3 – Example plots of current vs. time for four different DUT batteries .....	185
Figure R.4 – Example time series plot of the solar charging cycle showing the maximum power available from the PV simulator, actual power supplied by the PV simulator, and power delivered to the batteries .....	189
Figure R.5 – Example time series plot of the solar charging cycle showing the instantaneous battery-charging circuit efficiency and solar operation efficiency .....	190
Figure S.1 – Schematic of the DC power supply-DUT connection using a series protection resistor .....	195
Figure T.1 – Horizontal plane for determining FWHM angle and radial illuminance distribution, for an omnidirectional light point .....	206
Figure T.2 – Horizontal plane for determining FWHM angle and radial illuminance distribution, for a directed light point .....	207
Figure T.3 – Radial illuminance distributions for two example DUTs, showing the calculation of the FWHM angle .....	211
Figure T.4 – Schematic of a task light suspended above an illuminance meter .....	212
Figure T.5 – Schematic of turntable setup, with the DUT shown .....	216
Figure T.6 – Side view of desktop light measuring setup .....	217
Figure T.7 – Example plot of usable area as a function of minimum illuminance .....	220
Figure T.8 – Example of resulting surface plot of light distribution from the brightest "face" of the multi-plane method or illuminance on a plane method .....	221
Figure T.9 – Example of resulting polar plot of illuminance from the multi-plane or turntable method .....	222
Figure U.1 – Side view of the apparatus for testing a DUT's external solar module for protection against water ingress .....	227
Figure W.1 – Three-dimensional Cartesian coordinate system for drop test reference .....	238
Figure W.2 – Cable strain angle ( $\gamma$ ) schematics for a PV module junction box (left) and a separate light point (right) .....	241
Figure Y.1 – Interior view of completed photometer box .....	244
Figure Y.2 – Exterior view of completed photometer box .....	245
Figure Y.3 – Photometer box dimensions .....	246
Figure Y.4 – Photometer box assembly pieces and list of materials .....	247
Figure Z.1 – Completed photometer tube .....	249
Figure EE.1 – Schematic of the DUT with DC port and USB port and variable resistors connected for the measurement of steady-state port characteristics .....	286
Figure EE.2 – Example of the plots of port characteristics .....	290
Figure EE.3 – Schematic of the DUT with DC port and USB port and variable resistors connected for the dynamic measurement .....	292
Figure EE.4 – Illustration of stepped current waveform for procedure 2 .....	294
Figure EE.5 – Example time series plot of voltage and current showing the transients .....	294
Figure EE.6 – Typical configuration of USB port for special charger .....	296
Figure GG.1 – Conceptual energy flow diagram for energy service estimates .....	308
Table 1 – Applications of product specifications .....	45
Table 2 – Qualification as separate PV module .....	47
Table 3 – Truth-in-advertising tolerance .....	47
Table 4 – Safety and durability standards .....	48
Table 5 – End user support standards .....	49

Table 6 – End user support requirements .....	49
Table 7 – Truth-in-advertising criteria for quality standards .....	51
Table 8 – Remarks on common truth-in-advertising aspects .....	52
Table 9 – Safety and durability criteria for quality standards .....	53
Table 10 – Recommended level of water protection by product category .....	55
Table 11 – End user support criteria for quality standards .....	55
Table 12 – Criteria for warranty standards .....	56
Table 13 – Applications of product specifications .....	56
Table 14 – QTM testing requirements .....	57
Table 15 – Applications of MCM results .....	65
Table 16 – Applications of product specifications .....	66
Table 17 – ISM testing requirements .....	67
Table 18 – Applications of AVM results .....	70
Table 19 – AVM verification entry testing requirements .....	72
Table 20 – Applications of product specifications .....	74
Table 21 – Recommended precision requirements for metrics on a continuous scale .....	76
Table A.1 – Qualification as separate PV module .....	80
Table A.2 – Truth-in-advertising tolerance .....	81
Table A.3 – Safety and durability standards .....	81
Table A.4 – End user support requirements .....	83
Table C.1 – Requirements for retesting to update SSS .....	85
Table C.2 – Recommended precision requirements for metrics on a continuous scale .....	87
Table C.3 – Elements in the header/overall performance SSS section .....	88
Table C.4 – Elements in the general information SSS section .....	89
Table C.5 – Elements in the performance details section .....	89
Table C.6 – Elements in the light output SSS section .....	90
Table C.7 – Elements in the special features SSS section .....	90
Table C.8 – Elements in the durability SSS section .....	91
Table C.9 – Elements in the solar module details SSS section .....	91
Table C.10 – Elements in the battery details SSS section .....	92
Table C.11 – Elements in the marks and certifications SSS section .....	92
Table C.12 – Elements in the SSS information section .....	93
Table D.1 – Manufacturer self-reported information outcomes .....	94
Table E.1 – Product sampling outcomes .....	98
Table F.1 – Visual screening test outcomes .....	101
Table G.1 – Recommended minimum conductor sizes for copper wire .....	115
Table H.1 – Power supply setup test outcome .....	118
Table H.2 – Standard operating voltage for several common battery types .....	120
Table H.3 – Voltage and current reporting requirements .....	122
Table I.1 – Light output test outcomes .....	123
Table J.1 – Lumen maintenance test outcomes .....	130
Table J.2 – Lumen maintenance test minimum frequency of measurement for full screening test .....	132

Table J.3 – Lumen maintenance test minimum frequency of measurement for Initial screening test.....	135
Table K.1 – Battery test outcomes.....	140
Table K.2 – Recommended battery testing specifications according to battery chemistry.....	141
Table L.1 – Recommended battery deep discharge protection voltage specifications according to battery chemistry.....	149
Table L.2 – Recommended battery overcharge protection voltage and temperature specifications according to battery chemistry.....	149
Table M.1 – Full-battery run time test outcomes .....	151
Table O.1 – Grid charge test outcomes .....	161
Table P.1 – Mechanical charge test outcomes.....	164
Table Q.1 – Outdoor photovoltaic module I-V characteristics test outcomes .....	167
Table R.1 – Solar charge test outcome.....	175
Table R.2 – Simulated solar day power supply settings.....	181
Table S.1 – Charge controller behaviour test outcomes .....	191
Table T.1 – Light distribution test outcomes.....	204
Table T.2 – Summary of testing options for characterizing lamp distributions .....	205
Table T.3 – Table of example illuminance measurements on the brightest "face" of the 1 m <sup>2</sup> grid and usable area as a function of minimum illuminance .....	219
Table U.1 – Water exposure and physical ingress protection test outcomes .....	223
Table V.1 – Water exposure and physical ingress protection test outcomes.....	230
Table V.2 – Enclosure-only level of water protection requirements.....	231
Table V.3 – Technical level of water protection requirements.....	231
Table V.4 – Example detailed assessment supporting technical level of water protection .....	233
Table V.5 – Overall level of water protection requirements.....	234
Table W.1 – Mechanical durability test outcomes.....	236
Table AA.1 – Field test outcomes.....	250
Table AA.2 – Example run time test datasheet.....	252
Table BB.1 – Battery durability test outcomes.....	256
Table CC.1 – Symbols used in test method column of Table CC.2.....	261
Table CC.2 – Specifications for all required test equipment.....	262
Table DD.1 – Protection test outcomes.....	270
Table DD.2 – Allowable port voltage limit by nominal voltage .....	272
Table DD.3 – Example table of PV overvoltage test results .....	280
Table DD.4 – Example table of miswiring protection test results.....	281
Table EE.1 – DC ports assessment outcomes. ....	282
Table EE.2 – Current pairs for dynamic test.....	293
Table FF.1 – Appliance power consumption test outcomes .....	298
Table FF.2 – Example table of nominal operating voltage, measured voltage, measured current, and calculated power. ....	306
Table GG.1 – Daily energy service calculations outcomes .....	309
Table GG.2 – Required inputs to estimate the full-battery run time(s).....	310
Table GG.3 – Example usage profile .....	311

Table GG.4 – Required inputs to estimate the solar run time..... 315  
Table GG.5 – Representative case for appliance usage when solar charging ..... 315  
Table HH.1 – Power consumption chart for generic appliances without batteries ..... 324  
Table HH.2 – Energy consumption chart for generic appliances with batteries ..... 324

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

**RECOMMENDATIONS FOR RENEWABLE ENERGY  
AND HYBRID SYSTEMS FOR RURAL ELECTRIFICATION –****Part 9-5: Integrated systems –  
Selection of stand-alone lighting kits for rural electrification**

## FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

The main task of IEC technical committees is to prepare International Standards. In exceptional circumstances, a technical committee may propose the publication of a Technical Specification when

- the required support cannot be obtained for the publication of an International Standard, despite repeated efforts, or
- the subject is still under technical development or where, for any other reason, there is the future but no immediate possibility of an agreement on an International Standard.

Technical Specifications are subject to review within three years of publication to decide whether they can be transformed into International Standards.

IEC 62257-9-5, which is a Technical Specification, has been prepared by IEC technical committee 82: Solar photovoltaic energy systems.

This third edition cancels and replaces the second edition issued in 2013. It constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) The battery test methods have been updated to harmonize with existing IEC standards, add safety guidance, and remove test methods for nickel-cadmium batteries (as proper disposal options are not available in many communities).
- b) The sequence of testing has been changed to allow the battery to be charged using the product's charge controller prior to the full-battery run time test.
- c) Limits on total series resistance of the test apparatus have been added to test procedures.
- d) Language has been added throughout to facilitate the testing of systems with appliances, including non-lighting appliances such as radios.
- e) An alternative lumen maintenance test procedure using IESNA LM80-08 test data has been added.
- f) Methods have been added for testing water and physical ingress protection for photovoltaic modules.
- g) Procedures have been added for powering light points directly from a power supply during the lumen maintenance, light output, and light distribution tests.
- h) Equipment requirements and recommended equipment specifications have been consolidated into the new Annex CC.
- i) New optional test methods have been added to assess robustness to faults (Annex DD), characterize DC ports (Annex EE) and appliances (Annex FF), and synthesize test results to estimate the energy service capabilities and evaluate advertising claims for systems with multiple appliances (Annex GG).

This part of IEC 62257 is to be used in conjunction with the IEC 62257 (all parts).

The text of this Technical Specification is based on the following documents:

Enquiry draft	Report on voting
82/1051/DTS	82/1115/RVC

Full information on the voting for the approval of this Technical Specification can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 62257 series, published under the general title *Recommendations for renewable energy and hybrid systems for rural electrification*, can be found on the IEC website.

Future standards in this series will carry the new general title as cited above. Titles of existing standards in this series will be updated at the time of the next edition.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- transformed into an International standard,
- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

**IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.**

## INTRODUCTION

IEC 62257 (all parts) provides support and strategies for and institutions involved in rural electrification projects. It documents technical approaches for designing, building, testing, and maintaining off-grid renewable energy and hybrid systems with AC nominal voltage below 500 V, DC nominal voltage below 750 V and nominal power below 100 kVA.

These documents are recommendations to support buyers who want to connect with good quality options in the market:

- to choose the right system for the right place,
- to design the system, and
- to operate and maintain the system.

These documents are focused only on technical aspects of rural off-grid electrification concentrating on, but not specific to, developing countries. They are not considered as all inclusive to rural electrification. The documents do not describe a range of factors that can determine project or product success: environmental, social, economic, service capabilities, and others.

Further developments in this field could be introduced in future steps.

This consistent set of documents is best considered as a whole with different parts corresponding to items for safety, sustainability of systems, and costs. The main objectives are to support the capabilities of households and communities that use small renewable energy and hybrid off-grid systems and inform organizations and institutions in the off-grid power market.

The purpose of this part of IEC 62257 is to specify quality assurance strategies for stand-alone lighting kits, including product specifications, tests, and a standardized specification sheet format. In addition to supporting the selection of products by project developers and implementers, quality assurance can help market support organizations, manufacturers, and governments achieve the goals they have for off-grid lighting projects.

The intended users of this part of IEC 62257 are listed below. In some clauses and subclauses of this part of IEC 62257, a description of the application of the subclause contents is offered to help provide context for each type of user.

- a) Market support programmes are programmes that support the off-grid lighting market with financing, consumer education, awareness, and other services. Market support programmes often use quality assurance to qualify for access to services such as:
  - greenhouse gas reduction certifications or other incentives,
  - access to financing (trade or consumer finance),
  - use of a buyer seal and certification (government or non-governmental institutional backing, consumer or "business to business" seals),
  - participation in a public product information database (e.g. standardized specification sheets),
  - access to a business network or trade group,
  - business support and development services,
  - access to market intelligence, and
  - participation in consumer awareness campaigns.
- b) Manufacturers and distributors need to verify the quality and performance of products from different batches and potential business partners. Manufacturers and distributors often use quality assurance plans or requirements to: