

Institut luxembourgeois de la normalisation de l'accréditation, de la sécurité et qualité des produits et services

ILNAS-EN 13138-3:2014

 Buoyant aids for swimming instruction
 Part 3: Safety requirements and test methods for swim seats to be worn

Aides à la flottabilité pour l'apprentissage de la natation - Partie 3: Exigences de sécurité et méthodes d'essai pour les sièges flottants devant

Auftriebshilfen für das Schwimmenlernen
- Teil 3: Sicherheitstechnische
Anforderungen und Prüfverfahren für
Schwimmsitze, die am Körper getragen

National Foreword

This European Standard EN 13138-3:2014 was adopted as Luxembourgish Standard ILNAS-EN 13138-3:2014.

Every interested party, which is member of an organization based in Luxembourg, can participate for FREE in the development of Luxembourgish (ILNAS), European (CEN, CENELEC) and International (ISO, IEC) standards:

- Participate in the design of standards
- Foresee future developments
- Participate in technical committee meetings

https://portail-qualite.public.lu/fr/normes-normalisation/participer-normalisation.html

THIS PUBLICATION IS COPYRIGHT PROTECTED

Nothing from this publication may be reproduced or utilized in any form or by any mean - electronic, mechanical, photocopying or any other data carries without prior permission!

EUROPEAN STANDARD ILNAS-EN 13138-3:201 EN 13138-3

NORME EUROPÉENNE

EUROPÄISCHE NORM

December 2014

ICS 13.340.70; 97.220.40

Supersedes EN 13138-3:2007

English Version

Buoyant aids for swimming instruction - Part 3: Safety requirements and test methods for swim seats to be worn

Aides à la flottabilité pour l'apprentissage de la natation -Partie 3: Exigences de sécurité et méthodes d'essai pour les sièges flottants devant être portés Auftriebshilfen für das Schwimmenlernen - Teil 3: Sicherheitstechnische Anforderungen und Prüfverfahren für Schwimmsitze, die am Körper getragen werden

This European Standard was approved by CEN on 16 August 2014.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents

Page

Introduction			
1 Scope 8 2 Normative references 8 3 Terms and definitions 9 4 Classification 10 4.1 General 10 4.2 Categorization 11 5 Safety requirements 11 5.1 General 11 5.2 Design 12 5.2.1 Avoidance of similarities to aquatic toys 12 5.2.2 Inconcousenses 12 5.2.3 Edges, corners and points 12 5.2.4 Buckles, zippers and other fixings 12 5.2.5 Small parts 12 5.2.5 Small parts 13 5.2.6 Valves and stoppers 12 5.3 Sizing 13 5.4 Materials 13 5.4.1 Thread 13 5.4.2 Resistance to puncturing 14 5.4.3 Resistance of foam and other inherent buoyant material to water absorption 14	Forew	ord	5
2 Normative references 8 3 Terms and definitions 9 4 Classification 10 4.1 General 10 4.2 Categorization 11 5 Safety requirements 11 5.1 General 11 5.2 Design 12 5.2.1 Avoidance of similarities to aquatic toys 12 5.2.2 Innocuousness 12 5.2.3 Edges, corners and points 12 5.2.4 Buckles, zippers and other fixings 12 5.2.5 Small parts 13 5.2.6 Valves and stoppers 13 5.3 Sizing 13 5.4 Materials 13 5.4.1 Thread 13 5.4.2 Ravies and stoppers 13 5.4.3 Resistance to puncturing 14 5.4.1 Thread 13 5.4.2 Ravies and stoppers 13 5.4.3 Resistance	Introd	uction	6
3 Terms and definitions 9 4 Classification. 10 4.1 General 10 4.2 Categorization 11 5 Safety requirements 11 5.1 General 11 5.2 Design 12 5.2.1 Avoidance of similarities to aquatic toys 12 5.2.2 Innocuousness 12 5.2.3 Edges, corners and points 12 5.2.4 Buckles, zippers and other fixings 12 5.2.5 Small parts 13 5.2.6 Valves and stoppers 13 5.3 Sizing 13 5.4 Materials 13 5.4 Thread 13 5.4.1 Thread 13 5.4.2 Resistance to puncturing 14 5.4.3 Resistance to puncturing 14 5.4.4 Resistance to foam and other inherent buoyant material to water absorption 14 5.4.5 Resistance to Chlorinated salt water	1	Scope	8
4 Classification 10 4.1 General 10 4.2 Categorization 11 5 Safety requirements 11 5.1 General 11 5.2 Design 12 5.2.1 Avoidance of similarities to aquatic toys 12 5.2.2 Innocuousness 12 5.2.3 Edges, corners and points 12 5.2.4 Buckles, zippers and other fixings 12 5.2.5 Small parts 13 5.2.6 Valves and stoppers 13 5.3 Sizing 13 5.4 Materials 13 5.4.1 Thread 13 5.4.2 Resistance to puncturing 14 5.4.3 Resistance of foam and other inherent buoyant material to water absorption 14 5.4.2 Resistance of foam and other inherent buoyant materials to compression 14 5.4.4 Resistance of foam and other inherent buoyant materials to compression 14 5.4.5 Migration of certain elements 14 5.4.6 Resistance of the markings	2	Normative references	8
4.1 General. 10 4.2 Categorization. 11 5 Safety requirements. 11 5.1 General. 11 5.2.1 Avoidance of similarities to aquatic toys. 12 5.2.2 Innocuousness. 12 5.2.3 Edges, corners and points. 12 5.2.4 Buckles, zippers and other fixings. 12 5.2.5 Small parts. 13 5.2.6 Valves and stoppers. 13 5.3 Sizing. 13 5.4 Materials. 13 5.4.1 Thread. 13 5.4.2 Resistance to puncturing. 14 5.4.3 Resistance of foam and other inherent buoyant material to water absorption. 14 5.4.2 Resistance of foam and other inherent buoyant materials to compression. 14 5.4.5 Migration of certain elements. 14 5.4.6 Resistance to chlorinated salt water. 14 5.4.7 Material used for markings. 14 5.4.8 Resistance of the markings to perspiration. 15 5.4.9	3	Terms and definitions	9
4.2 Categorization 11 5 Safety requirements 11 5.1 General 11 5.2 Design 12 5.2.1 Avoidance of similarities to aquatic toys 12 5.2.2 Innocuousness 12 5.2.3 Edges, corners and points 12 5.2.4 Buckles, zippers and other fixings 12 5.2.5 Small parts 13 5.2.6 Valves and stoppers 13 5.3 Sizing 13 5.4 Materials 13 5.4 Materials 13 5.4.1 Thread 13 5.4.2 Resistance to puncturing 14 6.4.3 Resistance of foam and other inherent buoyant material to water absorption 14 5.4.2 Resistance of foam and other inherent buoyant materials to compression 14 5.4.5 Migration of certain elements 14 5.4.6 Resistance to Chlorinated salt water 14 5.4.7 Material used for markings 14 6.5.4 Resistance of the markings to perspiration	-	Classification	. 10
5 Safety requirements 11 5.1 General. 11 5.2 Design 12 5.2.1 Avoidance of similarities to aquatic toys. 12 5.2.2 Innocuousness. 12 5.2.3 Edges, corners and points. 12 5.2.4 Buckles, zippers and other fixings. 12 5.2.5 Small parts. 13 5.2.6 Valves and stoppers. 13 5.3 Sizing 13 5.4 Materials 13 5.4.1 Thread 13 5.4.2 Resistance to puncturing. 14 5.4.3 Resistance of foam and other inherent buoyant material to water absorption 14 5.4.2 Resistance of foam and other inherent buoyant materials to compression 14 5.4.3 Resistance of foam and other inherent buoyant materials to compression 14 5.4.5 Migration of certain elements. 14 5.4.5 Migration of certain elements. 14 5.4.6 Resistance to chlorinated salt water 14 <td></td> <td></td> <td></td>			
5.1 General 11 5.2 Design 12 5.2.1 Avoidance of similarities to aquatic toys 12 5.2.2 Innocuousness 12 5.2.3 Edges, corners and points 12 5.2.4 Buckles, zippers and other fixings 12 5.2.5 Small parts 13 5.2.6 Valves and stoppers 13 5.3 Sizing 13 5.4 Materials 13 5.4.1 Thread 13 5.4.2 Resistance to puncturing 14 5.4.3 Resistance of foam and other inherent buoyant material to water absorption 14 5.4.4 Resistance of foam and other inherent buoyant materials to compression 14 5.4.5 Migration of certain elements 14 5.4.6 Resistance to chlorinated salt water 14 5.4.7 Material used for markings 14 5.4.8 Resistance of the markings to perspiration 15 5.4.9 Adhesion of markings 15 5.5.1 Strength of entire seat 15 5.5.2 S		•	
5.2.1 Design 12 5.2.1 Avoidance of similarities to aquatic toys 12 5.2.2 Innocuousness 12 5.2.3 Edges, corners and points 12 5.2.4 Buckles, zippers and other fixings 12 5.2.5 Small parts 13 5.2.6 Valves and stoppers 13 5.2.7 Materials 13 5.4 Materials 13 5.4.1 Thread 13 5.4.2 Resistance of puncturing 14 5.4.3 Resistance of foam and other inherent buoyant material to water absorption 14 5.4.2 Resistance of foam and other inherent buoyant materials to compression 14 5.4.3 Resistance of foam and other inherent buoyant materials to compression 14 5.4.5 Migration of certain elements 14 5.4.6 Resistance to chlorinated salt water 14 5.4.7 Material used for markings 14 5.4.8 Resistance of the markings to perspiration 15 5.5 Strength 15 5.5.1 Strength of entire seat 1	_		
5.2.1 Avoidance of similarities to aquatic toys 12 5.2.2 Innocuousness 12 5.2.3 Edges, corners and points 12 5.2.4 Buckles, zippers and other fixings 12 5.2.5 Small parts 13 5.2.6 Valves and stoppers 13 5.3 Sizing 13 5.4 Materials 13 5.4.1 Thread 13 5.4.2 Resistance to puncturing 14 5.4.3 Resistance of foam and other inherent buoyant material to water absorption 14 5.4.2 Resistance of foam and other inherent buoyant materials to compression 14 5.4.3 Resistance of foam and other inherent buoyant materials to compression 14 5.4.5 Migration of certain elements 14 5.4.6 Resistance to chlorinated salt water 14 5.4.7 Material used for markings 14 5.4.8 Resistance to chlorinated salt water 14 5.4.9 Adhesion of markings 15 5.5 Strength 15 5.5.1 Strength of entire seat <t< td=""><td></td><td></td><td></td></t<>			
5.2.2 Innocuousness 12 5.2.3 Edges, corners and points 12 5.2.4 Buckles, zippers and other fixings 12 5.2.5 Small parts 13 5.2.6 Valves and stoppers 13 5.3 Sizing 13 5.4 Materials 13 5.4.1 Thread 14 5.4.2 Resistance to puncturing 14 5.4.3 Resistance of foam and other inherent buoyant material to water absorption 14 5.4.4 Resistance of foam and other inherent buoyant materials to compression 14 5.4.5 Migration of certain elements 14 5.4.6 Resistance to chlorinated salt water 14 5.4.7 Material used for markings 14 5.4.8 Resistance of the markings to perspiration 15 5.4.9 Adhesion of markings 15 5.5 Strength 15 5.5.1 Strength of entire seat 15 5.5.2 Seam strength and durability of inflatable devices 15 5.6.1 Residual buoyancy 15 <td< td=""><td>-</td><td></td><td></td></td<>	-		
5.2.3 Edges, corners and points. 12 5.2.4 Buckles, zippers and other fixings 12 5.2.5 Small parts. 13 5.2.6 Valves and stoppers. 13 5.3 Sizing. 13 5.4 Materials. 13 5.4.1 Thread. 13 5.4.2 Resistance to puncturing. 14 5.4.3 Resistance of foam and other inherent buoyant material to water absorption. 14 5.4.4 Resistance of foam and other inherent buoyant materials to compression. 14 5.4.5 Migration of certain elements. 14 5.4.6 Resistance to chlorinated salt water. 14 5.4.7 Material used for markings. 14 5.4.8 Resistance of the markings to perspiration. 15 5.4.9 Adhesion of markings. 15 5.5.1 Strength of entire seat. 15 5.5.2 Seam strength and durability of inflatable devices. 15 5.6.1 In-water performance. 15 5.6.2 Fit and positioning. 15 5.6.3 In-water behaviour, static stab	-		
5.2.4 Buckles, zippers and other fixings 12 5.2.5 Small parts	_		
5.2.6 Valves and stoppers 13 5.3 Sizing 13 5.4 Materials 13 5.4.1 Thread 13 5.4.2 Resistance to puncturing 14 5.4.3 Resistance of foam and other inherent buoyant material to water absorption 14 5.4.4 Resistance of foam and other inherent buoyant materials to compression 14 5.4.5 Migration of certain elements 14 5.4.6 Resistance to chlorinated salt water 14 5.4.7 Material used for markings 14 5.4.8 Resistance of the markings to perspiration 15 5.4.9 Adhesion of markings 15 5.5 Strength 15 5.5.1 Strength of entire seat 15 5.5.2 Seam strength and durability of inflatable devices 15 5.6.1 In-water performance 15 5.6.2 Fit and positioning 15 5.6.3 In-water behaviour, static stability, capsizing under extreme condition (option 1 to 3) 16 5.6.5 Escape from the swim seat (body entrapment, leg / foot entanglement) 16 <td>5.2.4</td> <td></td> <td></td>	5.2.4		
5.3 Sizing 13 5.4 Materials 13 5.4.1 Thread 13 5.4.2 Resistance to puncturing 14 5.4.3 Resistance of foam and other inherent buoyant material to water absorption 14 5.4.4 Resistance of foam and other inherent buoyant materials to compression 14 5.4.5 Migration of certain elements 14 5.4.6 Resistance to chlorinated salt water 14 5.4.7 Material used for markings 14 5.4.8 Resistance of the markings to perspiration 15 5.4.9 Adhesion of markings 15 5.5 Strength 15 5.5.1 Strength of entire seat 15 5.5.2 Seam strength and durability of inflatable devices 15 5.6.1 In-water performance 15 5.6.2 Fit and positioning 15 5.6.3 In-water behaviour, static stability, capsizing under extreme condition (option 1 to 3) 16 5.6.5 In-water behaviour, static stability, capsizing under extreme condition (option 1 to 3) 16 5.6.6 In-water behaviour, static stabi			
5.4 Materials 13 5.4.1 Thread 13 5.4.2 Resistance to puncturing 14 5.4.3 Resistance of foam and other inherent buoyant materials to compression 14 5.4.4 Resistance of foam and other inherent buoyant materials to compression 14 5.4.5 Migration of certain elements 14 5.4.6 Resistance to chlorinated salt water 14 5.4.7 Material used for markings 14 5.4.8 Resistance of the markings to perspiration 15 5.4.9 Adhesion of markings 15 5.5 Strength 15 5.5.1 Strength of entire seat 15 5.5.2 Seam strength and durability of inflatable devices 15 5.6.1 In-water performance 15 5.6.2 Fit and positioning 15 5.6.3 In-water behaviour, static stability 16 5.6.4 In-water behaviour, static stability, capsizing under extreme condition (option 1 to 3) 16 5.6.5 Escape from the swim seat (body entrapment, leg / foot entanglement) 16 5.6.7 Swim seats with special			
5.4.1 Thread 13 5.4.2 Resistance to puncturing 14 5.4.3 Resistance of foam and other inherent buoyant material to water absorption 14 5.4.4 Resistance of foam and other inherent buoyant materials to compression 14 5.4.5 Migration of certain elements 14 5.4.6 Resistance to chlorinated salt water 14 5.4.7 Material used for markings 14 5.4.8 Resistance of the markings to perspiration 15 5.4.9 Adhesion of markings 15 5.5 Strength 15 5.5.1 Strength of entire seat 15 5.5.2 Seam strength and durability of inflatable devices 15 5.6.1 In-water performance 15 5.6.2 Fit and positioning 15 5.6.3 In-water behaviour, static stability 16 5.6.4 In-water behaviour, static stability, capsizing under extreme condition (option 1 to 3) 16 5.6.5 Escape from the swim seat (body entrapment, leg / foot entanglement) 16 5.6.6 In-water behaviour, static stability retention of function 17			
5.4.2 Resistance to puncturing			
5.4.3 Resistance of foam and other inherent buoyant material to water absorption			
5.4.4 Resistance of foam and other inherent buoyant materials to compression 14 5.4.5 Migration of certain elements 14 5.4.6 Resistance to chlorinated salt water 14 5.4.7 Material used for markings 14 5.4.8 Resistance of the markings to perspiration 15 5.4.9 Adhesion of markings 15 5.5 Strength 15 5.5.1 Strength of entire seat 15 5.5.2 Seam strength and durability of inflatable devices 15 5.6.1 In-water performance 15 5.6.1 Residual buoyancy 15 5.6.2 Fit and positioning 15 5.6.3 In-water behaviour, static stability 15 5.6.4 In-water behaviour, static stability, capsizing under extreme condition (option 1 to 3) 16 5.6.5 Escape from the swim seat (body entrapment, leg / foot entanglement) 16 5.6.6 In-water behaviour, static stability retention of function 17 6.7 Swim seats with special seat designs 17 6 Test methods 17 7.1 Enhanced condit	-		
5.4.5 Migration of certain elements 14 5.4.6 Resistance to chlorinated salt water 14 5.4.7 Material used for markings 14 5.4.8 Resistance of the markings to perspiration 15 5.4.9 Adhesion of markings 15 5.5 Strength 15 5.5.1 Strength of entire seat 15 5.5.2 Seam strength and durability of inflatable devices 15 5.6 In-water performance 15 5.6.1 Residual buoyancy 15 5.6.2 Fit and positioning 15 5.6.3 In-water behaviour, static stability 16 5.6.4 In-water behaviour, static stability, capsizing under extreme condition (option 1 to 3) 16 5.6.5 Escape from the swim seat (body entrapment, leg / foot entanglement) 16 5.6.6 In-water behaviour, static stability retention of function 17 5.6.7 Swim seats with special seat designs 17 6 Test methods 17 6.1 Enhanced conditioning 17 6.2 Test apparatus and procedure 17			
5.4.6 Resistance to chlorinated salt water 14 5.4.7 Material used for markings 14 5.4.8 Resistance of the markings to perspiration 15 5.4.9 Adhesion of markings 15 5.5 Strength 15 5.5.1 Strength of entire seat 15 5.5.2 Seam strength and durability of inflatable devices 15 5.6 In-water performance 15 5.6.1 Residual buoyancy 15 5.6.2 Fit and positioning 15 5.6.3 In-water behaviour, static stability 16 5.6.4 In-water behaviour, static stability, capsizing under extreme condition (option 1 to 3) 16 5.6.5 Escape from the swim seat (body entrapment, leg / foot entanglement) 16 5.6.6 In-water behaviour, static stability retention of function 17 5.6.7 Swim seats with special seat designs 17 6 Test methods 17 6.1 Enhanced conditioning 17 6.2 Test apparatus and procedure 17 7 Warnings and markings 18 <	-		
5.4.7 Material used for markings 14 5.4.8 Resistance of the markings to perspiration 15 5.4.9 Adhesion of markings 15 5.5 Strength 15 5.5.1 Strength of entire seat 15 5.5.2 Seam strength and durability of inflatable devices 15 5.6 In-water performance 15 5.6.1 Residual buoyancy 15 5.6.2 Fit and positioning 15 5.6.3 In-water behaviour, static stability 16 5.6.4 In-water behaviour, static stability, capsizing under extreme condition (option 1 to 3) 16 5.6.5 Escape from the swim seat (body entrapment, leg / foot entanglement) 16 5.6.6 In-water behaviour, static stability retention of function 17 5.6.7 Swim seats with special seat designs 17 6 Test methods 17 6.1 Enhanced conditioning 17 6.2 Test apparatus and procedure 17 7 Warnings and markings 18 7.1 General 18 7.2 Warnings			
5.4.8 Resistance of the markings to perspiration			
5.5. Strength	5.4.8		
5.5.1 Strength of entire seat	5.4.9		
5.5.2 Seam strength and durability of inflatable devices	5.5		
5.6In-water performance155.6.1Residual buoyancy155.6.2Fit and positioning155.6.3In-water behaviour, static stability165.6.4In-water behaviour, static stability, capsizing under extreme condition (option 1 to 3)165.6.5Escape from the swim seat (body entrapment, leg / foot entanglement)165.6.6In-water behaviour, static stability retention of function175.6.7Swim seats with special seat designs176Test methods176.1Enhanced conditioning176.2Test apparatus and procedure177Warnings and markings187.1General187.2Warnings and markings on the product18			
5.6.1 Residual buoyancy			
5.6.2Fit and positioning155.6.3In-water behaviour, static stability165.6.4In-water behaviour, static stability, capsizing under extreme condition (option 1 to 3)165.6.5Escape from the swim seat (body entrapment, leg / foot entanglement)165.6.6In-water behaviour, static stability retention of function175.6.7Swim seats with special seat designs176Test methods176.1Enhanced conditioning176.2Test apparatus and procedure177Warnings and markings187.1General187.2Warnings and markings on the product18		· · · · · · · · · · · · · · · · · · ·	
5.6.3In-water behaviour, static stability.165.6.4In-water behaviour, static stability, capsizing under extreme condition (option 1 to 3)165.6.5Escape from the swim seat (body entrapment, leg / foot entanglement)165.6.6In-water behaviour, static stability retention of function175.6.7Swim seats with special seat designs176Test methods176.1Enhanced conditioning176.2Test apparatus and procedure177Warnings and markings187.1General187.2Warnings and markings on the product18			
5.6.4In-water behaviour, static stability, capsizing under extreme condition (option 1 to 3)165.6.5Escape from the swim seat (body entrapment, leg / foot entanglement)165.6.6In-water behaviour, static stability retention of function175.6.7Swim seats with special seat designs176Test methods176.1Enhanced conditioning176.2Test apparatus and procedure177Warnings and markings187.1General187.2Warnings and markings on the product18			
5.6.5 Escape from the swim seat (body entrapment, leg / foot entanglement) 16 5.6.6 In-water behaviour, static stability retention of function 17 5.6.7 Swim seats with special seat designs 17 6 Test methods 17 6.1 Enhanced conditioning 17 6.2 Test apparatus and procedure 17 7 Warnings and markings 18 7.1 General 18 7.2 Warnings and markings on the product 18			
5.6.6In-water behaviour, static stability retention of function175.6.7Swim seats with special seat designs176Test methods176.1Enhanced conditioning176.2Test apparatus and procedure177Warnings and markings187.1General187.2Warnings and markings on the product18			
5.6.7 Swim seats with special seat designs			
6.1 Enhanced conditioning			
6.1 Enhanced conditioning	6	Tost mothods	17
6.2Test apparatus and procedure177Warnings and markings187.1General187.2Warnings and markings on the product18	_		
7 Warnings and markings			
7.1 General		••	
7.2 Warnings and markings on the product			

7.4	Consumer information at the point of sale	19
Annex	A (normative) Test manikins I to III	21
A .1	Dimensions	21
A.2	Specifications	22
A .3	Density of components	23
A. 4	Centre of gravity	23
A.4.1	Location	23
A.4.2	Calibration on land (dry)	23
A.4.3	Calibration in water (wet)	24
A.4.4	Test manikins I III, variant: upright sitting manikin	24
Annex	B (normative) Test procedures for swim seats	26
B.1	Fit and positioning	26
B.1.1	General	26
B.1.2	In-water behaviour, static stability in calm water	26
B.1.2.1	Static stability of inflatable swim seats	26
B.1.2.2	Static stability of swim seats made from inherent buoyant material, e.g. foam	27
B.1.3	Efficiency of residual buoyancy and retention of function	27
B.2	Self-righting test, options 1 to 3	28
B.2.1	General	28
B.2.2	Escape test	28
B.3	Strength of entire seat (weldings, sewings, straps etc.)	32
Annex	C (normative) Procedures for testing resistance of markings to saliva	34
Annex	D (normative) Procedures for testing efficiency of valves of inflatable devices	35
Annex	E (normative) Security of the pressure release of buckles	36
Annex	F (normative) Procedures for testing non-objectively measurable features like donning, adjustability, retention of function, edges, corners and points by panel assessment	37
F.1	General	37
F.2	Assessment of risks	37
F.3	Guidance to panel assessment of complete device	38
F.4	Re-assessment of instructions supplied with the device	39
Annex	G (normative) Test procedures for seam strength and durability of inflatable devices	40
Annex	H (normative) Test procedures for determining the puncture resistance of inflatable devices	41
Annex	I (normative) Test procedure for size of leg holes	42
Annex	J (normative) Test procedure for seat depth adjustment of swim seats of sizes I; II; III related to equal height of centre of gravity	43
J.1	Dimensions	43
J.2	Testing	45
J.2.1	Marking a reference point	45

J.2.2	Measurement	45
Annex	K (informative) Significant technical changes between this document and the previous	
	edition EN 13138-3:2007	46

Foreword

This document (EN 13138-3:2014) has been prepared by Technical Committee CEN/TC 162 "Protective clothing including hand and arm protection and lifejackets", the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by June 2015 and conflicting national standards shall be withdrawn at the latest by June 2015.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 13138-3:2007.

Annex K provides details of significant technical changes between this European Standard and the previous edition EN 13138-3:2007.

This European Standard is one of a series consisting of three standards dealing with buoyant devices for swimming instructions for the various stages of the learning process.

- EN 13138-1, Buoyant aids for swimming instructions Part 1: Safety requirements and test methods for buoyant aids to be worn
- EN 13138-2, Buoyant aids for swimming instructions Part 2: Safety requirements and test methods for buoyant aids to be held
- EN 13138-3, Buoyant aids for swimming instructions Part 3: Safety requirements and test methods for swim seats
- prEN 13138-4, Buoyant aids for swimming instruction Part 4: Test manikin for in water performance testing of buoyant aids to be worn

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Introduction

The entire process of learning to swim is considered to include two stages:

- getting familiar with the water environment and movements in it;
- acquiring skills in standard swimming strokes.

Buoyant aids for swimming instructions (in brief: swimming device(s)) are intended to assist users (in particular children) to learn to swim. The design and purpose of the devices are related to the above stages.

Swimming devices are intended to give the user positive buoyancy in the water while maintaining the correct body position for swimming. However, it should not be assumed that standard conformity of the devices will by itself eliminate the risk of drowning as this depends also on the behaviour of the user and any supervision.

Although this European Standard sets performance requirements to ensure that swimming devices perform appropriately, it is essential that the devices are used correctly and under constant and close supervision. It is important to ensure that they are securely fitted to the appropriate size of user and that when correctly fitted, they cannot become displaced. Swim seats however should allow immediate escape in case of capsizing. Therefore the use of these devices is recommended to be restricted to water out of standing depth of the user.

The highest degree of protection against drowning can only be achieved by using lifejackets. It is essential that there is a clear distinction between devices intended to preserve life and those which are intended only to assist buoyancy for the user when learning to swim. As swimming devices are not life preservers, they should only be used in swimming pools and other situations free from current, tides and waves.

The bulk storage of some types of swimming devices could, under certain conditions, result in a potential fire hazard. The perceived risk of such a hazard was evaluated against the actual risk to the user from materials treated with certain known toxic fire retardant chemicals. However, the fire hazard is less of a problem to the user than the risk associated with the swimming devices being put in the mouth, especially by children. For this reason, flammability requirements do not apply to this European Standard.

For the above reasons and to differentiate these devices from aquatic toys, advisory safety measures, including marking, warning notices and user instructions are included in this standard.

The range both of the design and function of buoyant aids for swimming instruction varies considerably and for this reason, the standard for swimming devices has been prepared in three parts, namely devices that are intended to allow the user to become familiar with water (passive user), devices that are worn (active user) and those devices that are held by the user to improve swimming strokes.

Part 1 of this European Standard is only for devices that are securely attached to the body (class B devices = for an active user). They are intended to introduce the user to the range of swimming strokes.

Part 2 of this European Standard is for devices that are held either in the hands or by the body (class C devices = for an active user) and are intended to assist with improving specific elements of the swimming stroke. For adult beginners or more advanced users they can also be used for further stages of the process to learn to swim.

Part 3 of this European Standard deals only with swim seats to assist children up to 36 months in their first attempts to learn to swim (i.e. to get familiar with the "in water environment" and moving through it). The child is positioned inside the buoyant structure, which provides buoyancy and lateral support to the body, thereby keeping the child's head above water level (class A devices = for a passive user).