INTERNATIONAL STANDARD

ISO/IEC 19395

First edition 2015-01-15

Information technology — Sustainability for and by information technology — Smart data centre resource monitoring and control

Technologies de l'information — Durabilité pour et par les technologies de l'information — Surveillance des ressources et contrôle des centres de données intelligents





COPYRIGHT PROTECTED DOCUMENT

© ISO/IEC 2015

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Case postale 56 • CH-1211 Geneva 20 Tel. + 41 22 749 01 11 Fax + 41 22 749 09 47 E-mail copyright@iso.org Web www.iso.org

Published in Switzerland

Contents			Page
For	eword		iv
Introduction			v
1	Scon	e	1
2	-	ormance	
3	Normative references		
4	Tern	ns, definitions and acronyms	3
5	Domains		
	5.1	Introduction	
	5.2	Base Domain	5
		5.2.1 CIM_System	5
		5.2.2 CIM_BaseMetricDefinition	
		5.2.3 CIM_BaseMetricValue	5
		5.2.4 CIM_MetricDefForME	6
		5.2.5 CIM_MetricInstance	6
		5.2.6 CIM_RegisteredProfile	6
		5.2.7 CIM_SystemDevice	6
		5.2.8 CIM_Component	7
		5.2.9 Metrics for fluid measurements	7
		5.2.10 CIM_NumericSensor	10
		5.2.11 CIM_EnabledLogicalElementCapabilities	10
		5.2.12 CIM_ElementCapabilities	
	5.3	IT Domain	
	5.4	Power Domain	13
	5.5	Fluid Domain	13
		5.5.1 SDC_FluidConnection	
		5.5.2 SDC_FluidElement	
		5.5.3 SDC_FluidMeasurementPoint	
		5.5.4 SDC_FluidTransferPort	
		5.5.5 SDC_CoolingSystem	
		5.5.6 SDC_CoolingSettingData	
6	Prop	erties	16
7	Messages		22
	7.1	Commands and responses	
	,	7.1.1 GET	
		7.1.2 SET	
	7.2	Event subscription and notification	
	7.4	7.2.1 Event subscription	
		7.2.2 Event notification	
Ann	ex A (no	ormative) ECMA-400 Edition 1 Resource configuration options	
	•	formative) Resource configuration of a CRAH system's fluid perspective	
	(***		

iii

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject Actention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment as well as information about ISO's adherence to the WTO principles in the Technical Barriers.

assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: Foreword - Supplementary information

ISO/IEC 19395 was prepared by Ecma International (as ECMA-400) and was adopted, under a special "fast-track procedure", by Joint Technical Committee ISO/IEC JTC 1, Information technology, in parallel with its approval by national bodies of ISO and IEC.

Introduction

Operation of data centres requires management of storage, computation, communication, electrical energy and temperature to achieve the required quality of service and efficiency parameters. Often, however, the separate management of Information Technology (IT), electrical energy (or power) and cooling Resource islands yields a sub-optimal result.

This International Standard provides Messages that facilitate integrated or "smart" monitoring and control of Resources in those islands. The Messages are exchanged between the Management Function and Resources. The International Standard acknowledges that those Resources may be composed of other Resources (e.g. a rack may contain servers, ventilators, etc.). In addition, e.g. those servers may be viewed from their computing, energy consumption or dissipation aspects which this International Standard models as Resource Components and groups into IT, power and fluid Domains, respectively.

Information technology — Sustainability for and by information technology — Smart data centre resource monitoring and control

1 Scope

In the Smart Data Centre, Management Functions monitor and control Resources. Resources model IT and facility equipment, systems and components in a data centre. To monitor and control the Resources' Properties, Management Functions exchange command, response or event Messages with Resources, see Figure 1.



Figure 1 — Scope

Resources are made up out of Resource Components which this second edition shares Properties with classes in Common Information Models (CIM). Messages refer to Resources and their Properties. Messages are encoded in XML and exchanged in HTTP primitives.

Figure 1 illustrates the functionality that this second edition adds as described above.



Figure 2 — Functionality that second edition adds

Management Function(s), Resources, IT & facility equipment, systems and components themselves are out of scope as illustrated in <u>Figure 1</u>, <u>Figure 2</u> and <u>Figure 3</u>. Static information such as location, addressing of Resources and CPU models are out of scope as well.