
**Methods of test for full-flow
lubricating oil filters for internal
combustion engines —**

**Part 14:
Cold start simulation and hydraulic
pulse durability for composite filter
 housings**

*Méthodes d'essai des filtres à huile de lubrification à passage intégral
pour moteurs à combustion interne —*

*Partie 14: Essais de simulation de démarrage à froid et de résistance
aux impulsions hydrauliques pour les corps de filtre pressurisés à base
de matériaux composites*





COPYRIGHT PROTECTED DOCUMENT

© ISO 2016, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

Contents

	Page
Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms, definitions, and graphical symbols	1
3.1 Terms and definitions.....	1
3.2 Graphical symbols.....	1
4 Operational characteristics to be tested	1
5 Test equipment	2
6 Test liquid	2
7 Test temperature	2
8 Accuracy	2
9 Cold start simulation and hydraulic pulse durability test	2
10 Test report	3
Annex A (normative) Values to be used for tests if no agreement is reached with the manufacturer	5
Bibliography	6