



Institut luxembourgeois de la normalisation
de l'accréditation, de la sécurité et qualité
des produits et services

ILNAS-EN 303 447 V1.1.1 (2017-06)

**Short Range Devices (SRD); Inductive
loop systems for robotic mowers in the
frequency range 0 Hz to 148,5 kHz;
Harmonised Standard covering the**

06/2017



National Foreword

This European Standard EN 303 447 V1.1.1 (2017-06) was adopted as Luxembourgish Standard ILNAS-EN 303 447 V1.1.1 (2017-06).

Every interested party, which is member of an organization based in Luxembourg, can participate for FREE in the development of Luxembourgish (ILNAS), European (CEN, CENELEC) and International (ISO, IEC) standards:

- Participate in the design of standards
- Foresee future developments
- Participate in technical committee meetings

<https://portail-qualite.public.lu/fr/normes-normalisation/participer-normalisation.html>

THIS PUBLICATION IS COPYRIGHT PROTECTED

Nothing from this publication may be reproduced or utilized in any form or by any mean - electronic, mechanical, photocopying or any other data carries without prior permission!



**Short Range Devices (SRD);
Inductive loop systems for robotic mowers
in the frequency range 0 Hz to 148,5 kHz;
Harmonised Standard covering the essential requirements
of article 3.2 of Directive 2014/53/EU**

Reference

DEN/ERM-TG28-541

Keywords

harmonised standard, inductive, measurement,
radio

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:

<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:

<https://portal.etsi.org/People/CommiteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2017.

All rights reserved.

DECT™, PLUGTESTS™, UMTS™ and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.

3GPP™ and LTE™ are Trade Marks of ETSI registered for the benefit of its Members and
of the 3GPP Organizational Partners.

oneM2M logo is protected for the benefit of its Members

GSM® and the GSM logo are Trade Marks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	5
Foreword.....	5
Modal verbs terminology.....	5
Introduction	5
1 Scope	7
2 References	7
2.1 Normative references	7
2.2 Informative references.....	7
3 Definitions, symbols and abbreviations	8
3.1 Definitions.....	8
3.2 Symbols.....	9
3.3 Abbreviations	10
4 Technical requirements specifications	10
4.1 Environmental conditions.....	10
4.2 General	10
4.2.1 Wanted performance criteria.....	10
4.2.2 RMI functional mode.....	10
4.2.2.1 General	10
4.2.2.2 Operational Mode	11
4.2.2.3 Safe Mode	11
4.2.3 Presentation of equipment for testing purposes	11
4.3 Transmitter conformance requirements.....	11
4.3.1 Operating Frequency Range (OFR)	11
4.3.1.1 Applicability.....	11
4.3.1.2 Description	11
4.3.1.3 Limits	12
4.3.1.4 Conformance.....	12
4.3.2 Transmitter H-field requirements	12
4.3.2.1 Applicability.....	12
4.3.2.2 Description	12
4.3.2.3 Limits	13
4.3.2.4 Conformance.....	13
4.3.3 Transmitter spurious emissions.....	13
4.3.3.1 Applicability.....	13
4.3.3.2 Description	13
4.3.3.3 Limits	14
4.3.3.4 Conformance.....	15
4.3.4 Transmitter out of band (OOB) emissions.....	15
4.3.4.1 Applicability.....	15
4.3.4.2 Description	15
4.3.4.3 Limits	15
4.3.4.4 Conformance.....	15
4.4 Receiver Conformance requirements	15
4.4.1 Introduction.....	15
4.4.2 Receiver unwanted emissions	16
4.4.3 Receiver blocking	16
4.4.3.1 Applicability.....	16
4.4.3.2 Description	16
4.4.3.3 Limits	16
4.4.3.4 Conformance.....	16
5 Testing for compliance with technical requirements.....	17
5.1 Environmental conditions for testing	17
5.2 General conditions for testing	17

5.2.1	Product information	17
5.3	Normal and extreme test conditions	17
5.4	Artificial antenna	17
5.5	Test sites and general arrangements for radiated measurements	17
5.6	Measuring receiver	18
5.7	Measurement uncertainty	18
5.8	Interpretation of the measurement results	18
6	Conformance methods of measurement for transmitters and receivers	18
6.1	General	18
6.2	Transmitter conformance methods	19
6.2.1	OFR	19
6.2.2	H-field	19
6.2.3	Transmitter unwanted emissions (spurious and OOB emissions)	20
6.3	Receiver conformance methods	20
6.3.1	Receiver spurious emissions	20
6.3.2	Receiver blocking	20
Annex A (informative):	Relationship between the present document and the essential requirements of Directive 2014/53/EU	24
Annex B (normative):	Test sites and procedures	25
B.1	Set-up 1: Magnetic field measurements at a Test Garden	25
B.2	Set-up 2: Carrier current measurements using an artificial antenna	25
B.2.1	General	25
B.2.2	Differential mode measurement	26
B.2.3	Common mode measurement	26
B.3	Radiated measurements using anechoic chamber or open area test site	26
Annex C (normative):	Artificial antenna for conducted measurements below 30 MHz	27
Annex D (informative):	Change history	30
History		31