



Institut luxembourgeois de la normalisation
de l'accréditation, de la sécurité et qualité
des produits et services

ILNAS-EN ISO 3210:2017

Anodizing of aluminium and its alloys - Assessment of quality of sealed anodic oxidation coatings by measurement of the loss of mass after immersion in

Anodisation de l'aluminium et de ses
alliages - Évaluation de la qualité des
couches anodiques colmatées par
mesurage de la perte de masse après

Anodisieren von Aluminium und
Aluminiumlegierungen - Prüfung der
Qualität von verdichteten, anodisch
erzeugten Oxidschichten durch

12/2017



National Foreword

This European Standard EN ISO 3210:2017 was adopted as Luxembourgish Standard ILNAS-EN ISO 3210:2017.

Every interested party, which is member of an organization based in Luxembourg, can participate for FREE in the development of Luxembourgish (ILNAS), European (CEN, CENELEC) and International (ISO, IEC) standards:

- Participate in the design of standards
- Foresee future developments
- Participate in technical committee meetings

<https://portail-qualite.public.lu/fr/normes-normalisation/participer-normalisation.html>

THIS PUBLICATION IS COPYRIGHT PROTECTED

Nothing from this publication may be reproduced or utilized in any form or by any mean - electronic, mechanical, photocopying or any other data carries without prior permission!

ILNAS-EN ISO 3210:2017

EUROPEAN STANDARD **EN ISO 3210**

NORME EUROPÉENNE

EUROPÄISCHE NORM

December 2017

ICS 25.220.20

Supersedes EN ISO 3210:2010

English Version

**Anodizing of aluminium and its alloys - Assessment of
quality of sealed anodic oxidation coatings by
measurement of the loss of mass after immersion in acid
solution(s) (ISO 3210:2017)**

Anodisation de l'aluminium et de ses alliages -
Évaluation de la qualité des couches anodiques
colmatées par mesurage de la perte de masse après
immersion en solution(s) acide(s) (ISO 3210:2017)

Anodisieren von Aluminium und
Aluminiumlegierungen - Prüfung der Qualität von
verdichteten, anodisch erzeugten Oxidschichten durch
Bestimmung des Masseverlustes nach Eintauchen in
Säure-Lösung(en) (ISO 3210:2017)

This European Standard was approved by CEN on 22 October 2017.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents	Page
European foreword.....	3

European foreword

This document (EN ISO 3210:2017) has been prepared by Technical Committee ISO/TC 79 “Light metals and their alloys” in collaboration with Technical Committee CEN/TC 132 “Aluminium and aluminium alloys” the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by June 2018, and conflicting national standards shall be withdrawn at the latest by June 2018.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 3210:2010.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Endorsement notice

The text of ISO 3210:2017 has been approved by CEN as EN ISO 3210:2017 without any modification.

**Anodizing of aluminium and its
alloys — Assessment of quality of
sealed anodic oxidation coatings by
measurement of the loss of mass after
immersion in acid solution(s)**

*Anodisation de l'aluminium et de ses alliages — Évaluation de la
qualité des couches anodiques colmatées par mesurage de la perte de
masse après immersion en solution(s) acide(s)*

