

# ILNAS

Institut luxembourgeois de la normalisation  
de l'accréditation, de la sécurité et qualité  
des produits et services

## ILNAS-EN 302 208 V3.3.1 (2020-08)

**Radio Frequency Identification  
Equipment operating in the band 865  
MHz to 868 MHz with power levels up  
to 2 W and in the band 915 MHz to 921**

## National Foreword

This European Standard EN 302 208 V3.3.1 (2020-08) was adopted as Luxembourgish Standard ILNAS-EN 302 208 V3.3.1 (2020-08).

Every interested party, which is member of an organization based in Luxembourg, can participate for FREE in the development of Luxembourgish (ILNAS), European (CEN, CENELEC) and International (ISO, IEC) standards:

- Participate in the design of standards
- Foresee future developments
- Participate in technical committee meetings

<https://portail-qualite.public.lu/fr/normes-normalisation/participer-normalisation.html>

### THIS PUBLICATION IS COPYRIGHT PROTECTED

Nothing from this publication may be reproduced or utilized in any form or by any mean - electronic, mechanical, photocopying or any other data carries without prior permission!

# ETSI EN 302 208 V3.3.1 (2020-08)



**Radio Frequency Identification Equipment operating in the  
band 865 MHz to 868 MHz with power levels up to 2 W and  
in the band 915 MHz to 921 MHz with power levels up to 4 W;  
Harmonised Standard for access to radio spectrum**

---

Reference

REN/ERM-TG34-265

---

Keywords

harmonised standard, ID, radio, RFID, SRD

***ETSI***


---

650 Route des Lucioles  
F-06921 Sophia Antipolis Cedex - FRANCE

---

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C  
Association à but non lucratif enregistrée à la  
Sous-Préfecture de Grasse (06) N° 7803/88

---

***Important notice***

The present document can be downloaded from:  
<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at [www.etsi.org/deliver](http://www.etsi.org/deliver).

Users of the present document should be aware that the document may be subject to revision or change of status.  
Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:  
<https://portal.etsi.org/People/CommitteeSupportStaff.aspx>

---

***Copyright Notification***

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.  
The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2020.  
All rights reserved.

**DECT™, PLUGTESTS™, UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members.  
**3GPP™** and **LTE™** are trademarks of ETSI registered for the benefit of its Members and  
of the 3GPP Organizational Partners.

**oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and  
of the oneM2M Partners.

**GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

# Contents

Intellectual Property Rights .....	8
Foreword.....	8
Modal verbs terminology.....	8
1 Scope .....	9
2 References .....	9
2.1 Normative references .....	9
2.2 Informative references.....	10
3 Definition of terms, symbols and abbreviations.....	11
3.1 Terms.....	11
3.2 Symbols.....	12
3.3 Abbreviations .....	12
4 Technical requirements specifications .....	13
4.1 Environmental profile.....	13
4.2 General requirements .....	13
4.2.1 Conformance requirements.....	13
4.2.2 Designated frequencies .....	14
4.2.2.1 Lower band .....	14
4.2.2.2 Upper band.....	14
4.2.3 Testing of operational frequencies.....	15
4.2.4 General considerations.....	16
4.2.5 Interrogator Category.....	16
4.2.6 Choice of samples for test suite .....	16
4.3 Transmitter conformance requirements.....	16
4.3.1 Frequency error.....	16
4.3.1.1 Applicability.....	16
4.3.1.2 Definition .....	17
4.3.1.3 Limits .....	17
4.3.1.4 Conformance.....	17
4.3.2 Frequency stability under low voltage conditions .....	17
4.3.2.1 Applicability.....	17
4.3.2.2 Definition .....	17
4.3.2.3 Limits .....	17
4.3.2.4 Conformance.....	17
4.3.3 Effective radiated power.....	17
4.3.3.1 Applicability.....	17
4.3.3.2 Definition .....	17
4.3.3.3 Limits .....	18
4.3.3.3.1 Operation in the lower band (865 MHz to 868 MHz) .....	18
4.3.3.3.2 Operation in the upper band (915 MHz to 921 MHz) .....	18
4.3.3.4 Conformance.....	18
4.3.4 Transmitter antenna beam-width .....	18
4.3.4.1 Applicability.....	18
4.3.4.2 Definition .....	18
4.3.4.3 Limits .....	18
4.3.4.4 Conformance.....	18
4.3.5 Transmitter spectrum masks .....	18
4.3.5.1 Applicability.....	18
4.3.5.2 Definition .....	19
4.3.5.3 Limits .....	19
4.3.5.3.1 Limits for lower band (865 MHz to 868 MHz) .....	19
4.3.5.3.2 Limits for upper band (915 MHz to 921 MHz) .....	19
4.3.5.4 Conformance.....	20
4.3.6 Transmitter spurious emissions.....	20
4.3.6.1 Applicability.....	20

4.3.6.2	Definition .....	20
4.3.6.3	Limits .....	20
4.3.6.4	Conformance .....	21
4.3.7	Transmission times .....	21
4.3.7.1	Applicability.....	21
4.3.7.2	Definition .....	21
4.3.7.3	Limits .....	21
4.3.7.4	Conformance .....	21
4.4	Receiver conformance requirements .....	22
4.4.1	Adjacent channel selectivity .....	22
4.4.1.1	Applicability.....	22
4.4.1.2	Definition .....	22
4.4.1.3	Limits .....	22
4.4.1.4	Conformance .....	22
4.4.2	Blocking or desensitization.....	22
4.4.2.1	Applicability.....	22
4.4.2.2	Definition .....	22
4.4.2.3	Limits .....	22
4.4.2.4	Conformance .....	22
4.4.3	Spurious emissions .....	23
4.4.3.1	Applicability.....	23
4.4.3.2	Definition .....	23
4.4.3.3	Limits .....	23
4.4.3.4	Conformance .....	23
4.4.4	Receiver spurious response rejection.....	23
4.4.4.1	Applicability.....	23
4.4.4.2	Definition .....	23
4.4.4.3	Limits .....	23
4.4.4.4	Conformance .....	23
4.4.5	Receiver sensitivity.....	23
4.4.5.1	Applicability.....	23
4.4.5.2	Definition .....	23
4.4.5.3	Limits .....	24
4.4.5.4	Conformance .....	24
4.4.6	Receiver radio-frequency intermodulation .....	24
4.4.6.1	Applicability.....	24
4.4.6.2	Definition .....	24
4.4.6.3	Limits .....	24
4.4.6.4	Conformance .....	24
4.5	Tag conformance requirements .....	24
4.5.1	Radiated power (e.r.p.) .....	24
4.5.1.1	Applicability.....	24
4.5.1.2	Definition .....	24
4.5.1.3	Limits .....	25
4.5.1.4	Conformance .....	25
4.5.2	Unwanted emissions .....	25
4.5.2.1	Applicability.....	25
4.5.2.2	Definition .....	25
4.5.2.3	Limits .....	25
4.5.2.4	Conformance .....	26
5	Testing for compliance with technical requirements.....	27
5.1	Environmental conditions for testing .....	27
5.1.1	Normal and extreme test conditions.....	27
5.1.1.1	Normal test conditions .....	27
5.1.1.2	Extreme temperatures.....	27
5.1.1.2.1	Procedure for tests at extreme temperatures .....	27
5.1.1.2.2	Procedure for equipment designed for continuous operation .....	27
5.1.1.2.3	Procedure for equipment designed for intermittent operation .....	27
5.1.1.3	Extreme temperature ranges.....	28
5.1.2	Test power sources.....	28
5.1.2.1	General requirements .....	28