

TECHNICAL REPORT

RAPPORT TECHNIQUE

**Electrostatics –
Part 5-2: Protection of electronic devices from electrostatic phenomena –
User guide**

**Electrostatique –
Partie 5-2: Protection des dispositifs électroniques contre les phénomènes
électrostatiques – Guide d'utilisation**



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2007 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.

If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de la CEI ou du Comité national de la CEI du pays du demandeur.

Si vous avez des questions sur le copyright de la CEI ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de la CEI de votre pays de résidence.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland
Email: inmail@iec.ch
Web: www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

- Catalogue of IEC publications: www.iec.ch/searchpub

The IEC on-line Catalogue enables you to search by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, withdrawn and replaced publications.

- IEC Just Published: www.iec.ch/online_news/justpub

Stay up to date on all new IEC publications. Just Published details twice a month all new publications released. Available on-line and also by email.

- Electropedia: www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 20 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary online.

- Customer Service Centre: www.iec.ch/webstore/custserv

If you wish to give us your feedback on this publication or need further assistance, please visit the Customer Service Centre FAQ or contact us:

Email: csc@iec.ch
Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00

A propos de la CEI

La Commission Electrotechnique internationale (CEI) est la première organisation mondiale qui élabore et publie des normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications CEI

Le contenu technique des publications de la CEI est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

- Catalogue des publications de la CEI: www.iec.ch/searchpub/cur_fut-f.htm

Le Catalogue en-ligne de la CEI vous permet d'effectuer des recherches en utilisant différents critères (numéro de référence, texte, comité d'études,...). Il donne aussi des informations sur les projets et les publications retirées ou remplacées.

- Just Published CEI: www.iec.ch/online_news/justpub

Restez informé sur les nouvelles publications de la CEI. Just Published détaille deux fois par mois les nouvelles publications parues. Disponible en-ligne et aussi par email.

- Electropedia: www.electropedia.org

Le premier dictionnaire en ligne au monde de termes électroniques et électriques. Il contient plus de 20 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans les langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International en ligne.

- Service Clients: www.iec.ch/webstore/custserv/custserv_entry-f.htm

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions, visitez le FAQ du Service clients ou contactez-nous:

Email: csc@iec.ch
Tél.: +41 22 919 02 11
Fax: +41 22 919 03 00

TECHNICAL REPORT

RAPPORT TECHNIQUE

**Electrostatics –
Part 5-2: Protection of electronic devices from electrostatic phenomena –
User guide**

**Electrostatique –
Partie 5-2: Protection des dispositifs électroniques contre les phénomènes
électrostatiques – Guide d'utilisation**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

PRICE CODE
CODE PRIX

XB

CONTENTS

FOREWORD.....	4
INTRODUCTION.....	6
1 Scope.....	8
2 Normative references	8
3 Terms and definitions	9
4 ESD control program plan	9
4.1 Developing an ESD control program plan	9
4.1.1 Assignment of an ESD coordinator	9
4.1.2 Determination of part ESD sensitivity.....	9
4.1.3 Initial process and organizational assessment.....	9
4.1.4 Documentation of ESD control program plan	10
4.1.5 Tailoring	11
4.2 Development of a training plan	11
4.2.1 Personnel training	11
4.3 Development of a compliance verification plan.....	13
4.3.1 Introduction	13
4.3.2 ESD control items.....	13
4.3.3 Verification frequency.....	14
4.3.4 Type of verifications	14
4.3.5 ESD control item limits	14
4.3.6 Test methods.....	14
4.3.7 Test equipment.....	15
4.3.8 Auditor skills.....	15
4.3.9 Reporting of audit findings.....	15
4.4 Grounding/bonding systems.....	18
4.4.1 Introduction	18
4.4.2 Basic grounding requirements	18
4.4.3 Additional grounding considerations	20
4.4.4 Verification of ESD grounding system.....	21
4.4.5 Verification of proper installation of ESD control items.....	22
4.5 Personnel grounding	22
4.5.1 System requirements.....	22
4.5.2 Wrist strap system	23
4.5.3 Footwear-flooring system	23
4.6 Protected areas (EPA).....	25
4.7 ESD control items	26
4.7.1 Work surfaces	26
4.7.2 Wrist straps	29
4.7.3 Static protective floor materials	33
4.7.4 Footwear	38
4.7.5 Static protective seating	39
4.7.6 Ionization.....	40
4.7.7 Garments	51
4.7.8 Storage racks and shelving.....	54
4.7.9 Mobile equipment	55

4.8	Packaging electronic products for shipment and storage	56
4.8.1	Introduction and purpose	56
4.8.2	Definitions	56
4.8.3	Selecting/designing the right package	57
4.9	Marking	60
4.9.1	Marking of assemblies and equipment	60
4.9.2	Marking of packaging	61
4.9.3	Other marking considerations	62
Annex A (informative) Example ESD control document based on IEC 61340-5-1		63
Annex B (informative) ESD control element considerations		69
Figure 1 – Example audit report showing current status of ESD program		16
Figure 2 – Example audit report showing target for manufacturing line		17
Figure 3 – Example audit report showing audit trend report		17
Figure 4a – North American electrical power system		19
Figure 4b – Malaysia electrical power system		19
Figure 4c – UK electrical power system – Single phase system		19
Figure 4 – Country-specific electrical power systems		19
Figure 5 – Example of individually grounded benches - Recommended		20
Figure 6 – Example of a series ground connection of benches – Not recommended		21
Figure 7 – Relationship between body voltage and resistance to ground		23
Figure 8 – Voltage reading on person walking across grounded conductive floor whilst wearing two heelstraps		24
Figure 9 – Ionization by alpha radiation		42
Figure 10 – Corona ionization – Positive		42
Figure 11 – Corona ionization – Negative		42
Figure 12 – ESD sensitive part or assembly		61
Figure 13 – Example of a warning label for ESDS		61
Figure 14 – Example of a packaging label		62
Figure 15 – ESD material marking		62
Figure A.1 – Sign indicating special handling conditions		66
Figure A.2 – Label indicating product is ESD sensitive		67
Figure B.1a – Example 1		70
Figure B.1b – Example 2		70
Figure B.1c – Example 3		71
Figure B.1 – Voltage generated for three types of footwear all on the same flooring system		71
Table 1 – Type of wrist strap bands		30
Table 2 – Ionizer selection checklist		46
Table A.1 – ESD control program audits requirements		65

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ELECTROSTATICS –

Part 5-2: Protection of electronic devices from electrostatic phenomena – User guide

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

The main task of IEC technical committees is to prepare International Standards. However, a technical committee may propose the publication of a technical report when it has collected data of a different kind from that which is normally published as an International Standard, for example "state of the art".

IEC 61340-5-2, which is a technical report, has been prepared by IEC technical committee 101: Electrostatics.

This version cancels and replaces the first edition, which was issued as a technical specification in 1999. It constitutes a technical revision.

The main changes with respect to the previous edition are listed below:

This version of IEC 61340-5-2 has been modified to provide guidance for users of IEC 61340-5-1. The text has been arranged to follow the requirements of IEC 61340-5-1 as closely as possible as well as providing specific guidance on each of the requirements of IEC 61340-5-1.

The text of this technical report is based on the following documents:

Enquiry draft	Report on voting
101/219/CDV	101/233/RVC

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 61340 series, under the general title *Electrostatics*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the maintenance result date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

The contents of the corrigendum of May 2009 have been included in this copy.

INTRODUCTION

This user guide and has been produced for individuals and organizations that are faced with controlling electrostatic discharge (ESD). It provides guidance that can be used for developing, implementing and monitoring an electrostatic discharge control program in accordance with IEC 61340-5-1.

This user guide applies to activities that: manufacture, process, assemble, install, package, label, service, test, inspect or otherwise handle electrical or electronic parts, assemblies and equipment susceptible to damage by electrostatic discharges greater than or equal to 100 V using the human body model (HBM). The 100 V HBM limit was selected for IEC 61340-5-1 as the baseline susceptibility threshold, since a large majority of the ESD products on the market have a sensitivity of greater than 100 V.

The limits established for each of the ESD control items are specified for an ESD program designed for 100 V HBM devices. The 100 V value is predicated on maximum voltage levels attainable on an individual when they are grounded via techniques accepted throughout the electronics industry as outlined in IEC 61340-5-1.

For organizations concerned with charged device model damage, IEC 61340-5-1 establishes requirements concerning the use of insulators in the ESD protected area (EPA) based on maximum electrostatic field limits. This topic is addressed in more detail in 4.6.

The general principals described in IEC 61340-5-1 are not limited in their applicability to ESDS with ESD sensitivities of 100 V or greater. For companies that handle ESDS with sensitivities of less than 100 V (HBM), the general principals of IEC 61340-5-1 can still be used. The organization may have to modify some of the required limits specified in Tables 2 to 4. The program documentation would then identify that ESDS with sensitivities of less than 100 V HBM were being handled and that this required a change to the limits established in IEC 61340-5-1.

The fundamental ESD control principles that form the basis of IEC 61340-5-1 are as follows:

- a) Avoid a discharge from any charged, conductive object (personnel, equipment) into the device:

This can be accomplished by bonding or electrically connecting all conductors in the environment, including personnel, to a known ground or contrived ground (as on shipboard or on aircraft). This attachment creates an equipotential balance between all items and personnel. Electrostatic protection can be maintained at a potential different from “zero” voltage ground potential, as long as all items in the system are at the same potential.

- b) Avoid a discharge from any charged ESD sensitive device (the charging can result from direct contact and separation or can be field induced):

Necessary insulators in the environment cannot lose their electrostatic charge by attachment to ground. Ionization systems provide neutralization of charges on these necessary insulators (circuit board materials and some device packages are examples of necessary insulators). Assessment of the ESD hazard created by electrostatic charges on the necessary insulators in the work place is required to ensure that appropriate actions are implemented, according to the risk.

- c) Once outside of an electrostatic discharge protected area (hereafter referred to as an EPA) it is often not possible to control the above items, therefore, ESD protective packaging may be required.

ESD protection can be achieved by enclosing ESD sensitive products in static protective materials, although the type of material depends on the situation and destination. Inside

an EPA, low charging and static dissipative materials may provide adequate protection. Outside an EPA, low charging and static discharge shielding materials are recommended. While all of these materials are not discussed in this standard, it is important to recognize the differences in their application.

Withdrawn