

Institut luxembourgeois de la normalisation de l'accréditation, de la sécurité et qualité des produits et services

**ILNAS-EN ISO 307:2019** 

Plastics - Polyamides - Determination of viscosity number (ISO 307:2019)

Plastiques - Polyamides - Détermination de l'indice de viscosité (ISO 307:2019)

Kunststoffe - Polyamide - Bestimmung der Viskositätszahl (ISO 307:2019)

#### **National Foreword**

This European Standard EN ISO 307:2019 was adopted as Luxembourgish Standard ILNAS-EN ISO 307:2019.

Every interested party, which is member of an organization based in Luxembourg, can participate for FREE in the development of Luxembourgish (ILNAS), European (CEN, CENELEC) and International (ISO, IEC) standards:

- Participate in the design of standards
- Foresee future developments
- Participate in technical committee meetings

https://portail-qualite.public.lu/fr/normes-normalisation/participer-normalisation.html

### THIS PUBLICATION IS COPYRIGHT PROTECTED

Nothing from this publication may be reproduced or utilized in any form or by any mean - electronic, mechanical, photocopying or any other data carries without prior permission!

# EUROPEAN STANDARD ILNAS-EN ISO 307:201 EN ISO 307

## NORME EUROPÉENNE

### **EUROPÄISCHE NORM**

May 2019

ICS 83.080.20

Supersedes EN ISO 307:2007

### **English Version**

# Plastics - Polyamides - Determination of viscosity number (ISO 307:2019)

Plastiques - Polyamides - Détermination de l'indice de viscosité (ISO 307:2019)

Kunststoffe - Polyamide - Bestimmung der Viskositätszahl (ISO 307:2019)

This European Standard was approved by CEN on 19 March 2019.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents	Page	
European foreword	3	

### **European foreword**

This document (EN ISO 307:2019) has been prepared by Technical Committee ISO/TC 61 "Plastics" in collaboration with Technical Committee CEN/TC 249 "Plastics" the secretariat of which is held by NBN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by November 2019, and conflicting national standards shall be withdrawn at the latest by November 2019.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 307:2007.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

#### **Endorsement notice**

The text of ISO 307:2019 has been approved by CEN as EN ISO 307:2019 without any modification.

# THERWATIONAL STANDARD

ISO 307

Sixth edition 2019-04

### Plastics — Polyamides — Determination of viscosity number

Plastiques — Polyamides — Détermination de l'indice de viscosité





### **COPYRIGHT PROTECTED DOCUMENT**

© ISO 2019

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Fax: +41 22 749 09 47 Email: copyright@iso.org Website: www.iso.org

Published in Switzerland

Con	tents	Page
Forev	ord	iv
Intro	luction	<b>v</b>
1	Scope	1
2	Normative references	1
3	Terms and definitions	1
4	Principle	3
5	Reagents and materials	3
	5.1 Solvents and reagents	
_	5.2 Cleaning liquids	
6 7	Apparatus	
	Preparation of test samples 7.1 General	
	7.2 Samples containing less than 98 % (by mass) polyamide	
8	Calculation of test portion	6
9	Selection of solvent	6
10	Procedure	
	10.1 Cleaning of the viscometer	
	10.2 Preparation of test solution	
	10.2.2 Volumetric method	
	10.2.3 Volumetric method, in exact relation to the polymer content	
	10.2.4 Gravimetric method, in exact relation to the polymer content	
11	Expression of results	
12	Repeatability and reproducibility	
13	Relationship between the viscosity number determined in 96 % (by mass) sulfuric	
13	acid solution and the viscosity determined in various solvents	11
14	Test report	11
Anne	A (informative) Determination of the concentration of commercial sulfuric	
	acid(95 % to 98 %) and adjustment to 96 % by titration	13
Anne	B (informative) Determination of the concentration of sulfuric acid (95 % to 98 %) and adjustment to 96 % by flow time measurement in a small capillary viscometer	16
Anne	c C (informative) Determination of the concentration of commercial formic acid and adjustment to 90 % by titration	18
Anne	x D (informative) Determination of the concentration of commercial formic acid and adjustment to 90 % by density measurement	20
Anne	E (informative) Relationship between the viscosity number determined in 96 % (by mass) sulfuric acid solution and the viscosity determined in various solvents	23
Biblio	graphy	35