



Institut luxembourgeois de la normalisation
de l'accréditation, de la sécurité et qualité
des produits et services

ILNAS-EN IEC 60317-0-8:2019

Specifications for particular types of winding wires - Part 0-8: General requirements - Polyester glass-fibre wound unvarnished and fused, or resin

Technische Lieferbedingungen für
bestimmte Typen von Wickeldrähten -
Teil 0-8: Allgemeine Anforderungen -
Flachdrähte aus Kupfer, blank oder

Spécifications pour types particuliers de
fils de bobinage - Partie 0-8: Exigences
générales - Fil de section rectangulaire en
cuivre nu ou émaillé, guipé de fibres de

10/2019



National Foreword

This European Standard EN IEC 60317-0-8:2019 was adopted as Luxembourgish Standard ILNAS-EN IEC 60317-0-8:2019.

Every interested party, which is member of an organization based in Luxembourg, can participate for FREE in the development of Luxembourgish (ILNAS), European (CEN, CENELEC) and International (ISO, IEC) standards:

- Participate in the design of standards
- Foresee future developments
- Participate in technical committee meetings

<https://portail-qualite.public.lu/fr/normes-normalisation/participer-normalisation.html>

THIS PUBLICATION IS COPYRIGHT PROTECTED

Nothing from this publication may be reproduced or utilized in any form or by any mean - electronic, mechanical, photocopying or any other data carries without prior permission!

ILNAS-EN IEC 60317-0-8:2019

EUROPEAN STANDARD **EN IEC 60317-0-8**

NORME EUROPÉENNE

EUROPÄISCHE NORM

October 2019

ICS 29.060.10

Supersedes EN 60317-0-8:2012 and all of its
amendments and corrigenda (if any)

English Version

**Specifications for particular types of winding wires - Part 0-8:
General requirements - Polyester glass-fibre wound unvarnished
and fused, or resin or varnish impregnated, bare or enamelled
rectangular copper wire
(IEC 60317-0-8:2019)**

Spécifications pour types particuliers de fils de bobinage -
Partie 0-8: Exigences générales - Fil de section
rectangulaire en cuivre nu ou émaillé, guipé de fibres de
verre avec polyester fondues sans vernis, ou imprégnées
de résine ou de vernis
(IEC 60317-0-8:2019)

Technische Lieferbedingungen für bestimmte Typen von
Wickeldrähten - Teil 0-8: Allgemeine Anforderungen -
Flachdrähte aus Kupfer, blank oder lackisoliert, mit
unbeschichteten Polyesterfasergewebe umspinnen und
verschmolzen oder mit Harz oder Lack imprägniert oder
nicht imprägniert
(IEC 60317-0-8:2019)

This European Standard was approved by CENELEC on 2019-09-24. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

European foreword

The text of document 55/1784/FDIS, future edition 2 of IEC 60317-0-8, prepared by IEC/TC 55 "Winding wires" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 60317-0-8:2019.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2020-06-24
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2022-09-24

This document supersedes EN 60317-0-8:2012 and all of its amendments and corrigenda (if any).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 60317-0-8:2019 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 60264 (series)	NOTE	Harmonized as EN 60264 (series)
IEC 60317 (series)	NOTE	Harmonized as EN 60317 (series)

Annex ZA

(normative)

Normative references to international publications with their corresponding European publications

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 Where an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60851	series	Winding wires - Test methods - Part 4: Chemical properties	EN 60851	series
ISO 3	-	Preferred numbers - Series of preferred numbers	-	-



INTERNATIONAL STANDARD

NORME INTERNATIONALE

**Specifications for particular types of winding wires –
Part 0-8: General requirements – Polyester glass-fibre wound unvarnished
and fused, or resin or varnish impregnated, bare or enamelled rectangular
copper wire**

**Spécifications pour types particuliers de fils de bobinage –
Partie 0-8: Exigences générales – Fil de section rectangulaire en cuivre nu
ou émaillé, guipé de fibres de verre avec polyester fondues sans vernis, ou
imprégnées de résine ou de vernis**

CONTENTS

FOREWORD	4
INTRODUCTION	6
1 Scope	7
2 Normative references	7
3 Terms, definitions and general notes on tests and appearance	7
3.1 Terms and definition	7
3.2 General notes	8
3.2.1 Methods of test	8
3.2.2 Winding wire	9
3.3 Appearance	9
4 Dimensions	9
4.1 Conductor dimensions	9
4.2 Tolerance on conductor dimensions	12
4.3 Rounding of corners	12
4.4 Increase in dimensions due to the insulation	12
4.5 Overall dimensions	14
4.5.1 Nominal overall dimensions	14
4.5.2 Minimum overall dimensions	14
4.5.3 Maximum overall dimensions	14
5 Electrical resistance	14
6 Elongation	14
7 Springiness	14
8 Flexibility and adherence	15
8.1 Mandrel winding test	15
8.2 Adherence test	15
8.2.1 Fibre covered bare wires	15
8.2.2 Fibre covered enamelled wires	15
9 Heat shock	15
10 Cut-through	15
11 Resistance to abrasion	15
12 Resistance to solvents	15
13 Breakdown voltage	15
14 Continuity of insulation	16
15 Temperature index	16
16 Resistance to refrigerants	16
17 Solderability	16
18 Heat or solvent bonding	16
19 Dielectric dissipation factor	16
20 Resistance to transformer oil	16
21 Loss of mass	16
23 Pin hole test	17
30 Packaging	17

Annex A (informative) Nominal cross-sectional areas for preferred and intermediate sizes	18
Bibliography	27
Table 1 – Nominal cross-sectional areas of preferred sizes	11
Table 2 – Conductor tolerances	12
Table 3 – Corner radii	12
Table 4 – Increase in dimensions	13
Table 5 – Elongation	14
Table 6 – Mandrel winding	15
Table 7 – Breakdown voltage	16
Table A.1 – Nominal cross-sectional areas	18