



Institut luxembourgeois de la normalisation
de l'accréditation, de la sécurité et qualité
des produits et services

ILNAS-EN 13718-2:2015+A1:2020

**Medical vehicles and their equipment -
Air ambulances - Part 2: Operational
and technical requirements for air
ambulances**

Véhicules sanitaires et leurs équipements
- Ambulances aériennes - Partie 2 :
Exigences opérationnelles et techniques
pour les ambulances aériennes

Medizinische Fahrzeuge und ihre
Ausrüstung - Luftfahrzeuge zum
Patiententransport - Teil 2: Operationelle
und technische Anforderungen an

03/2020



National Foreword

This European Standard EN 13718-2:2015+A1:2020 was adopted as Luxembourgish Standard ILNAS-EN 13718-2:2015+A1:2020.

Every interested party, which is member of an organization based in Luxembourg, can participate for FREE in the development of Luxembourgish (ILNAS), European (CEN, CENELEC) and International (ISO, IEC) standards:

- Participate in the design of standards
- Foresee future developments
- Participate in technical committee meetings

<https://portail-qualite.public.lu/fr/normes-normalisation/participer-normalisation.html>

THIS PUBLICATION IS COPYRIGHT PROTECTED

Nothing from this publication may be reproduced or utilized in any form or by any mean - electronic, mechanical, photocopying or any other data carries without prior permission!

ILNAS-EN 13718-2:2015+A1:2020

EUROPEAN STANDARD **EN 13718-2:2015+A1**

NORME EUROPÉENNE

EUROPÄISCHE NORM

March 2020

ICS 11.040.01; 11.160; 49.020

English Version

**Medical vehicles and their equipment - Air ambulances -
Part 2: Operational and technical requirements for air
ambulances**

Véhicules sanitaires et leur équipement - Ambulances
aériennes - Partie 2 : Exigences opérationnelles et
techniques pour les ambulances aériennes

Medizinische Fahrzeuge und ihre Ausrüstung -
Luftfahrzeuge zum Patiententransport - Teil 2:
Operationelle und technische Anforderungen an
Luftfahrzeuge zum Patiententransport

This European Standard was approved by CEN on 26 December 2014 and includes Amendment 1 approved by CEN on 16 December 2019.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.




EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents

Page

European foreword.....	4
Introduction	5
1 Scope	6
2 Normative references	6
3 Terms and definitions	10
4 General requirements for air ambulances.....	11
4.1 General.....	11
4.2 Environmental conditions in the patient compartment	12
4.2.1 Temperature and humidity	12
4.2.2 Air conditioning system (ACS).....	12
4.2.3 Variable atmospheric pressure	12
4.2.4 Interior light.....	12
4.2.5 Ventilation	12
4.2.6 Noise exposure	13
4.3 Requirements for electrical power supply for medical devices in the patient compartment	13
4.4 Electromagnetic interference	14
4.5 Rail systems.....	14
4.6 Mechanical vibration	14
4.7 Requirements for fixation of medical devices	14
4.8 Restraint systems in the patient compartment.....	14
4.9 Patient compartment.....	15
4.9.1 General.....	15
4.9.2 Hygienic	15
4.9.3 Patient loading and unloading	15
4.9.4 Communication systems.....	16
4.9.5 Fire safety requirements	16
4.9.6 Emergency exit.....	16
4.10 Patient treatment area.....	16
4.10.1 General.....	16
4.10.2 Dimensions.....	16
4.11 Lists of equipment.....	18
5 Air ambulances, operation and performance requirements	19

5.1	Personnel.....	19
5.1.1	Flight crew.....	19
5.1.2	Medical crew.....	19
5.2	Specific requirements for helicopters operated in Helicopter Emergency Medical Service (HEMS)	19
5.3	Specific requirements for Helicopter Intensive Care Medical Service (HICAMS)	19
5.4	Specific requirements for Fixed Wing Air Ambulances (FWAA)	20
6	Gas installations in air ambulances	20
6.1	System components	20
6.2	General requirements.....	20
6.2.1	Capacity and pressure operating range.....	20
6.2.2	Continuity of supply.....	21
6.3	Supply systems with gas cylinders	21
6.4	Supply systems for compressed medical air.....	21
6.5	Supply systems with air compressor.....	22
6.6	Pipeline distribution system	22
6.7	Marking and colour coding	23
6.8	Alarms.....	23
6.9	Testing.....	23
6.9.1	General	23
6.9.2	Test for mechanical integrity for compressed medical gas systems.....	23
6.9.3	Test for leakage on all pipeline systems and for mechanical integrity of vacuum pipeline systems	24
6.9.4	Leakage from the compressed medical gas pipelines	24
6.9.5	Test for cross connection.....	24
6.10	Maintenance	24
	Annex A (normative) Medical devices in air ambulances	25
A.1	Introduction.....	25
A.2	Additional equipment.....	Error! Bookmark not defined.
	Annex B (normative) Medicinal products and equipment additional to medical devices in air ambulances	31
B.1	Introduction.....	31
	Annex C (informative) A-deviations.....	34
C.1	Deviation in Germany	34
C.1.1	Additional specifications for the medical crew	34
	Annex ZA (informative)  Relationship between this European standard and the essential requirements of Directive 93/42/EEC [OJ L 169] aimed to be covered.....	35
	Bibliography	37

European foreword

This document (EN 13718-2:2015+A1:2020) has been prepared by Technical Committee CEN/TC 239 "Rescue systems", the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by September 2020, and conflicting national standards shall be withdrawn at the latest by September 2020.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document includes Amendment 1 approved by CEN on 2019-12-16.

This document supersedes A1 EN 13718-2:2015. A1

The start and finish of text introduced or altered by amendment is indicated in the text by tags A1 A1.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive(s).

For relationship with EU Directive(s), see informative Annex ZA which is an integral part of this document.

EN 13718-2:2008 has been technically revised. The following points represent the most important changes in the revision:

- a) clarified unclear issues in this part of the standard and between the two parts of the standard (for example requirements for patient's compartment illumination);
- b) changed text related to enhancing safety related to the risk from rotors on helicopters;
- c) clarified the requirements for the patient compartment;
- d) the standard has been modified/integrated to meet the Medical Devices Directive 93/42/EEC requirements.

EN 13718 consists of the following parts, under the general title: *Medical vehicles and their equipment – Air ambulance*:

- *Part 1: Requirements for medical devices used in air ambulances;*
- *Part 2: Operational and technical requirements for air ambulances.*

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Introduction

This part of EN 13718 provides requirements for air ambulances, and in particular covers requirements for the ambulance role of the aircraft.

Air ambulances are equipped with medical devices as well as drugs and rescue equipment to be used by medical personnel. Requirements for medical devices intended for use in air ambulances are provided in EN 13718-1. This standard is supplementary to several European Standards as well as laws and regulations providing the requirements for aircraft in order to provide continuous patient care and monitoring during transport in and between various ambulance types and hospitals. The requirements cover ambulance flights in general. Several national and regional rules and regulations apply to aircraft being used as ambulances. This part of EN 13718 gives information on these in the annexes and in notes throughout the text. Provisions for the safety and care both of the patient as well as of the crew and the medical personnel are contained in existing national and international laws, regulations and guidelines.

This part of EN 13718 provides some general requirements for the safe operation of aircraft being used as ambulances. These requirements are not covered by the scope of the Medical Devices Directive or by international agreements for craft, transportation and traffic. They are provided in order to secure the safe and secure handling of patients. In order to accommodate continuity of patient care between different kinds of ambulances, some specific requirements are given. Requirements are set in order to secure safe use and handling of medical devices.

Aircraft being used as ambulances are equipped with medical devices, medicinal products and rescue equipment to enable the medical personnel to provide continuous patient care. The minima for the medical devices are specified in Annex A. The requirements set out in this part of EN 13718 give the minimum provisions for an ambulance service to provide satisfactory care and medical attention to emergency patients as well as other patients during transportation. The requirements are based on the state of the art of today and common practice in Europe.

This European Standard gives minimum requirements for interfaces and compatibility of medical devices used in air ambulances. The standards work was called for by the EU Commission by a mandate linked with the Medical Devices Directive (see Annex ZA and Bibliography [1]).

This European Standard is supplementary to several other European Standards and gives requirements for medical devices when used in situations where the ambient conditions differ from the normal indoor conditions prevailing within the health care system. Several specific requirements are related to the conditions prevailing in air ambulances. The requirements set are carefully selected to ensure interoperability and continuous patient care.

Medical devices need to conform to the applicable essential requirements in the Medical Devices Directive, 93/42/EEC. The essential requirements are listed in Annex I of the Medical Devices Directive. Annex ZA in this European Standard lists the essential requirements that are covered by the identified clauses of this European Standard.

The environmental conditions for medical devices used in air ambulances are different from those expected in a normal hospital environment. In particular, this implies environmental conditions such as temperature and humidity, vibration and shock caused by movement of the air ambulances, variable atmospheric pressures and electromagnetic disturbances between the air ambulances and the medical device.

1 Scope

This part of EN 13718 specifies the requirements for performance and equipping for air ambulances, including requirements for interfaces to medical devices used for the transport and treatment of sick or injured persons. This part of EN 13718 is applicable to air ambulances capable of transporting at least one person on a stretcher.

NOTE Requirements are specified for categories of air ambulances based on the different intended use. These are the helicopter emergency medical service (HEMS) the helicopter intensive care medical service (HICAMS) and the fixed wing air ambulance (FWAA).

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 3-7:2004+A1:2007, *Portable fire extinguishers — Part 7: Characteristics, performance requirements and test methods*

EN 3-8:2006, *Portable fire extinguishers — Part 8: Additional requirements to EN 3-7 for the construction, resistance to pressure and mechanical tests for extinguishers with a maximum allowable pressure equal to or lower than 30 bar*

EN 3-9:2006+AC:2007, *Portable fire extinguishers — Part 9: Additional requirements to EN 3-7 for pressure resistance of CO₂ extinguishers*

EN 3-10:2009, *Portable fire extinguishers — Part 10: Provisions for evaluating the conformity of a portable fire extinguisher to EN 3-7*

EN 143:2000+A1:2017, *Respiratory protective devices — Particle filters — Requirements, testing, marking (Corrigendum AC:2002 and AC:2005 incorporated)*

EN ISO 374-1:2016+A1:2018, *Protective gloves against dangerous chemicals and micro-organisms — Part 1: Terminology and performance requirements for chemical risks (ISO 374-1:2016+A1:2018)*

EN 455-1:2000, *Medical gloves for single use — Part 1: Requirements and testing for freedom from holes*

EN 455-2:2015, *Medical gloves for single use — Part 2: Requirements and testing for physical properties*

EN 455-3:2015, *Medical gloves for single use — Part 3: Requirements and testing for biological evaluation*

EN 794-3:1998+A2:2009, *Lung ventilators — Part 3: Particular requirements for emergency and transport ventilators*

EN 1618:1997, *Catheters other than intravascular catheters — Test methods for common properties*

Deleted text

EN 1865-1:2010+A1:2015, *Patient handling equipment used in road ambulances — Part 1: General stretcher systems and patient handling equipment*