


ILNAS

Institut luxembourgeois de la normalisation
de l'accréditation, de la sécurité et qualité
des produits et services

ILNAS-EN 303 204 V3.1.1 (2021-03)

**Fixed Short Range Devices (SRD) in
data networks; Radio equipment to be
used in the 870 MHz to 876 MHz
frequency range with power levels**



National Foreword

This European Standard EN 303 204 V3.1.1 (2021-03) was adopted as Luxembourgish Standard ILNAS-EN 303 204 V3.1.1 (2021-03).

Every interested party, which is member of an organization based in Luxembourg, can participate for FREE in the development of Luxembourgish (ILNAS), European (CEN, CENELEC) and International (ISO, IEC) standards:

- Participate in the design of standards
- Foresee future developments
- Participate in technical committee meetings

<https://portail-qualite.public.lu/fr/normes-normalisation/participer-normalisation.html>

THIS PUBLICATION IS COPYRIGHT PROTECTED

Nothing from this publication may be reproduced or utilized in any form or by any mean - electronic, mechanical, photocopying or any other data carries without prior permission!

ETSI EN 303 204 V3.1.1 (2021-03)



ILNAS-EN 303 204 V3.1.1 (2021-03) - Preview only Copy via ILNAS e-Shop

**Fixed Short Range Devices (SRD) in data networks;
Radio equipment to be used in the 870 MHz to 876 MHz
frequency range with power levels
ranging up to 500 mW e.r.p.;**
Harmonised Standard for access to the radio spectrum

Reference

REN/ERM-TG28-555

Keywords

harmonised standard, radio, SRD, testing

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:

<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at www.etsi.org/deliver.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:

<https://portal.etsi.org/People/CommitteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2021.

All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members.

3GPP™ and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

oneM2M™ logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners.

GSM® and the GSM logo are trademarks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	14
Foreword.....	14
Modal verbs terminology.....	14
Introduction	15
1 Scope	19
2 References	20
2.1 Normative references	20
2.2 Informative references.....	20
3 Definition of terms, symbols and abbreviations.....	21
3.1 Terms.....	21
3.2 Symbols.....	23
3.3 Abbreviations	23
4 Technical requirements specifications	24
4.1 Environmental profile.....	24
4.2 Conformance requirements	24
4.2.1 General requirements	24
4.2.2 Performance criteria.....	24
4.2.3 Signal threshold	25
4.2.4 Disregard time	25
4.2.5 Transmission bandwidth	25
4.2.6 Fixed frequency operating	25
4.3 Requirements for transmitters	25
4.3.1 Frequency drift.....	25
4.3.1.1 Applicability.....	25
4.3.1.2 Description	25
4.3.1.3 Limits	25
4.3.1.4 Conformance	26
4.3.2 Operating frequencies and channel spacing.....	26
4.3.2.1 Applicability.....	26
4.3.2.2 Description.....	26
4.3.2.3 Limits	26
4.3.2.4 Conformance.....	27
4.3.3 Effective radiated power	27
4.3.3.1 Applicability.....	27
4.3.3.2 Description	27
4.3.3.3 Limits	27
4.3.3.4 Conformance.....	27
4.3.4 Transient power	28
4.3.4.1 Applicability.....	28
4.3.4.2 Description	28
4.3.4.3 Limits	28
4.3.4.4 Conformance.....	28
4.3.5 Occupied bandwidth	28
4.3.5.1 Applicability.....	28
4.3.5.2 Description	28
4.3.5.3 Limits	28
4.3.5.4 Conformance.....	29
4.3.6 Unwanted emissions in the out-of-band domain.....	29
4.3.6.1 Applicability.....	29
4.3.6.2 Description	29
4.3.6.3 Limits	30
4.3.6.4 Conformance.....	30
4.3.7 Unwanted emissions in the spurious domain	30
4.3.7.1 Applicability.....	30

4.3.7.2	Description	31
4.3.7.3	Limits	31
4.3.7.4	Conformance	31
4.3.8	Frequency stability under low-voltage conditions	31
4.3.8.1	Applicability	31
4.3.8.2	Description	31
4.3.8.3	Limits	32
4.3.8.4	Conformance	32
4.3.9	Duty cycle and transmission timing	32
4.3.9.1	Applicability	32
4.3.9.2	Description	32
4.3.9.3	Long term behaviour	32
4.3.9.4	Short term behaviour	33
4.3.9.5	Limits	33
4.3.9.6	Conformance	33
4.3.10	Automatic/adaptive power control	33
4.3.10.1	Applicability	33
4.3.10.2	Description	33
4.3.10.3	Limits	34
4.3.10.4	Conformance	34
4.4	Requirements for receivers	34
4.4.1	Receiver sensitivity	34
4.4.1.1	Applicability	34
4.4.1.2	Description	34
4.4.1.3	Limits	34
4.4.1.4	Conformance	34
4.4.2	Receiver maximum input signal level	34
4.4.2.1	Applicability	34
4.4.2.2	Description	35
4.4.2.3	Limits	35
4.4.2.4	Conformance	35
4.4.3	Clear channel assessment threshold	35
4.4.3.1	Applicability	35
4.4.3.2	Description	35
4.4.3.3	Limits	35
4.4.3.4	Conformance	35
4.4.4	Co-channel rejection	35
4.4.4.1	Applicability	35
4.4.4.2	Description	35
4.4.4.3	Limits	36
4.4.4.4	Conformance	36
4.4.5	Adjacent channel selectivity	36
4.4.5.1	Applicability	36
4.4.5.2	Description	36
4.4.5.3	Limits	36
4.4.5.4	Conformance	36
4.4.6	Blocking	36
4.4.6.1	Applicability	36
4.4.6.2	Description	36
4.4.6.3	Limits	37
4.4.6.4	Conformance	37
4.4.7	Receiver spurious response rejection	37
4.4.7.1	Applicability	37
4.4.7.2	Description	37
4.4.7.3	Limits	37
4.4.7.4	Conformance	37
4.4.8	Receiver intermodulation rejection	37
4.4.8.1	Applicability	37
4.4.8.2	Description	37
4.4.8.3	Limits	38
4.4.8.4	Conformance	38
4.4.9	Receiver spurious emissions	38