



**Technical characteristics and methods of measurement  
for equipment for generation, transmission  
and reception of Digital Selective Calling (DSC)  
in the maritime MF, MF/HF and/or VHF mobile service;  
Part 1: Common requirements**

---

**Reference**

REN/ERM-TGMAR-610

---

**Keywords**

DSC, GMDSS, maritime, radio

**ETSI**

---

650 Route des Lucioles  
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C  
Association à but non lucratif enregistrée à la  
Sous-Préfecture de Grasse (06) N° 7803/88

---

**Important notice**

The present document can be downloaded from:

<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at [www.etsi.org/deliver](http://www.etsi.org/deliver).

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:

<https://portal.etsi.org/People/CommiteeSupportStaff.aspx>

---

**Copyright Notification**

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2020.

All rights reserved.

**DECT™**, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members.

**3GPP™** and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

**oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners.

**GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

# Contents

Intellectual Property Rights .....	7
Foreword.....	7
Modal verbs terminology.....	8
1 Scope .....	9
2 References .....	9
2.1 Normative references .....	9
2.2 Informative references.....	10
3 Definition of terms, symbols and abbreviations.....	11
3.1 Terms.....	11
3.2 Symbols.....	12
3.3 Abbreviations .....	12
4 General requirements .....	13
4.1 General .....	13
4.2 Frequencies.....	14
4.3 Classes of emission .....	14
4.4 Accessibility.....	14
4.5 Calibration.....	14
4.6 Controls and indicators.....	15
4.6.1 General.....	15
4.6.2 Markings.....	15
4.7 Distress alert activation .....	15
4.8 Own MMSI .....	15
4.9 Group MMSI.....	16
4.10 Own position .....	16
4.11 Light sources .....	16
4.12 Operation.....	16
4.13 Routine testing.....	16
4.14 Safety precautions .....	17
4.14.1 Excessive current and voltage.....	17
4.14.2 Protection.....	17
4.14.3 Earthing .....	17
4.14.4 Access.....	17
4.15 Memory.....	17
4.16 Compass safe distance.....	17
4.17 Instructions.....	17
4.18 Warming-up period .....	18
4.18.1 Time.....	18
4.18.2 Heaters.....	18
4.18.3 Heating circuits.....	18
4.19 Selection of signal characteristics .....	18
4.20 Automatic/semi-automatic service .....	18
4.21 RF power used for DSC signalling.....	18
5 Test conditions .....	18
5.1 Test conditions, power sources, and ambient temperatures.....	18
5.1.1 Normal and extreme test conditions.....	18
5.1.2 Test power source .....	19
5.2 Normal test conditions.....	19
5.2.1 Normal temperature and humidity.....	19
5.2.2 Normal power sources .....	19
5.2.2.1 Battery power source.....	19
5.2.2.2 Other power sources.....	19
5.3 Extreme test conditions .....	19
5.3.0 General.....	19
5.3.1 Extreme temperatures .....	19

5.3.2	Extreme values of test power sources .....	19
5.3.2.1	Battery power source.....	19
5.3.2.2	Other power sources.....	20
5.3.3	Procedure for tests at extreme temperatures .....	20
5.4	Standard test signals .....	20
5.4.1	References to standard test signals .....	20
5.4.2	Standard test signal no. 1 .....	20
5.4.3	Standard test signal no. 2 .....	20
5.4.4	Standard test signal no. 3 .....	20
5.4.5	Standard test signal no. 4 .....	20
5.5	Determination of the symbol error rate in the output of the receiving part .....	21
5.6	Test Impedances .....	21
6	RF test or baseband test of DSC equipment .....	21
6.1	RF test of integrated DSC equipment.....	21
6.1.1	SOLAS VHF class A .....	21
6.1.2	Non-SOLAS VHF class D .....	21
6.1.3	SOLAS MF/HF class A .....	21
6.1.4	Non-SOLAS MF/HF class E .....	21
6.1.5	Non-SOLAS VHF class H.....	21
6.1.6	MoB class M.....	21
6.2	Baseband test of non integrated DSC equipment .....	22
6.2.1	VHF Encoder.....	22
6.2.1.1	Frequency error .....	22
6.2.1.1.1	Definition.....	22
6.2.1.1.2	Method of measurements.....	22
6.2.1.1.3	Limits .....	22
6.2.1.2	Output voltage.....	22
6.2.1.2.1	Definition.....	22
6.2.1.2.2	Method of measurement .....	22
6.2.1.2.3	Limits .....	22
6.2.1.3	Bit stream speed .....	22
6.2.1.3.1	Definition.....	22
6.2.1.3.2	Method of measurement .....	23
6.2.1.3.3	Limits .....	23
6.2.1.4	Unwanted spectral components of the output signal.....	23
6.2.1.4.1	Definition.....	23
6.2.1.4.2	Method of measurement .....	23
6.2.1.4.3	Limits .....	23
6.2.1.5	Residual frequency modulation.....	24
6.2.1.5.1	Definition.....	24
6.2.1.5.2	Method of measurement .....	24
6.2.1.5.3	Limits .....	24
6.2.2	VHF DSC decoder.....	24
6.2.2.1	Dynamic range .....	24
6.2.2.1.1	Definition.....	24
6.2.2.1.2	Method of measurement .....	24
6.2.2.1.3	Limits .....	25
6.2.2.2	Noise immunity.....	25
6.2.2.2.1	Definition.....	25
6.2.2.2.2	Method of test.....	25
6.2.2.2.3	Limits .....	25
6.2.3	MF/HF DSC encoder.....	25
6.2.3.1	Frequency error .....	25
6.2.3.1.1	Definition.....	25
6.2.3.1.2	Method of measurement .....	25
6.2.3.1.3	Limits .....	25
6.2.3.2	Output voltage.....	25
6.2.3.2.1	Definition.....	25
6.2.3.2.2	Method of measurement .....	25
6.2.3.2.3	Limits .....	26
6.2.3.3	Bit stream speed .....	26