



Institut luxembourgeois de la normalisation
de l'accréditation, de la sécurité et qualité
des produits et services

**ILNAS-EN 303 883-2 V1.2.1
(2021-02)**

**Short Range Devices (SRD) and Ultra
Wide Band (UWB); Part 2:
Measurement techniques for receiver
requirements**

National Foreword

This European Standard EN 303 883-2 V1.2.1 (2021-02) was adopted as Luxembourgish Standard ILNAS-EN 303 883-2 V1.2.1 (2021-02).

Every interested party, which is member of an organization based in Luxembourg, can participate for FREE in the development of Luxembourgish (ILNAS), European (CEN, CENELEC) and International (ISO, IEC) standards:

- Participate in the design of standards
- Foresee future developments
- Participate in technical committee meetings

<https://portail-qualite.public.lu/fr/normes-normalisation/participer-normalisation.html>

THIS PUBLICATION IS COPYRIGHT PROTECTED

Nothing from this publication may be reproduced or utilized in any form or by any mean - electronic, mechanical, photocopying or any other data carries without prior permission!



**Short Range Devices (SRD) and
Ultra Wide Band (UWB);
Part 2: Measurement techniques
for receiver requirements**

Reference

REN/ERM-TGUWB-149-2

Keywords

measurement, receiver, testing, UWB

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:
<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at www.etsi.org/deliver.

Users of the present document should be aware that the document may be subject to revision or change of status.
Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:
<https://portal.etsi.org/People/CommitteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.
The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2021.
All rights reserved.

DECT™, PLUGTESTS™, UMTS™ and the ETSI logo are trademarks of ETSI registered for the benefit of its Members.
3GPP™ and **LTE™** are trademarks of ETSI registered for the benefit of its Members and
of the 3GPP Organizational Partners.

oneM2M™ logo is a trademark of ETSI registered for the benefit of its Members and
of the oneM2M Partners.

GSM® and the GSM logo are trademarks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	6
Foreword.....	6
Modal verbs terminology.....	6
Introduction	7
1 Scope	8
2 References	8
2.1 Normative references	8
2.2 Informative references.....	8
3 Definition of terms, symbols and abbreviations.....	9
3.1 Terms.....	9
3.2 Symbols.....	10
3.3 Abbreviations	11
4 General	12
5 Receiver Requirements.....	12
5.1 General Guidance on RX measurement	12
5.2 Receiver Spurious Emissions	12
5.2.1 Description.....	12
5.2.2 Limits.....	12
5.2.3 Conformance.....	13
5.2.3.1 General	13
5.2.3.2 Step 1: Measurement with Peak Detector	13
5.2.3.3 Step 2: Measurement with RMS Detector.....	14
5.3 Use-Case Specific Input Parameters for Receiver Baseline Requirements	14
5.3.1 Introduction.....	14
5.3.2 Technical Wanted Performance Criteria.....	15
5.3.3 Examples of Use-Case Specific Input Parameter for Receiver Tests	15
5.3.3.1 Communication/Location Tracking Device	15
5.3.3.2 Radio Determination Device (non-contact based)	16
5.3.3.3 Material contact-based radio determination device.....	18
5.4 Receiver Baseline Sensitivity (RBS).....	20
5.4.1 Description.....	20
5.4.2 Limits.....	20
5.4.3 Conformance.....	21
5.4.3.1 General	21
5.4.3.2 Conducted measurements for radio communication devices	21
5.4.3.2.0 General	21
5.4.3.2.1 Step 1: Technical Wanted Performance Criteria	21
5.4.3.2.2 Step 2: Sensitivity Requirement (Power)	21
5.4.3.2.3 Step 3: Measurement Procedure	21
5.4.3.2.4 Step 4: Technical Wanted Performance Criteria Assessment.....	23
5.4.3.3 Radiated Measurements for Radio Communication Devices with Power Limit.....	23
5.4.3.3.0 General	23
5.4.3.3.1 Step 1: Technical Wanted Performance Criteria	23
5.4.3.3.2 Step 2: Sensitivity Requirement (Power)	23
5.4.3.3.3 Step 3: Measurement Procedure	23
5.4.3.3.4 Step 4: Technical Wanted Performance Criteria Assessment.....	25
5.4.3.4 Radiated measurements for radio communication devices with distance limit.....	25
5.4.3.4.0 General	25
5.4.3.4.1 Step 1: Technical Wanted Performance Criteria	25
5.4.3.4.2 Step 2: Sensitivity Requirement (Distance).....	25
5.4.3.4.3 Step 3: Measurement Procedure	26
5.4.3.4.4 Step 4: Technical Wanted Performance Criteria Assessment.....	26
5.4.3.5 Radiated Measurements for Radiodetermination Applications with Distance Limit	26

5.4.3.5.0	General	26
5.4.3.5.1	Step 1: Technical Performance Criteria.....	26
5.4.3.5.2	Step 2: Sensitivity Requirement (Distance).....	27
5.4.3.5.3	Step 3: Measurement Procedure	27
5.4.3.5.4	Step 4: Technical Wanted Performance Criteria Assessment.....	28
5.4.3.6	Conducted measurements for radio determination devices	28
5.4.3.6.0	General	28
5.4.3.6.1	Step 1: Technical Wanted Performance Criteria	28
5.4.3.6.2	Step 2: Sensitivity Requirement (Power)	28
5.4.3.6.3	Step 3: Measurement Procedure	29
5.4.3.6.4	Step 4: Technical Wanted Performance Criteria Assessment.....	30
5.5	Receiver Baseline Resilience (RBR).....	30
5.5.1	Description.....	30
5.5.2	RBR Requirements	30
5.5.2.1	Interferer test signal.....	30
5.5.2.2	RBR wanted performance criteria.....	30
5.5.3	Conformance.....	31
5.5.3.1	General	31
5.5.3.2	Conducted Measurements for Radio Communication Devices.....	31
5.5.3.2.1	Step 1: Start with the RBS Setup.....	31
5.5.3.2.2	Step 2: Adding Interfering Signal Source.....	31
5.5.3.2.3	Step 3: Degradation of Sensitivity Requirement	31
5.5.3.2.4	Step 4: Test of Technical Wanted Performance Criteria	31
5.5.3.2.5	Step 5: Measurement Assessment	32
5.5.3.2.6	Step 6: Repetition of steps 4 and 5	32
5.5.3.3	Radiated Measurements for Radio Communication Devices with Power Limit.....	32
5.5.3.3.1	Step 1: Start with the RBS Setup.....	32
5.5.3.3.2	Step 2: Adding Interfering Signal Source.....	32
5.5.3.3.3	Step 3: Degradation of Sensitivity Requirement	32
5.5.3.3.4	Step 4: Test of Technical Wanted Performance Criteria	33
5.5.3.3.5	Step 5: Measurement Assessment	33
5.5.3.3.6	Step 6: Repetition of steps 4 and 5	33
5.5.3.4	Radiated Measurements for Radio Communication Devices with Distance Limit	33
5.5.3.4.1	Step 1: Start with the RBS setup.....	33
5.5.3.4.2	Step 2: Adding interfering signal source	33
5.5.3.4.3	Step 3: Degradation of Sensitivity Requirement	34
5.5.3.4.4	Step 4: Test of Technical Wanted Performance Criteria	34
5.5.3.4.5	Step 5: Measurement Assessment	34
5.5.3.4.6	Step 6: Repetition of steps 4 and 5	34
5.5.3.5	Radiated Measurements for Radiodetermination Applications with Distance Limit	34
5.5.3.5.1	Step 1: Start with the RBS Setup.....	34
5.5.3.5.2	Step 2: Adding interfering signal source	34
5.5.3.5.3	Step 3: Degradation of Sensitivity Requirement	35
5.5.3.5.4	Step 4: Test of Technical Wanted Performance Criteria	36
5.5.3.5.5	Step 5: Measurement Assessment	36
5.5.3.5.6	Step 6: Repetition of steps 4 and 5	36
5.5.3.6	Conducted Measurements for Radio Determination Devices	36
5.5.3.6.1	Step 1: Start with the RBS Setup.....	36
5.5.3.6.2	Step 2: Adding Interfering Signal Source.....	36
5.5.3.6.3	Step 3: Degradation of Sensitivity Requirement	36
5.5.3.6.4	Step 4: Test of Technical Performance Criteria.....	37
5.5.3.6.5	Step 5: Measurement Assessment	37
5.5.3.6.6	Step 6: Repetition of steps 4 and 5	37
Annex A (normative):	Choose interferer for RBR.....	38
A.1	Introduction	38
A.2	Limits for the Interfering Signals	39
A.2.1	Interferer within OFR	39
A.2.1.0	Introduction.....	39
A.2.1.1	Option 1	39
A.2.1.2	Option 2	39