

ILNAS

Institut luxembourgeois de la normalisation
de l'accréditation, de la sécurité et qualité
des produits et services

**ILNAS-EN 303 883-1 V1.2.1
(2021-02)**

Short Range Devices (SRD) and Ultra Wide Band (UWB); Part 1: Measurement techniques for transmitter requirements

02/2021



National Foreword

This European Standard EN 303 883-1 V1.2.1 (2021-02) was adopted as Luxembourgish Standard ILNAS-EN 303 883-1 V1.2.1 (2021-02).

Every interested party, which is member of an organization based in Luxembourg, can participate for FREE in the development of Luxembourgish (ILNAS), European (CEN, CENELEC) and International (ISO, IEC) standards:

- Participate in the design of standards
- Foresee future developments
- Participate in technical committee meetings

<https://portail-qualite.public.lu/fr/normes-normalisation/participer-normalisation.html>

THIS PUBLICATION IS COPYRIGHT PROTECTED

Nothing from this publication may be reproduced or utilized in any form or by any mean - electronic, mechanical, photocopying or any other data carries without prior permission!

ETSI EN 303 883-1 V1.2.1 (2021-02)



ILNAS-EN 303 883-1 V1.2.1 (2021-02) - Preview only Copy via ILNAS e-Shop

Short Range Devices (SRD) and Ultra Wide Band (UWB); Part 1: Measurement techniques for transmitter requirements

ReferenceREN/ERM-TGUWB-149-1

KeywordsSRD, testing, UWB

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:

<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at www.etsi.org/deliver.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:

<https://portal.etsi.org/People/CommitteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2021.

All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members.

3GPP™ and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

oneM2M™ logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners.

GSM® and the GSM logo are trademarks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	8
Foreword.....	8
Modal verbs terminology.....	8
Introduction	9
1 Scope	10
2 References	10
2.1 Normative references	10
2.2 Informative references.....	10
3 Definition of terms, symbols and abbreviations.....	12
3.1 Terms.....	12
3.2 Symbols.....	15
3.3 Abbreviations	16
4 Overview	17
4.1 Information.....	17
4.2 Basic information about UWB	17
5 TX requirements.....	18
5.1 General	18
5.1.1 General Guidance on TX measurements	18
5.1.2 Emission Concept	18
5.1.2.1 General	18
5.1.2.2 UWB - EUT	18
5.2 Operating Frequency Range (OFR).....	19
5.2.1 Definition.....	19
5.2.2 Conformance Test.....	20
5.3 Radiated Power (RP)	20
5.3.1 Mean e.i.r.p.	20
5.3.1.1 Description	20
5.3.1.2 Conformance.....	20
5.3.1.3 Method with a Spectrum Analyser.....	20
5.3.1.4 Method with an RMS Power Meter	21
5.3.1.5 Method with a Peak Power Meter	22
5.3.2 Mean e.i.r.p. Spectral Density.....	22
5.3.2.1 Description.....	22
5.3.2.2 Guidance for Mean e.i.r.p. Spectral Density Conformance Tests	22
5.3.2.3 Mean e.i.r.p. Spectral Density, averaged over 1 ms	22
5.3.2.4 Mean e.i.r.p. Spectral Density, known signal repetition time, averaged over 1 ms.....	24
5.3.2.5 Mean e.i.r.p. Spectral Density, known signal repetition time, averaged over signal repetition time	25
5.3.3 Peak e.i.r.p.	26
5.3.3.1 Description	26
5.3.3.2 Conformance.....	26
5.3.3.3 Peak e.i.r.p.; Method with a Spectrum Analyser.....	27
5.3.3.4 Peak e.i.r.p. Method with an RMS Power Meter.....	27
5.3.3.5 Peak e.i.r.p. method with a Peak Power Meter.....	27
5.3.4 Peak e.i.r.p. Spectral Density	28
5.3.4.1 Description	28
5.3.4.2 Peak e.i.r.p. Spectral Density, General Method	28
5.3.4.3 Peak e.i.r.p. Spectral Density, Sparse Spectral Line Method	30
5.4 Other Emissions (OE)	30
5.5 TX Unwanted Emissions (TXUE).....	31
5.5.1 Description.....	31
5.5.2 Limits for the TX Unwanted Emission	32
5.5.3 General for Conformance Test for TX Unwanted Emission.....	32
5.5.3.1 General	32

5.5.3.2	Step 1: Measurement with Peak Detector	32
5.5.3.3	Step 2: RMS Measurement	33
5.6	Total Radiated Power (TRP)	34
5.6.1	Description.....	34
5.6.2	Conformance Test.....	35
5.6.2.1	General	35
5.6.2.2	TRP Conformance Assessment in steps:	35
5.7	Indirect Emissions	36
5.7.1	Description.....	36
5.7.2	Guidance for Conformance Test	40
5.8	Transmit Power Control	40
5.8.1	Description.....	40
5.8.2	Guidance for Conformance Test	40
5.9	Detect and Avoid.....	41
5.9.1	Description.....	41
5.9.2	Limits.....	41
5.9.2.1	DAA Parameters	41
5.9.2.2	DAA NIM parameters.....	42
5.9.2.3	DAA test parameters	42
5.9.3	Conformance Test.....	42
5.9.3.1	Introduction	42
5.9.3.2	Initial Start-Up Test.....	44
5.9.3.2.1	Start-up Procedure	44
5.9.3.2.2	Test without a victim test signal during the <i>Minimum Initial Channel Availability Check</i> <i>Time, T_{avail_time_min}</i>	44
5.9.3.2.3	Test with a victim test signal at the beginning of the <i>Minimum Initial Channel Availability</i> <i>Check Time, T_{avail_time_min}</i>	45
5.9.3.2.4	Test with a victim test signal at the end of the <i>Minimum Initial Channel Availability Check</i> <i>Time, T_{avail_time_min}</i>	46
5.9.3.3	In-Operation Test	47
5.9.3.3.1	General Points for In-Operation Test	47
5.9.3.3.2	In-Operation Test Procedure	48
5.10	Listen Before Talk (LBT).....	49
5.10.1	Description.....	49
5.10.2	Limits.....	50
5.10.3	Conformance.....	51
5.10.3.1	Measurement Procedure.....	51
5.10.3.2	Test Set-Up	51
5.10.3.3	Test Signal Definition for LBT Mechanism in Band 2 and 3	52
5.10.3.3.1	Band 2: Mobile Satellite Service (MSS) Test Signal.....	52
5.10.3.3.2	Band 3: Land Mobile Service Test Signal	52
5.10.3.4	Test Signal Definition for LBT Mechanism in Band 1 and 4	52
5.10.3.5	Conformance Test to Measure the Timing for LBT within bands 1 and 4.....	54
5.11	Duty Cycle.....	55
5.11.1	Description.....	55
5.11.2	Conformance.....	56
5.11.2.1	Duty Cycle, Spectrum Analyser Method	56
5.11.2.2	Duty Cycle, Oscilloscope Method	56
5.11.2.3	Duty Cycle Measurement Methods for FMCW, stepped-frequency and Pulsed Systems	58
5.11.2.3.1	General	58
5.11.2.3.2	Method 1: Diode Power Detector.....	58
5.11.2.3.3	Method 2: Spectrum Analyzer.....	59
5.11.2.3.4	Method 3: Synchronized Spectrum Analysers.....	60
5.11.2.4	Duty Cycle Measurement Methods within a frequency band for FMCW and stepped-frequency systems.....	61
5.11.2.4.1	General	61
5.11.2.4.2	Synchronized Spectrum Analysers.....	61
Annex A (normative):	General Considerations and test conditions.....	64
A.1	Overview	64
A.2	Product Information	64