



**Short Range Devices (SRD);
Inductive loop systems for robotic mowers;
Harmonised Standard for access to radio spectrum**

Reference

REN/ERM-TG28-552

Keywordsharmonised standard, inductive, measurement,
radio**ETSI**650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

The present document can be downloaded from:

<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at www.etsi.org/deliver.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:

<https://portal.etsi.org/People/CommitteeSupportStaff.aspx>

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2020.

All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members.

3GPP™ and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

oneM2M™ logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners.

GSM® and the GSM logo are trademarks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	5
Foreword.....	5
Modal verbs terminology.....	5
Introduction	6
1 Scope	7
2 References	7
2.1 Normative references	7
2.2 Informative references.....	7
3 Definition of terms, symbols and abbreviations.....	8
3.1 Terms.....	8
3.2 Symbols.....	10
3.3 Abbreviations	10
4 Technical requirements specifications	11
4.1 Environmental profile.....	11
4.2 General	11
4.2.1 Wanted technical performance criteria	11
4.2.2 RMI modes	11
4.2.2.1 General	11
4.2.2.2 Operational Modes.....	11
4.2.2.3 Safe Mode	12
4.2.3 Presentation of equipment for testing purposes	12
4.3 Transmitter conformance requirements.....	12
4.3.1 Operating Frequency Range (OFR).....	12
4.3.1.1 Applicability.....	12
4.3.1.2 Description	12
4.3.1.3 Limits	13
4.3.1.4 Conformance	13
4.3.2 Transmitter H-field requirements	13
4.3.2.1 Applicability.....	13
4.3.2.2 Description.....	13
4.3.2.3 Limits	13
4.3.2.4 Conformance.....	13
4.3.3 Transmitter spurious emissions.....	13
4.3.3.1 Applicability.....	13
4.3.3.2 Description	14
4.3.3.3 Limits	14
4.3.3.4 Conformance.....	15
4.3.4 Transmitter Out Of Band (OOB) emissions	15
4.3.4.1 Applicability.....	15
4.3.4.2 Description.....	15
4.3.4.3 Limits	15
4.3.4.4 Conformance.....	15
4.4 Receiver conformance requirements	15
4.4.1 Introduction.....	15
4.4.2 Receiver Baseline Sensitivity	15
4.4.2.1 Applicability.....	15
4.4.2.2 Description	16
4.4.2.3 Limits	16
4.4.2.4 Conformance.....	16
4.4.3 Receiver Baseline Resilience.....	16
4.4.3.1 Applicability.....	16
4.4.3.2 Description.....	16
4.4.3.3 Limits	16
4.4.3.4 Conformance.....	16

5	Testing for compliance with technical requirements.....	17
5.1	Environmental conditions for testing	17
5.2	General conditions for testing	17
5.3	Artificial antenna.....	17
5.4	Measuring receiver	17
6	Conformance methods of measurement for transmitters and receivers	18
6.1	General	18
6.2	Transmitter conformance methods	18
6.2.1	OFR	18
6.2.2	H-field.....	19
6.2.3	Transmitter unwanted emissions (spurious and OOB emissions).....	20
6.3	Receiver conformance methods	20
6.3.1	Receiver spurious emissions	20
6.3.2	Receiver Baseline Sensitivity	20
6.3.2.1	General	20
6.3.2.2	Receiver-Baseline Sensitivity Test.....	22
6.3.3	Receiver Baseline Resilience	22
6.3.3.1	General	22
6.3.3.2	Test 1: if robotic mower can handle a lost signal	22
6.3.3.3	Test 2: if robotic mower can handle a passage of the boundary wire.....	24
Annex A (informative): Relationship between the present document and the essential requirements of Directive 2014/53/EU		26
Annex B (normative): Test sites and procedures		27
B.1	Boundary and dependent guidance loops.....	27
B.1.1	Artificial antenna for conducted measurements below 30 MHz	27
B.1.2	General setup and measurement procedure for the current measurement with artificial antenna	29
B.1.3	Differential mode measurement	30
B.1.4	Common mode measurement	31
B.1.5	The reference test garden.....	31
B.2	Radiated measurements using anechoic chamber or open area test site.....	31
Annex C (informative): Justification for missing RX-requirements from ETSI EG 203 336		33
C.1	Justification Receiver unwanted emissions	33
C.2	Justification for other RX-requirements.....	33
Annex D (informative): TX spurious emission limit assessment below 9 kHz.....		35
Annex E (informative): Change history		36
History		37