



Institut luxembourgeois de la normalisation
de l'accréditation, de la sécurité et qualité
des produits et services

ILNAS-EN IEC 60317-0-6:2020

Specifications for particular types of winding wires - Part 0-6: General requirements - Glass-fibre wound resin or varnish impregnated, bare or

Spécifications pour types particuliers de
fils de bobinage - Partie 0-6: Exigences
générales - Fil de section circulaire en
cuivre nu ou émaillé, guipé de fibres de

Technische Lieferbedingungen für
bestimmte Typen von Wickeldrähten -
Teil 0-6: Allgemeine Anforderungen -
Runddrähte aus Kupfer, blank oder

08/2020



National Foreword

This European Standard EN IEC 60317-0-6:2020 was adopted as Luxembourgish Standard ILNAS-EN IEC 60317-0-6:2020.

Every interested party, which is member of an organization based in Luxembourg, can participate for FREE in the development of Luxembourgish (ILNAS), European (CEN, CENELEC) and International (ISO, IEC) standards:

- Participate in the design of standards
- Foresee future developments
- Participate in technical committee meetings

<https://portail-qualite.public.lu/fr/normes-normalisation/participer-normalisation.html>

THIS PUBLICATION IS COPYRIGHT PROTECTED

Nothing from this publication may be reproduced or utilized in any form or by any mean - electronic, mechanical, photocopying or any other data carries without prior permission!

ILNAS-EN IEC 60317-0-6:2020

EUROPEAN STANDARD **EN IEC 60317-0-6**

NORME EUROPÉENNE

EUROPÄISCHE NORM

August 2020

ICS 29.060.10

Supersedes EN 60317-0-6:2001 and all of its
amendments and corrigenda (if any)

English Version

**Specifications for particular types of winding wires - Part 0-6:
General requirements - Glass-fibre wound resin or varnish
impregnated, bare or enamelled round copper wire
(IEC 60317-0-6:2020)**

Spécifications pour types particuliers de fils de bobinage -
Partie 0-6: Exigences générales - Fil de section circulaire
en cuivre nu ou émaillé, guipé de fibres de verre
imprégnées de résine ou de vernis
(IEC 60317-0-6:2020)

Technische Lieferbedingungen für bestimmte Typen von
Wickeldrähten - Teil 0-6: Allgemeine Anforderungen -
Runddrähte aus Kupfer, blank oder lackisoliert, mit
Glasgewebe umspinnen und mit Harz oder Lack
imprägniert
(IEC 60317-0-6:2020)

This European Standard was approved by CENELEC on 2020-07-14. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

European foreword

The text of document 55/1851/FDIS, future edition 2 of IEC 60317-0-6, prepared by IEC/TC 55 "Winding wires" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 60317-0-6:2020.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2021-04-14
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2023-07-14

This document supersedes EN 60317-0-6:2001 and all of its amendments and corrigenda (if any).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 60317-0-6:2020 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 60264 (series)	NOTE	Harmonized as EN 60264 (series)
IEC 60317 (series)	NOTE	Harmonized as EN 60317 (series)
IEC 60317-0-1	NOTE	Harmonized as EN 60317-0-1
IEC 60317-48	NOTE	Harmonized as EN 60317-48
IEC 60317-49	NOTE	Harmonized as EN 60317-49
IEC 60317-50	NOTE	Harmonized as EN 60317-50
IEC 60851-6	NOTE	Harmonized as EN 60851-6

Annex ZA

(normative)

Normative references to international publications with their corresponding European publications

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 Where an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60851	series	Methods of test for winding wires	EN 60851	series
IEC 60851-5	2008	Winding wires - Test methods - Part 5: Electrical properties	EN 60851-5	2008
+ A1	2011		+ A1	2011
+ A2	2019		+ A2	2019
ISO 3	-	Preferred numbers - Series of preferred numbers		-



INTERNATIONAL STANDARD

NORME INTERNATIONALE

**Specifications for particular types of winding wires –
Part 0-6: General requirements – Glass-fibre wound resin or varnish
impregnated, bare or enamelled round copper wire**

**Spécifications pour types particuliers de fils de bobinage –
Partie 0-6: Exigences générales – Fil de section circulaire en cuivre nu
ou émaillé, guipé de fibres de verre imprégnées de résine ou de vernis**

CONTENTS

FOREWORD	4
INTRODUCTION	6
1 Scope	7
2 Normative references	7
3 Terms, definitions, general notes and appearance	7
3.1 Terms and definitions	7
3.2 General notes	8
3.2.1 Methods of test	8
3.2.2 Winding wire	9
3.3 Appearance	9
4 Dimensions	9
4.1 Conductor diameter	9
4.2 Out of roundness of the conductor	11
4.3 Minimum increase in diameter due to the covering	11
4.4 Maximum overall diameter	11
5 Electrical resistance	12
6 Elongation	12
7 Springiness	12
7.1 Nominal conductor diameters up to and including 1,600 mm	12
7.2 Nominal conductor diameters over 1,600 mm	12
8 Flexibility and adherence	12
9 Heat shock	12
10 Cut-through	12
11 Resistance to abrasion	12
12 Resistance to solvents	13
13 Breakdown voltage	13
13.1 Glass-fibre covered bare round copper wires	13
13.2 Glass-fibre covered enamelled round copper wires	13
14 Continuity of insulation	13
15 Temperature index	13
16 Resistance to refrigerants	14
17 Solderability	14
18 Heat or solvent bonding	14
19 Dielectric dissipation factor	14
20 Resistance to hydrolysis and to transformer oil	14
21 Loss of mass	14
23 Pin hole test	14
30 Packaging	14
Annex A (informative) Diameters for intermediate nominal conductor diameters (R40)	15
Annex B (informative) Resistance	17
Bibliography	18

Table 1 – Diameters for single glass-fibre covered grade 1 or grade 2 enamelled round wires	10
Table 2 – Diameters for double glass-fibre covered, bare, grade 1 or grade 2 enamelled round wires	10
Table 3 – Elongation	12
Table 4 – Breakdown voltage for glass-fibre covered bare round copper wires.....	13
Table 5 – Breakdown voltage of glass fibre-covered enamelled round copper wires	13
Table A.1 – Diameters for single glass-fibre covered grade 1 or grade 2 enamelled round wires (R40)	15
Table A.2 – Diameters for double glass-fibre covered, bare, grade 1 or grade 2 enamelled round wires (R40)	16
Table B.1 – Electrical resistances	17