ILNAS-EN 302 326-2 V2.1.1 (2021-09) - Preview only Copy via ILNAS e-Shop

ILNAS

Institut luxembourgeois de la normalisation
de l'accréditation, de la sécurité et qualité
des produits et services

ILNAS-EN 302 326-2 V2.1.1 (2021-09)

Fixed Radio Systems; Multipoint Equipment and Antennas; Part 2: Harmonised Standard for access to radio spectrum



09/2021

National Foreword

This European Standard EN 302 326-2 V2.1.1 (2021-09) was adopted as Luxembourgish Standard ILNAS-EN 302 326-2 V2.1.1 (2021-09).

Every interested party, which is member of an organization based in Luxembourg, can participate for FREE in the development of Luxembourgish (ILNAS), European (CEN, CENELEC) and International (ISO, IEC) standards:

- Participate in the design of standards
- Foresee future developments
- Participate in technical committee meetings

https://portail-qualite.public.lu/fr/normes-normalisation/participer-normalisation.html

ILNAS-EN 302 326-2 V2.1.1 (2021-09) - Preview only Copy via ILNAS e-Shop

THIS PUBLICATION IS COPYRIGHT PROTECTED
Nothing from this publication may be reproduced or utilized in any form or by any mean - electronic, mechanical, photocopying or any other data carries without prior permission!

ETSI EN 302 326-2 V2.1.1 (2021-09)

ILNAS-EN 302 326-2 V2.1.1 (2021-09) - Preview only Copy via ILNAS e-Shop

Fixed Radio Systems;
Multipoint Equipment and Antennas;
Part 2: Harmonised Standard for access to radio spectrum

Reference
REN/ATTM-0436

Keywords
access, DFRS, DRRS, FWA, multipoint, radio, system

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° w061004871

Important notice

The present document can be downloaded from:
http://www.etsi.org/standards-search

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at www.etsi.org/deliver.

Users of the present document should be aware that the document may be subject to revision or change of status.
Information on the current status of this and other ETSI documents is available at
https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx

If you find errors in the present document, please send your comment to one of the following services:
https://portal.etsi.org/People/CommiteeSupportStaff.aspx

Notice of disclaimer & limitation of liability

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.
No recommendation as to products and services or vendors is made or should be implied.
In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.
The content of the PDF version shall not be modified without the written authorization of ETSI.
The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2021.
All rights reserved.

ILNAS-EN 302 326-2 V2.1.1 (2021-09) - Preview only Copy via ILNAS e-Shop

Contents

Intellectual Property Rights 7
Foreword 7
Modal verbs terminology 8
Introduction 8
1 Scope 10
2 References 10
2.1 Normative references 10
2.2 Informative references 11
3 Definition of terms, symbols and abbreviations 13
3.1 Terms 13
3.2 Symbols 17
3.3 Abbreviations 17
4 Framework for requirements 19
4.1 Generality 19
4.1.0 The "Manufacturer's declaration" concept 19
4.1.1 Applicability of requirements 20
4.1.1.1 Generality 20
4.1.1.2 The Equipment Classification (EqC) 20
4.1.2 Asymmetric MP implementations 21
4.2 RF reference architecture 21
4.2.1 Reference block diagram 21
4.2.2 Measure reference points and system loading 22
5 Technical requirements specifications 22
5.1 General requirements 22
5.2 Environmental profile 22
5.3 Transmitter requirements 22
5.3.1 General requirements 22
5.3.2 Transmitter output power 22
5.3.2.1 General 22
5.3.2.2 Transmitter maximum power and EIRP 23
5.3.2.3 Transmitter output power environmental variation 23
5.3.3 Transmitter Radio Frequency tolerance 24
5.3.4 Transmitter Radio Frequency spectrum mask and emissions 24
5.3.4.1 Transmitter Radio Frequency spectrum mask 24
5.3.4.2 Transmitter discrete CW components exceeding the transmitter Radio Frequency spectrum mask limits 27
5.3.5 Transmitter unwanted emissions in the spurious domain 28
5.3.6 Transmitter power control (ATPC and RTPC) 29
5.3.6.1 General 29
5.3.6.2 Automatic Transmitter Power Control (ATPC) 29
5.3.6.3 Remote Transmitter Power Control (RTPC) 29
5.3.7 Transmitter Remote Frequency Control (RFC) 30
5.3.8 Transmitter Dynamic Change of Modulation Order 30
5.4 Receiver requirements 30
5.4.1 General 30
5.4.2 Receiver unwanted emissions in the spurious domain 30
5.4.3 BER as a function of Receiver input Signal Level (RSL) 30
5.4.3.1 General 30
5.4.3.2 Single signal performance 31
5.4.3.3 Performance with maximum system loading (EqC-PET = D only) 32
5.4.3.4 Receiver Dynamic range 33
5.4.4 Receiver selectivity 34
5.4.4.0 Introduction 34

ILNAS-EN 302 326-2 V2.1.1 (2021-09) - Preview only Copy via ILNAS e-Shop

5.4.4.1 Receiver co-channel interference sensitivity 34
5.4.4.2 Receiver first adjacent channel interference sensitivity 36
5.4.4.3 Receiver blocking (CW spurious interference sensitivity) 38
5.4.4.4 Receiver radio-frequency intermodulation and Receiver second adjacent channel interference sensitivity 39
5.4.4.4.1 Requirement background 39
5.4.4.4.2 Requirement limit 39

6 Testing for conformance with technical requirements 40
6.1 General 40
6.2 Environmental conditions for testing 40
6.2.1 Generality 40
6.2.2 Minimum profile for indoor use 41
6.2.3 Minimum profile for outdoor use 41
6.3 Transmitter requirements 41
6.3.1 General 41
6.3.1.1 Summary table for transmitter test conditions 41
6.3.1.2 Spectrum analyser settings 42
6.3.2 Transmitter output power 43
6.3.2.1 General 43
6.3.2.2 Transmitter maximum power and EIRP 43
6.3.2.3 Transmitter output power environmental variation 44
6.3.3 Transmitter Radio Frequency tolerance 44
6.3.4 Transmitter Radio Frequency spectrum mask and emissions 44
6.3.4.1 Transmitter Radio Frequency spectrum mask 44
6.3.4.2 Transmitter Discrete CW components exceeding the transmitter Radio Frequency spectrum mask limit 45
6.3.5 Transmitter unwanted emissions in the spurious domain 45
6.3.6 Transmitter power control (ATPC and RTPC) 45
6.3.6.1 General 45
6.3.6.2 Automatic Transmitter Power Control (ATPC) 46
6.3.6.3 Remote Transmitter Power Control (RTPC) 46
6.3.7 Transmitter Remote Frequency Control (RFC) 46
6.3.8 Transmitter dynamic Change of Modulation Order 47
6.4 Receiver requirements 47
6.4.1 General 47
6.4.2 Receiver unwanted emissions in the spurious domain 48
6.4.3 BER as a function of Receiver input Signal Level (RSL) 49
6.4.3.1 General 49
6.4.3.2 Single signal performance 49
6.4.3.3 Performance at maximum system loading (EqC-PET = D only) 49
6.4.3.4 Receiver dynamic range 49
6.4.4 Receiver selectivity 49
6.4.4.1 Receiver co-channel interference sensitivity 49
6.4.4.2 Receiver first adjacent channel interference sensitivity 50
6.4.4.3 Receiver blocking (CW spurious interference sensitivity) 50
6.4.4.4 Receiver radio-frequency intermodulation and receiver second adjacent channel interference sensitivity 50

Annex A (informative): Relationship between the present document and the essential requirements of Directive 2014/53/EU 52

Annex B (normative): Test report in relation to flexible systems applications 54

B.1 Wide radio-frequency band covering units specification and tests 54

B.2 Multirate/Multiformat covering equipment specification and tests 56

Annex C (normative): Equipment classification (EqC) and system capacity 57

C.1 General 57

C.2 EqC description 57
C.2.1 Void 57

ILNAS-EN 302 326-2 V2.1.1 (2021-09) - Preview only Copy via ILNAS e-Shop