



Edition 1.0 2016-12

TECHNICAL SPECIFICATION





THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2016 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office Tel.: +41 22 919 02 11 3, rue de Varembé Fax: +41 22 919 03 00

CH-1211 Geneva 20 info@iec.ch Switzerland www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

IEC publications search - www.iec.ch/searchpub

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing 20 000 terms and definitions in English and French, with equivalent terms in 15 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary -std.iec.ch/glossary

65 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.





Edition 1.0 2016-12

TECHNICAL SPECIFICATION



INTERNATIONAL ELECTROTECHNICAL COMMISSION

ICS 25.040.40 ISBN 978-2-8322-3691-8

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

| FC | REWO | RD | 5 | |
|----|---------------------------|---|------------|--|
| IN | TRODU | ICTION | 7 | |
| 1 | Scop | e | . 10 | |
| 2 | Norm | native references | . 10 | |
| 3 | Term | Terms, definitions, abbreviated terms and conventions | | |
| · | 3.1 Terms and definitions | | | |
| | 3.2 | Abbreviated terms | | |
| | 3.3 | Conventions | | |
| 4 | | | . 14 | |
| · | 4.1 | General | 1/ | |
| | 4.2 | DF reference model | | |
| | 4.3 | Use of the Digital Factory | | |
| 5 | | eference model | | |
| J | | Concept identifier | | |
| | 5.1 | | | |
| | 5.2 5.2.1 | | | |
| | 5.2.1 | | | |
| | 5.2.2 | | | |
| | 5.2.3 5.2.4 | | | |
| | 5.2.4 | | | |
| | 5.3.1 | | | |
| | 5.3.1 | | | |
| | 5.3.2 | Data element | . 19 20 | |
| | 5.5 | Collection of data elements | | |
| | 5.6 | DF asset class | | |
| | 5.6.1 | | | |
| | 5.6.2 | | | |
| | 5.6.2 | ^ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ | | |
| | 5.7 | View element | | |
| | 5.8 | Library | | |
| | 5.8.1 | General | | |
| | 5.8.2 | | | |
| | 5.8.3 | , | | |
| | 5.9 | DF asset | | |
| | 5.9.1 | General | | |
| | 5.9.2 | | | |
| | 5.9.3 | | | |
| | 5.10 | DF asset link | | |
| | 5.11 | DF asset class association | | |
| | 5.12 | Data element relationship | | |
| | 5.13 | Digital Factory | | |
| 6 | | s of the DF framework | | |
| J | | | | |
| | 6.1 6.2 | Example for representing a production system | | |
| | 6.3 | Rules for using DE assets in a Digital Eastery | | |
| | | Rules for using DF assets in a Digital Factory | | |
| | 6.4 | Reuse of a Digital Factory structure | . აս | |

| Annex A (informative) UML Model | 31 |
|--|----|
| A.1 Concept dictionary | 31 |
| A.2 Library | 32 |
| A.3 Digital Factory | 34 |
| Annex B (informative) Overview of model elements | 37 |
| B.1 Model elements | |
| B.2 Example DF asset description | 39 |
| Annex C (informative) UML notation | 41 |
| C.1 General | 41 |
| C.2 Class diagram | |
| C.3 Object diagram | |
| Bibliography | 45 |
| | |
| Figure 1 – DF framework overview | 15 |
| Figure 2 – Overview of the Digital Factory and example activities | 17 |
| Figure 3 – Identification standard | 18 |
| Figure 4 – Example of sourcing of a DF concept dictionary | 20 |
| Figure 5 – Example of DF asset class | 22 |
| Figure 6 – Example of composite DF asset class | 22 |
| Figure 7 – Example of composite DF asset | 25 |
| Figure 8 – Example of data element relationships | 27 |
| Figure 9 – Example of DF asset and DF asset class | 28 |
| Figure 10 – Integration with the DF library | 29 |
| Figure A.1 – Concept dictionary and related class definitions and type | 31 |
| Figure A.2 – Types of relationship | 32 |
| Figure A.3 – Library | 32 |
| Figure A.4 – DF asset class | 33 |
| Figure A.5 – DF asset class showing origin of definitions | 33 |
| Figure A.6 - Composed DF asset class | |
| Figure A7 - Digital Factory structure | |
| Figure A.8 – Digital Factory | |
| Figure A.9 – Relationship between DF assets | |
| Figure A.10 – Digital Factory with composed DF asset | 36 |
| Figure A.11 – DF asset link and DER | 36 |
| Figure B.1 – Example structure of a DF asset | 40 |
| Figure C.1 – Note | 41 |
| Figure C.2 – Class | 41 |
| Figure C.3 – Association | 41 |
| Figure C.4 – Composition | 42 |
| Figure C.5 – Aggregation | 42 |
| Figure C.6 – Containment | 42 |
| Figure C.7 – Dependency | 42 |
| Figure C.8 – Abstract class, generalization and interface | 43 |
| Figure C. 9 – Multiplicity | 43 |

| Figure C.10 – Association class | 43 |
|---|----|
| Figure C.11 – Class | 44 |
| Figure C.12 – Link | 44 |
| Figure C.13 – Link instantiated from composition | 44 |
| Figure C.14 – Link instantiated from aggregation | 44 |
| Table B.1 – Model elements of the Digital Factory | 37 |
| Table B.2 – Model elements of libraries | 38 |
| Table B.3 – Model elements of dictionaries | 39 |



INTERNATIONAL ELECTROTECHNICAL COMMISSION

INDUSTRIAL-PROCESS MEASUREMENT, CONTROL AND AUTOMATION – DIGITAL FACTORY FRAMEWORK –

Part 1: General principles

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

The main task of IEC technical committees is to prepare International Standards. In exceptional circumstances, a technical committee may propose the publication of a technical specification when

- the required support cannot be obtained for the publication of an International Standard, despite repeated efforts, or
- the subject is still under technical development or where, for any other reason, there is the future but no immediate possibility of an agreement on an International Standard.

Technical specifications are subject to review within three years of publication to decide whether they can be transformed into International Standards.

IEC TS 62832-1, which is a technical specification, has been prepared by IEC technical committee 65: Industrial-process measurement, control and automation.

This first edition cancels and replaces IEC TR 62794 published in 2012. This edition constitutes a technical revision.

This first edition includes the following significant changes with respect to IEC TR 62794:

- initial project was split into several parts to facilitate work progress;
- contents were completely reworked based on National Committee comments.

The text of this technical specification is based on the following documents:

| Enquiry draft | Report on voting |
|---------------|------------------|
| 65/629/DTS | 65/649/RVC |

Full information on the voting for the approval of this technical specification can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2

A list of all parts in the IEC 62832 series, published under the general title, Industrial-process measurement, control and automation – Digital factory framework can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

IMPORTANT - The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

0.1 Market demand and situation

High performance, flexible dynamic processes, and agile machines and production systems are essential to meet the demands for quality, delivery and cost of the products. This results in an increased complexity of the plant life cycle. In addition, all existing information of a product or a production system is described and modified through the whole life cycle of a product or production system, for example during the planning, development process, and operation. This situation spurs the enterprise to exchange product and production system data in electronic form.

However, each enterprise and each department inside the enterprise describes their products and production systems according to their own data management schemes, often using different terms, structures, and media.

EXAMPLE Examples for data management schemes are paper-based, databases, disks, e-catalogues, cloud.

Therefore, no seamless information exchange can be found between all the actors involved in the life cycles of both products and production systems.

Efficient exchange of data between and within enterprises can only be performed if syntax (format) and semantics (meaning) of the information has been defined in a unanimous and shared manner.

0.2 History of standardization in this area

Earlier work started with the initial objective to replace paper data sheets with an electronic description of electronic components used in products, and to use it in software tools for electronic wiring and assembly (for example, when designing electronic boards).

Additionally, concepts were developed for profiling of devices used in production systems, in order to describe parameters and behavioural aspects to facilitate integration and reduce engineering costs, providing guides for standards developers.

NOTE 1 See Device Profile Guideline NEC TR 62390).

IEC 61967-10 made an important step toward this objective by defining fundamentals that aim at describing devices used in production systems by creating lists of properties (LOPs). The properties themselves are compiled into blocks that describe given features of a device. Further parts of IEC 61987 and other related standards (e.g. IEC 62683) define reference LOPs for electronic/electric components and materials used in electro-technical equipment and systems, such as equipment for measuring flows, pressures, temperatures, levels and densities.

NOTE 2 Although the title of IEC 62683 is "Low-voltage switchgear and controlgear – Product data and properties for information exchange", the intent of IEC 62832 is to use the information exchange for interoperability in describing devices that are used in production systems.

IEC 61360-1, IEC 61360-2 and ISO 13584-42 specify the principles to be used for defining characterization classes of parts and their properties. As a result, a database was developed, also named IEC Common Data Dictionary (IEC CDD), which contains the reference collection of classes and associated properties. ISO 22745 specifies open technical dictionaries (OTDs) and their application to master data. ISO/IEC Guide 77 provides recommendations for the description of products and their properties for the creation of these classes, catalogues and reference dictionaries.

NOTE 3 ISO/IEC Guide 77 uses the term "product". It is taken to include devices, processes, systems, installations, etc.

ISO 15704 specifies requirements of enterprise reference architectures and methodologies for supporting the applications in terms of the interoperability, the integration, and the architectures of the applications throughout the life cycle and supply chain aspects of the systems.

A number of efforts have addressed the development of business and manufacturing enterprise models to aid in understanding of different aspects of the enterprise to realize improvements in enterprise operations. Additionally, models for enterprise and control systems have been developed to support the production operations, but gaps remain in development of models to bridge from the manufacturing system design environments to the manufacturing operation environments, in terms of sharing information of the process, equipment, and devices.

NOTE 4 IEC 62264 defines models of functions in the manufacturing and control domains and information exchanged with the enterprise domain.

0.3 Purpose and benefits of IEC 62832

While the standards mentioned above provide a method for describing properties of a given device, IEC 62832 extends this method by defining a reference model for the representation of production systems, which include the devices.

In order to manage a production system effectively throughout its life cycle, it is very important to have its digital representation and to maintain the contents appropriately in response to its evolution in its life cycle. Activities related to the production system will access, update, and use the contents of digital representation in order to support the whole life cycle of the production system. This digital representation provides a consistent information interchange between all processes and partners involved and makes related information understandable, reusable and changeable through the entire production system life cycle.

Dictionaries and models can help to establish such digital representation by providing descriptions of elements, such as equipment and devices, of the production system. However, additional information is needed in order to achieve the intended digital representation of production systems, such as descriptions of relationship between the elements.

IEC 62832 provides a framework used for establishing and maintaining the digital representations of production systems, including the elements, relationships between these elements and the exchange of information about these elements.

The framework aims at reducing the interoperability barriers for exchange of information for the various activities related to production systems. The main advantages of this method are that all information related to a production system is described in a standardized manner, and it can be used and modified through its entire life cycle. The method defined in IEC 62832 is kept as generic as possible in order to enable its use in several industrial sectors.

NOTE Enterprise modelling concepts are described in standards referenced in the Bibliography (for example ISO 15704, ISO 11354-1).

0.4 Contents of the IEC 62832 series

The IEC 62832 series consists of multiple parts which provide:

- general introduction to the model and principles of the Digital Factory framework (DF framework);
- detailed data model for all the model elements of the DF framework;
- description of how the DF Framework is used to manage the life cycle of a production system;
- · description of how data is migrated into the DF framework.

