

Institut luxembourgeois de la normalisation de l'accréditation, de la sécurité et qualité des produits et services

ILNAS-EN 206:2013+A2:2021

# Concrete - Specification, performance, production and conformity

Béton - Spécification, performances, production et conformité

Beton - Festlegung, Eigenschaften, Herstellung und Konformität

#### **National Foreword**

This European Standard EN 206:2013+A2:2021 was adopted as Luxembourgish Standard ILNAS-EN 206:2013+A2:2021.

Every interested party, which is member of an organization based in Luxembourg, can participate for FREE in the development of Luxembourgish (ILNAS), European (CEN, CENELEC) and International (ISO, IEC) standards:

- Participate in the design of standards
- Foresee future developments
- Participate in technical committee meetings

https://portail-qualite.public.lu/fr/normes-normalisation/participer-normalisation.html

### THIS PUBLICATION IS COPYRIGHT PROTECTED

Nothing from this publication may be reproduced or utilized in any form or by any mean - electronic, mechanical, photocopying or any other data carries without prior permission!

### EUROPEAN STANDARD EN 206:2013+A2:2021 206:2013+A2

### NORME EUROPÉENNE

**EUROPÄISCHE NORM** 

March 2021

ICS 91.100.30

Supersedes EN 206:2013+A1:2016

### **English Version**

## Concrete - Specification, performance, production and conformity

Béton - Spécification, performances, production et conformité

Beton - Festlegung, Eigenschaften, Herstellung und Konformität

This European Standard was approved by CEN on 27 July 2016 and includes Amendment 2 approved by CEN on 4 January 2021.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Cont	ntents	
Europ	ean foreword	6
Introd	luction	8
1	Scope	9
2	Normative references	10
3	Terms, definitions, symbols and abbreviations	
3 3.1	Terms, definitions, symbols and abbreviations	
3.1.1	General	
3.1.2	Constituents	
3.1.3	Fresh concrete	
3.1.4	Hardened concrete	
3.1.5	Conformity and production control	
3.2	Symbols and abbreviations	21
4	Classification	23
<b>4.1</b>	Exposure classes related to environmental actions	23
4.2	Classes for properties of fresh concrete	
4.2.1	Consistence classes	
4.2.2	Classes for additional properties of SCC	
4.3	Classes for properties of hardened concrete	
4.3.1	Compressive strength classes	
4.3.2	Density classes for lightweight concrete	
5	Requirements for concrete and methods of verification	32
5.1	Basic requirements for constituents	
5.1.1	General	
5.1.2	Cement	
5.1.3	Aggregates	
5.1.4	Mixing water	
5.1.5 5.1.6	AdmixturesAdditions (including mineral fillers and pigments)	
5.1.7	Fibres	
5.2	Basic requirements for composition of concrete	
5.2.1	General	
5.2.2	Selection of cement	
5.2.3	Selection of aggregates	
5.2.4	Use of mixing water	35
5.2.5	Use of additions	
5.2.6	Use of admixtures	
5.2.7	Use of fibres	
5.2.8	Chloride content	
5.2.9	Concrete temperature	
5.3 5.3.1	Requirements related to exposure classes	
5.3.1 5.3.2	GeneralLimiting values for concrete composition	
5.3.2 5.3.3	Performance-related methods	
5.3.3 5.4	Requirements for fresh concrete	
5.4.1	Consistence, viscosity, passing ability and resistance to segregation	

5.4.2	Cement content and water/cement ratio	
<b>5.4.3</b>	Air content	41
5.4.4	Fibre content	41
5.5	Requirements for hardened concrete	42
5.5.1	Strength	42
5.5.2	Density	42
5.5.3	Resistance to water penetration	43
5.5.4	Reaction to fire	
6	Specification of concrete	43
6.1	General	43
6.2	Specification for designed concrete	44
6.2.1	General	44
6.2.2	Basic requirements	44
6.2.3	Additional requirements	45
6.3	Specification for prescribed concrete	
6.3.1	General	
6.3.2	Basic requirements	
6.3.3	Additional requirements	
6.4	Specification of standardized prescribed concrete	
	•	
7	Delivery of fresh concrete	
7.1	Information from the user of the concrete to the producer	
7.2	Information from the producer of the concrete to the user	
7.3	Delivery ticket for ready-mixed concrete	48
<b>7.4</b>	Delivery information for site-mixed concrete	49
7.5	Mix adjustments after the main mixing process and prior to discharge	49
8	Conformity control and conformity criteria	
8.1	General	
8.2	Conformity control for designed concrete	50
8.2.1	Conformity control for compressive strength	50
8.2.2	Conformity control for tensile splitting strength	55
8.2.3	Conformity control for properties other than strength	56
8.3	Conformity control of prescribed concrete including standardized prescribed	
	concrete	
8.4	Actions in the case of non-conformity of the product	
9	Production control	
9.1	General	
9.2	Production control systems	
9.3	Recorded data and other documents	
9.4	Testing	
9.5	Concrete composition and initial testing	
9.6	Personnel, equipment and installation	64
9.6.1	Personnel	64
9.6.2	Equipment and installation	64
9.7	Batching of constituents	65
9.8	Mixing of concrete	66
9.9	Production control procedures	66
10	Evaluation of conformity	70
10.1	General	
10.2	Assessment, surveillance and certification of production control	71
11	Designation for designed concrete	71

	Annex	A (normative) Initial test	72
	<b>A.1</b>	General	
	<b>A.2</b>	Party responsible for initial tests	72
	A.3	Frequency of initial tests	72
	<b>A.4</b>	Test conditions	
	A.5	Criteria for adoption of initial tests	73
	Anney	B (normative) Identity testing	74
	B.1	General	
	B.2	Sampling and testing plan	
	B.3	Identity criteria for compressive strength	
	B.3.1	Concrete under production control certification	
	B.3.2	Concrete not under production control certification	
	B.4	Identity criteria for consistence and air content	
	B.5	Identity criteria for fibre content and homogeneity of fresh concrete	
do	_		75
Shop	Annex	C (informative) (2) Provisions for assessment, surveillance and certification of	
6-		production control	
IAS	<b>C.1</b>	General	
via ILNA	<b>C.2</b>	Tasks for the inspection body	
ia I	C.2.1	Initial assessment of the production control	
V V	<b>C.2.2</b>	Continuous surveillance of the production control	
ďoʻ	C.3 C.3.1	Tasks for the certification body	
V C	C.3.1	Certification of production control	
onl	C.3.2	Measures in case of non-conformity	78
M	Annex	D (normative) Additional requirements for specification and conformity of concrete	
Preview		for special geotechnical works	80
Pre	D.1	General	
1 -		Constituents	
202	D.2 D.2.1 D.2.2 D.3 D.3.1 D.3.2 D.3.3	Cement	
2:2	D.2.2	Aggregates	
+	D.3	Concrete	
013	D.3.1	General requirements for specification and acceptance of the mix design	
6:2	D.3.2	Minimum fines content and minimum cement content	
20	D.3.3	Water/cement ratio	
EN	D.3.4	Fresh concrete	83
\ <u>\</u>			0.4
N	Annex	E (informative) Recommendation for the use of aggregates	84
	E.I	General	84
	<b>E.2</b>	Natural normal-weight and heavy-weight aggregates and air-cooled blast furnace	0.4
	го	slag	
	E.3	Recommendation for the use of coarse recycled aggregates	
	<b>E.4</b>	Recommendation for the use of lightweight aggregates	
	Annex	F (informative) Recommendation for limiting values of concrete composition	88
	Annov	G (informative) Guidelines for self-compacting concrete requirements in the fresh	
	Allilex	state	90
	<b>G.1</b>	General	
	G.2	Recommendations on classification of self-compacting concrete	
	G.2.1	Consistence	
	G.2.2	Viscosity	
	G.2.3	Passing ability	
	G.2.4	Segregation resistance	
	Anney	H (informative) Rules of application for 8.2.1.3 Method C	92

H.1	Introduction	92
H.2	Control based on the cusum system	92
Н.3	Control based on Shewhart charts with modified limits by variables	
Annex	J (informative) Deviation to accommodate a notified Spanish Regulation	<b>9</b> 4
Annex	K (informative) Concrete families	95
K.1	General	
<b>K.2</b>	Selection of the concrete family	95
К.3	Flow chart for the assessment of membership and conformity of a concrete family	
Annex	L (informative) Further information regarding specific paragraphs	97
Annex	M (informative) Guidance on provisions valid in the place of use	99
Biblios	eraphy	. 101

### **European foreword**

This document (EN 206:2013+A2:2021) has been prepared by Technical Committee CEN/TC 104 "Concrete and related products", the secretariat of which is held by SN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by September 2021 and conflicting national standards shall be withdrawn at the latest by September 2021.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

Based on a CEN/BT Decision (T 42/2013) EN 12620:2013 was withdrawn. Therefore, this document has been aligned with the specifications given in EN 12620:2002+A1:2008. As soon as CEN/TC 154 publishes a new version of EN 12620, CEN/TC 104 intends to amend EN 206.

This document includes Amendment 1 approved by CEN on 27 July 2016 and Amendment 2 approved by CEN on 4 January 2021.

The start and finish of text introduced or altered by amendment is indicated in the text by tags  $\boxed{\mathbb{A}_1}$   $\boxed{\mathbb{A}_2}$   $\boxed{\mathbb{A}_2}$ .

This document supersedes EN 206:2013+A1:2016.

In particular, the following main items had been subject to revision when preparing EN 206:2013:

- a) adding application rules for fibre concrete and concrete with recycled aggregates;
- b) revising *k*-value concept for fly ash and silica fume and adding new rules for ground granulated blast furnace slag;
- c) introduction of principles for the performance concepts for the use of additions, e.g. equivalent concrete performance concept and equivalent performance of combinations concept;
- d) revising and adding new concepts for the conformity assessment;
- e) including EN 206-9 "Additional rules for self-compacting concrete (SCC)";
- f) including additional requirements for concrete for special geotechnical works (Annex D).

NOTE Annex D was jointly prepared by CEN/TC 104 and CEN/TC 288.

Amendment 2 are changes deemed necessary to clarify guidance for conformity assessment in clause 10.2 and correcting the status of Annex C to informative. (2)

Figure 1 illustrates the relationships between EN 206 and standards for design and execution, standards for constituents and test standards.




Figure 1 — Relationships between EN 206 and standards for design and execution, standards for constituents and test standards

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

#### Introduction

This European Standard will be applied under different climatic and geographical conditions, different levels of protection and under different, well established, regional traditions and experience. Classes for concrete properties have been introduced to cover these situations. Where such general solutions were not possible, the relevant clauses contain permission for the application of provisions valid in the place of use of the concrete.

This European Standard incorporates rules for the use of constituents that are covered by European Standards. Constituents not covered by European Standards may be used in accordance with provisions valid in the place of use of the concrete.

If the concrete is in conformity with the limiting values, the concrete in the structure is deemed to satisfy the durability requirements for the intended use in the specific environmental condition, provided:

- the appropriate exposure classes were selected;
- the concrete has the minimum cover to reinforcement in accordance with the relevant design standard required for the specific environmental condition, e.g. EN 1992-1-1;
- the concrete is properly placed, compacted and cured, e.g. in accordance with EN 13670 or other relevant standards;
- the appropriate maintenance is applied during the working life.

Performance based concepts as alternatives to the concept of limiting values are under development.

Concrete conforming to this European Standard may be assumed to satisfy the basic requirements for materials to be used in all three Execution Classes as defined in EN 13670.

This European Standard defines tasks for the specifier, producer and user. For example, the specifier is responsible for the specification of concrete, Clause 6, and the producer is responsible for conformity and production control, Clauses 8 and 9. The user is responsible for placing the concrete in the structure. In practice there may be several different parties specifying requirements at various stages of the design and construction process, e.g. the client, the designer, the contractor, the concreting subcontractor. Each is responsible for passing the specified requirements, together with any additional requirements, to the next party in the chain until they reach the producer. In the terms of this European Standard, this final compilation is known as the "specification of concrete". Conversely, the specifier, producer and user may be the same party (e.g. a precast concrete manufacturer or a contractor doing design and build). In the case of ready- mixed concrete, the purchaser of the fresh concrete is the specifier who gives the specification of concrete to the producer.

This European Standard also covers the necessary exchange of information between the different parties. Contractual matters are not addressed. Where responsibilities are given for parties involved, these are technical responsibilities.

Notes and footnotes in tables of this standard are normative unless stated otherwise; other notes and footnotes are informative.

Further explanations and guidance on the application of this standard are given in other documents, such as CEN Technical Reports.