



Institut luxembourgeois de la normalisation
de l'accréditation, de la sécurité et qualité
des produits et services

ILNAS-EN IEC 61851-21-2:2021

Electric vehicle conductive charging system - Part 21-2: Electric vehicle requirements for conductive connection to an AC/DC supply - EMC

Konduktive Ladesysteme für
Elektrofahrzeuge - Teil 21-2:
Anforderungen für den konduktiven
Anschluss von Elektrofahrzeugen an eine
Système de charge par conduction pour
véhicules électriques - Partie 21-2:
Exigences applicables aux véhicules
électriques pour connexion par

04/2021



National Foreword

This European Standard EN IEC 61851-21-2:2021 was adopted as Luxembourgish Standard ILNAS-EN IEC 61851-21-2:2021.

Every interested party, which is member of an organization based in Luxembourg, can participate for FREE in the development of Luxembourgish (ILNAS), European (CEN, CENELEC) and International (ISO, IEC) standards:

- Participate in the design of standards
- Foresee future developments
- Participate in technical committee meetings

<https://portail-qualite.public.lu/fr/normes-normalisation/participer-normalisation.html>

THIS PUBLICATION IS COPYRIGHT PROTECTED

Nothing from this publication may be reproduced or utilized in any form or by any mean - electronic, mechanical, photocopying or any other data carries without prior permission!

English Version

**Electric vehicle conductive charging system - Part 21-2: Electric vehicle requirements for conductive connection to an AC/DC supply - EMC requirements for off board electric vehicle charging systems
(IEC 61851-21-2:2018)**

Système de charge par conduction pour véhicules électriques - Partie 21-2: Exigences applicables aux véhicules électriques pour connexion par conduction à une alimentation en courant alternatif ou courant continu - Exigences CEM concernant les systèmes de charge non embarqués pour véhicules électriques
(IEC 61851-21-2:2018)

Konduktive Ladesysteme für Elektrofahrzeuge - Teil 21-2: Anforderungen für den konduktiven Anschluss von Elektrofahrzeugen an eine Wechsel-/Gleichstromversorgung - EMV-Anforderungen an externe Ladesysteme für Elektrofahrzeuge
(IEC 61851-21-2:2018)

This European Standard was approved by CENELEC on 2018-05-23. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

European foreword

The text of document 69/531/FDIS, future edition 1 of IEC 61851-21-2, prepared by IEC/TC 69 "Electrical power/energy transfer systems for electrically propelled road vehicles and industrial trucks" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 61851-21-2:2021.

The following dates are fixed:

- latest date by which the document has to be implemented at national (dop) 2021-10-30 level by publication of an identical national standard or by endorsement
- latest date by which the national standards conflicting with the (dow) 2024-04-30 document have to be withdrawn

This document (partially) supersedes EN 61851-21:2002 and all of its amendments and corrigenda (if any).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CENELEC by the European Commission and the European Free Trade Association.

Endorsement notice

The text of the International Standard IEC 61851-21-2:2018 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 61851-21-1	NOTE	Harmonized as EN 61851-21-1
IEC 61980 (series)	NOTE	Harmonized as EN IEC 61980 (series)
CISPR 11:2015	NOTE	Harmonized as EN 55011:2016
CISPR 16-2-1:2014	NOTE	Harmonized as EN 55016-2-1:2014 (not modified)
ISO 15118-3:2015	NOTE	Harmonized as EN ISO 15118-3:2016 (not modified)

Annex ZA

(normative)

Normative references to international publications with their corresponding European publications

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 Where an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60038 (mod)	2009	IEC standard voltages	EN 60038	2011
IEC 61000-3-2	2014	Electromagnetic compatibility (EMC) - Part 3-2: Limits - Limits for harmonic current emissions (equipment input current ≤ 16 A per phase)	EN 61000-3-2	2014
IEC 61000-3-3	2013	Electromagnetic compatibility (EMC) - Part 3-3: Limits - Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems, for equipment with rated current ≤ 16 A per phase and not subject to conditional connection	EN 61000-3-3	2013
IEC 61000-3-11	2017	Electromagnetic compatibility (EMC) - Part 3-11 - Limits - Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems - Equipment with rated current ≤ 75 A and subject to conditional connection	EN IEC 61000-3-2019	
IEC 61000-3-12	2011	Electromagnetic compatibility (EMC) - Part 3-12: Limits - Limits for harmonic currents produced by equipment connected to public low-voltage systems with input current >16 A and ≤ 75 A per phase	EN 61000-3-12	2011
IEC 61000-4-2	2008	Electromagnetic compatibility (EMC) - Part 4-2: Testing and measurement techniques - Electrostatic discharge immunity test	EN 61000-4-2	2009
IEC 61000-4-3	2006	Electromagnetic compatibility (EMC) - Part 4-3 : Testing and measurement techniques - Radiated, radio-frequency, electromagnetic field immunity test	EN 61000-4-3	2006
+ A1	2007		+ A1	2008
+ A2	2010		+ A2	2010

Publication	Year	Title	EN/HD	Year
IEC 61000-4-4	2012	Electromagnetic compatibility (EMC) - Part 4-4: Testing and measurement techniques - Electrical fast transient/burst immunity test	EN 61000-4-4	2012
IEC 61000-4-5	2014	Electromagnetic compatibility (EMC) - Part 4-5: Testing and measurement techniques - Surge immunity test	EN 61000-4-5	2014
+ A1	2017		+ A1	2017
IEC 61000-4-6	2013	Electromagnetic compatibility (EMC) - Part 4-6: Testing and measurement techniques - Immunity to conducted disturbances, induced by radio-frequency fields	EN 61000-4-6	2014
IEC 61000-4-8	2009	Electromagnetic compatibility (EMC) - Part 4-8: Testing and measurement techniques - Power frequency magnetic field immunity test	EN 61000-4-8	2010
IEC 61000-4-11	2004	Electromagnetic compatibility (EMC) - Part 4-11: Testing and measurement techniques - Voltage dips, short interruptions and voltage variations immunity tests	EN 61000-4-11	2004
+ A1	2017		+ A1	2017
IEC 61000-4-34	2005	Electromagnetic compatibility (EMC) - Part 4-34: Testing and measurement techniques - Voltage dips, short interruptions and voltage variations immunity tests for equipment with input current more than 16 A per phase	EN 61000-4-34	2007
+ A1	2009		+ A1	2009
IEC 61000-6-1	2016	Electromagnetic compatibility (EMC) - Part 6-1: Generic standards - Immunity standard for residential, commercial and light-industrial environments	EN IEC 61000-6-1	2019
IEC 61000-6-2	2016	Electromagnetic compatibility (EMC) - Part 6-2: Generic standards - Immunity standard for industrial environments	EN IEC 61000-6-2	2019
IEC 61000-6-3	2006	Electromagnetic compatibility (EMC) - Part 6-3: Generic standards - Emission standard for residential, commercial and light-industrial environments	EN 61000-6-3	2007
+ A1	2010		+ A1	2011
-	-		+ AC	2012
IEC 61000-6-4	2006	Electromagnetic compatibility (EMC) -- Part 6-4: Generic standards - Emission standard for industrial environments	EN 61000-6-4	2007
+ A1	2010		+ A1	2011
IEC 61851-1	2017	Electric vehicle conductive charging system - Part 1: General requirements	EN IEC 61851-1	2019

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 61851-23	2014	Electric vehicle conductive charging system - Part 23: DC electric vehicle charging station	EN 61851-23	2014
IEC 62053-21	2003	Electricity metering equipment (a.c.) - Particular requirements - Part 21: Static meters for active energy (classes 1 and 2)	EN 62053-21	2003
CISPR 16-1-2	2014	Specification for radio disturbance and immunity measuring apparatus and methods - Part 1-2: Radio disturbance and immunity measuring apparatus - Coupling devices for conducted disturbance measurements	EN 55016-1-2	2014
CISPR 16-1-4	2010	Specification for radio disturbance and immunity measuring apparatus and methods - Part 1-4: Radio disturbance and immunity measuring apparatus - Antennas and test sites for radiated disturbance measurements	EN 55016-1-4	2010
+ A1	2012		+ A1	2012
+ A2	2017		+ A2	2017
CISPR 25	2008	Vehicles, boats and internal combustion engines - Radio disturbance characteristics - Limits and methods of measurement for the protection of on-board receivers	-	-
CISPR 32	2015	Electromagnetic compatibility of multimedia equipment - Emission requirements	EN 55032	2015
-	-		+ A11	2020
MIL-STD-461F	2007	Department of Defense interface standard requirements for the control of electromagnetic interference characteristics of subsystems and equipment		



INTERNATIONAL STANDARD

NORME INTERNATIONALE

**Electric vehicle conductive charging system –
Part 21-2: Electric vehicle requirements for conductive connection to an AC/DC
supply – EMC requirements for off-board electric vehicle charging systems**

**Système de charge par conduction pour véhicules électriques –
Partie 21-2: Exigences applicables aux véhicules électriques pour connexion par
conduction à une alimentation en courant alternatif ou courant continu –
Exigences CEM concernant les systèmes de charge non embarqués pour
véhicules électriques**

CONTENTS

FOREWORD.....	5
1 Scope.....	7
2 Normative references	7
3 Terms and definitions	9
4 Test plan	11
4.1 General.....	11
4.2 Configuration of EUT	11
4.3 Termination of the EUT during testing	12
4.4 Operating and test conditions	12
4.4.1 General	12
4.4.2 Immunity.....	12
4.4.3 Emissions.....	12
4.4.4 Environmental conditions/limitations	13
5 Immunity requirements	13
5.1 General.....	13
5.2 Performance criteria	22
5.2.1 General	22
5.2.2 Performance criteria A.....	22
5.2.3 Performance criteria B.....	22
5.2.4 Performance criteria C.....	22
6 Emission requirements	23
6.1 General.....	23
6.2 Limits and test conditions for disturbances in the low frequency (LF) range	23
6.2.1 Overview	23
6.2.2 Harmonic currents	23
6.2.3 Voltage fluctuations and flicker	23
6.3 Limits and test conditions for disturbances in the radio frequency (RF) range	23
6.3.1 Overview	23
6.3.2 Power input port (150 kHz to 30 MHz)	24
6.3.3 CPT port (150 kHz to 30 MHz).....	26
6.3.4 Wired network port or signal/control port (150 kHz to 30 MHz).....	27
6.3.5 Enclosure port (above 30 MHz).....	29
7 Test results and test report.....	31
Annex A (normative) Example test setups	32
Annex B (informative) Radiated disturbance test for keyless entry	35
B.1 General.....	35
B.2 Test setup.....	35
B.3 Test method.....	35
B.4 Limits for radiated disturbances keyless entry (2 kHz to 185 kHz)	36
Annex C (normative) Termination of ports.....	37
C.1 General.....	37
C.2 Termination of communication lines – Impedance stabilization networks (ISN).....	37
C.2.1 General	37

C.2.2	Symmetric communication lines (e.g. CAN)	37
C.2.3	Coupling devices for PLC on power lines	39
C.2.4	PLC (technology) on control pilot	40
C.3	Coupling and termination devices for other communication and signalling lines	41
Annex D (normative)	Voltage transient disturbances from DC charging equipment	42
Annex E (normative)	Voltage surge test setup for DC charging EUT	44
Annex F (informative)	Transient immunity test for DC charging EUT	46
Bibliography		47
Figure 1	– Examples of ports of off- board charging equipment	10
Figure A.1	– Example test setup for floor standing equipment for radiated and conducted emission and immunity	33
Figure A.2	– Example test setup for table top and wall mounted equipment for emission and immunity	34
Figure B.1	– Example of a test setup for measurement of radiated disturbances to keyless entry (layout and spacing for the loop sensor)	36
Figure C.1	– Example of an impedance stabilization network for symmetric communication lines	38
Figure C.2	– Example of a circuit for emission tests of PLC on AC or DC power lines	39
Figure C.3	– Example of a circuit for immunity tests of PLC on AC or DC power lines	39
Figure C.4	– Example of a circuit for emission tests of PLC on control pilot line	40
Figure C.5	– Example of a circuit for immunity tests of PLC on control pilot line	41
Figure C.6	– Example of a termination circuit for testing of system A	41
Figure D.1	– Voltage transient of DC charging EUT	42
Figure D.2	– Voltage transient measurement equipment	43
Figure E.1	– Example of transient test setup	45
Table 1	– AC charging immunity requirements – Environments other than residential	14
Table 2	– AC charging immunity requirements – Residential environments	16
Table 3	– DC charging immunity requirements – Environments other than residential	18
Table 4	– DC charging immunity requirements – Residential environments	20
Table 5	– References for evaluation of low frequency (LF) phenomena	23
Table 6	– References for evaluation of disturbances appearing in the radio frequency (RF) range	24
Table 7	– Disturbance voltage limits for class A equipment for AC power input port	25
Table 8	– Disturbance voltage limits for class B equipment for AC power input port	25
Table 9	– Disturbance voltage limits for DC power input port	26
Table 10	– Disturbance voltage limits for class A equipment for AC CPT port	26
Table 11	– Disturbance voltage limits for class B equipment for AC CPT port	26
Table 12	– Disturbance voltage limits for DC CPT port	27
Table 13	– Requirements for asymmetric mode conducted emissions from Class A equipment	28
Table 14	– Requirements for asymmetric mode conducted emissions from Class B equipment	29
Table 15	– Required highest frequency for radiated measurement	29

Table 16 – Requirements for radiated emissions at frequencies up to 1 GHz for Class A equipment	30
Table 17 – Requirements for radiated emissions at frequencies above 1 GHz for Class A equipment	30
Table 18 – Requirements for radiated emissions at frequencies up to 1 GHz for Class B equipment	31
Table 19 – Requirements for radiated emissions at frequencies above 1 GHz for Class B equipment	31
Table B.1 – Limit values of radiated disturbances (2 kHz to 185 kHz)	36
Table C.1 – Termination of ports	37
Table D.1 – Voltage transient limit of EUT	42
Table E.1 – Maximum voltage to be measured on the CPT	44