

INTERNATIONAL STANDARD

NORME INTERNATIONALE

**Industrial communication networks – Profiles –
Part 3-2: Functional safety fieldbuses – Additional specifications for CPF 2**

**Réseaux de communication industriels – Profils –
Partie 3-2: Bus de terrain de sécurité fonctionnelle – Spécifications
supplémentaires pour CPF 2**



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2016 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

IEC publications search - www.iec.ch/searchpub

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing 20 000 terms and definitions in English and French with equivalent terms in 15 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

65 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Catalogue IEC - webstore.iec.ch/catalogue

Application autonome pour consulter tous les renseignements bibliographiques sur les Normes internationales, Spécifications techniques, Rapports techniques et autres documents de l'IEC. Disponible pour PC, Mac OS, tablettes Android et iPad.

Recherche de publications IEC - www.iec.ch/searchpub

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

Electropedia - www.electropedia.org

Le premier dictionnaire en ligne de termes électroniques et électriques. Il contient 20 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans 15 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Glossaire IEC - std.iec.ch/glossary

65 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: csc@iec.ch.

INTERNATIONAL STANDARD

NORME INTERNATIONALE



**Industrial communication networks – Profiles –
Part 3-2: Functional safety fieldbuses – Additional specifications for CPF 2**

**Réseaux de communication industriels – Profils –
Partie 3-2: Bus de terrain de sécurité fonctionnelle – Spécifications
supplémentaires pour CPF 2**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 25.040.40, 35.100.05

ISBN 978-2-8322-3480-8

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD.....	12
0 Introduction	14
0.1 General.....	14
0.2 Patent declaration	16
1 Scope.....	17
2 Normative references	17
3 Terms, definitions, symbols, abbreviated terms and conventions	19
3.1 Terms and definitions	19
3.1.1 Common terms and definitions	19
3.1.2 CPF 2: Additional terms and definitions	24
3.2 Symbols and abbreviated terms.....	24
3.2.1 Common symbols and abbreviated terms.....	24
3.2.2 CPF 2: Additional symbols and abbreviated terms.....	25
3.3 Conventions.....	26
4 Overview of FSCP 2/1 (CIP Safety™).....	26
4.1 General.....	26
4.2 FSCP 2/1	26
5 General	27
5.1 External documents providing specifications for the profile	27
5.2 Safety functional requirements	28
5.3 Safety measures	28
5.4 Safety communication layer structure	29
5.5 Relationships with FAL (and DLL, PhL).....	30
5.5.1 General	30
5.5.2 Data types	30
6 Safety communication layer services.....	30
6.1 Introduction.....	30
6.2 Connection object	31
6.2.1 General	31
6.2.2 Class attribute extensions	31
6.2.3 Service extensions.....	31
6.2.4 Explicit message response format for SafetyOpen and SafetyClose	32
6.3 Connection Manager object.....	32
6.3.1 General	32
6.3.2 ForwardOpen for safety.....	33
6.3.3 Safety network segment.....	35
6.3.4 Originator rules for calculating the connection parameter CRC.....	38
6.3.5 SafetyOpen processing flowcharts.....	38
6.3.6 Checks required by Multipoint producers with existing connections	41
6.3.7 Electronic key usage for safety.....	42
6.3.8 RPI vs. API in safety connections	42
6.3.9 Application path construction for safety	42
6.3.10 Safety Validator connection types.....	43
6.3.11 Application reply data in a successful SafetyOpen response	46
6.3.12 Unsuccessful SafetyOpen response	48
6.3.13 ForwardClose for safety	50

6.4	Identity object	50
6.4.1	General	50
6.4.2	Changes to common services	50
6.4.3	Extensions for CP 16/3 devices	51
6.5	Link objects	51
6.5.1	DeviceNet object changes	51
6.5.2	TCP/IP Interface object changes	52
6.5.3	SERCOS III Link object	52
6.6	Safety Supervisor object	53
6.6.1	General	53
6.6.2	Safety Supervisor class attributes	54
6.6.3	Subclasses	54
6.6.4	Safety Supervisor instance attributes	54
6.6.5	Semantics	58
6.6.6	Subclasses	64
6.6.7	Safety Supervisor common services	64
6.6.8	Safety Supervisor behavior	75
6.7	Safety Validator object	82
6.7.1	General	82
6.7.2	Class attributes	82
6.7.3	Instance attributes	83
6.7.4	Class services	88
6.7.5	Instance services	89
6.7.6	Object behavior	89
6.8	Connection Configuration Object	92
6.8.1	General	92
6.8.2	Class attribute extensions	92
6.8.3	Instance attributes, additions and extensions	92
6.8.4	Instance attribute semantics extensions or restrictions for safety	95
6.8.5	Special Safety Related Parameters – (Attribute 13)	99
6.8.6	Object-specific services	105
6.8.7	Common service extensions for safety	105
6.8.8	Object behavior	107
7	Safety communication layer protocol	108
7.1	Safety PDU format	108
7.1.1	Safety PDU encoding	108
7.1.2	Safety CRC	120
7.2	Communication protocol behavior	121
7.2.1	Sequence of safety checks	121
7.2.2	Connection termination	121
7.2.3	Cross checking error	121
7.3	Time stamp operation	122
7.4	Rollover counts in the EF	123
7.5	Protocol sequence diagrams	123
7.5.1	General	123
7.5.2	Normal safety transmission	123
7.5.3	Lost, corrupted and delayed message transmission	124
7.5.4	Lost, corrupted or delayed message transmission with production repeated	127

7.5.5	Point-to-point ping.....	129
7.5.6	Multipoint ping on CP 2/3 Safety.....	130
7.5.7	Multipoint ping on CP 2/2 safety networks	131
7.5.8	Multipoint ping – retry with success	132
7.5.9	Multipoint ping – retry with timeout	133
7.6	Safety protocol definition	134
7.6.1	General	134
7.6.2	High level view of a safety device	134
7.6.3	Safety Validator object	134
7.6.4	Relationship between SafetyValidatorServer and SafetyValidatorClient	135
7.6.5	Extended Format time stamp rollover handling.....	135
7.6.6	SafetyValidatorClient function definition.....	140
7.6.7	SafetyValidatorServer function definition	148
7.7	Safety message and protocol data specifications	161
7.7.1	Mode octet.....	161
7.7.2	Time Stamp Section	162
7.7.3	Time Coordination Message	162
7.7.4	Time correction message	163
7.7.5	Safety data production	163
7.7.6	Producer dynamic variables	171
7.7.7	Producer per consumer dynamic variables.....	173
7.7.8	Consumer data variables	174
7.7.9	Consumer input static variables.....	176
7.7.10	Consumer dynamic variables	177
8	Safety communication layer management.....	179
8.1	Overview	179
8.2	Definition of the measures used during connection establishment	179
8.3	Originator-Target relationship validation	183
8.4	Detection of mis-routed connection requests.....	183
8.5	SafetyOpen processing	184
8.6	Ownership management.....	184
8.7	Bridging different physical layers	185
8.8	Safety connection establishment	187
8.8.1	Overview	187
8.8.2	Basic facts for connection establishment	187
8.8.3	Configuring safety connections.....	187
8.8.4	Network time expectation multiplier	189
8.8.5	Establishing connections	190
8.8.6	Recommendations for consumer number allocation.....	193
8.8.7	Recommendations for connection establishment.....	194
8.8.8	Ownership establishment	194
8.8.9	Ownership use cases	195
8.8.10	PID/CID usage and establishment	198
8.8.11	Proper PID/CID usage in multipoint and point-to-point connections	198
8.8.12	Network supported services	200
8.8.13	FSCP 2/1 safety device type	201
8.9	Safety configuration process	205
8.9.1	Introduction to safety configuration	205
8.9.2	Configuration goals	205

8.9.3	Configuration overview	206
8.9.4	User configuration guidelines	207
8.9.5	Configuration process SIL3 justification	208
8.9.6	Device functions for tool configuration	209
8.9.7	Password security	209
8.9.8	SNCT interface services	209
8.9.9	Configuration lock	209
8.9.10	Effect of configuration lock on device behavior	210
8.9.11	Configuration ownership	211
8.9.12	Configuration mode	211
8.9.13	Measures used to ensure integrity of configuration process	211
8.9.14	Download process	213
8.9.15	Verification process	216
8.9.16	Verification process	218
8.9.17	Configuration error analysis	219
8.10	Electronic Data Sheets extensions for safety	223
8.10.1	General rules for EDS based safety devices	223
8.10.2	EDS extensions for safety	224
8.11	Requirements for CP 2/2	229
8.11.1	EPI rules for safety messages that travel over CP 2/2	229
8.11.2	Default safety I/O service	229
8.11.3	Duplicate IP detection	229
8.11.4	Priority for safety connections	229
8.12	Requirements for CP 2/3	230
8.12.1	Allocation of CP 2/3 identifiers	230
8.12.2	Additional requirements	232
8.13	CP 16/3 requirements	232
8.13.1	General architecture for CPF 2 on CP 16/3	232
8.13.2	Baseline FSCP 2/1 on CP 16/3 device	233
8.13.3	Supported objects and services in CP 16/3 devices	234
8.13.4	Transport layer requirements	234
8.13.5	FSCP 2/1 and the CP 16/3 device model	237
8.13.6	UNID assignment on CP 16/3	238
9	System requirements	241
9.1	Indicators and switches	241
9.1.1	General indicator requirements	241
9.1.2	LED indications for setting the device UNID	241
9.1.3	Module Status LED	241
9.1.4	Indicator warning	242
9.1.5	Network Status LED	242
9.1.6	Switches	243
9.2	Installation guidelines	245
9.3	Safety function response time	246
9.3.1	Overview	246
9.3.2	Network time expectation	246
9.3.3	Equations for calculating network reaction times	247
9.4	Duration of demands	249
9.5	Constraints for calculation of system characteristics	249
9.5.1	Number of nodes	249

9.5.2	Network PFH	249
9.5.3	Bit Error Rate (BER)	252
9.6	Maintenance	253
9.7	Safety manual	253
10	Assessment	253
Annex A (informative) Additional information for functional safety communication profiles of CPF 2		254
A.1	Hash function example code	254
A.2		268
Annex B (informative) Information for assessment of the functional safety communication profiles of CPF 2		269
Bibliography		270
Figure 1	– Relationships of IEC 61784-3 with other standards (machinery)	14
Figure 2	– Relationships of IEC 61784-3 with other standards (process)	15
Figure 3	– Relationship of Safety Validators	27
Figure 4	– Communication layers	30
Figure 5	– ForwardOpen with safety network segment	34
Figure 6	– Safety network target format	36
Figure 7	– Target Processing SafetyOpen with no configuration data (Form 2 SafetyOpen)	39
Figure 8	– Target Processing for SafetyOpen with configuration data (Form 1 SafetyOpen)	40
Figure 9	– Originator logic to determine which format to use	41
Figure 10	– Applying device configuration	68
Figure 11	– Configure and Validate processing flowcharts	69
Figure 12	– UNID handling during “Waiting for TUNID”	75
Figure 13	– Safety Supervisor state diagram	76
Figure 14	– Configuration, testing and locked relationships	80
Figure 15	– Safety connection types	86
Figure 16	– Safety Validator state transition diagram	90
Figure 17	– Logic for Auto-detecting format type	104
Figure 18	– Connection Configuration Object state diagram	107
Figure 19	– Connection Configuration Object data flow	108
Figure 20	– Format of the mode octet	109
Figure 21	– 1 or 2 octet data section, Base Format	110
Figure 22	– 1 or 2 octet data section, Extended Format	111
Figure 23	– 3 to 250 octet data section format, Base Format	111
Figure 24	– 3 to 250 octet data section format, Extended Format	112
Figure 25	– Time Stamp section format, Base Format	113
Figure 26	– BF Time Coordination message encoding	114
Figure 27	– EF Time Coordination message encoding	114
Figure 28	– BF Time Correction message encoding	115
Figure 29	– EF Time Correction message encoding	115

Figure 30 – 1 or 2 octet point-to-point PDU encoding	117
Figure 31 – 1 or 2 Octet multipoint PDU encoding	117
Figure 32 – 1 or 2 Octet, multipoint, Format 2 safety connection format	118
Figure 33 – 3 to 250 Octet Point-to-point PDU encoding	118
Figure 34 – 3 to 248 Octet Multipoint PDU encoding	119
Figure 35 – 3 to 248 Octet, Multipoint, safety connection format	119
Figure 36 – CRC Calculation order for Extended Format messages	120
Figure 37 – Time stamp sequence.....	122
Figure 38 – Sequence diagram of a normal producer/consumer safety sequence	123
Figure 39 – Sequence diagram of a normal producer/consumer safety sequence (production repeated).....	124
Figure 40 – Sequence diagram of a corrupted producer to consumer message	125
Figure 41 – Sequence diagram of a lost producer to consumer message.....	126
Figure 42 – Sequence diagram of a delayed message	127
Figure 43 – Sequence diagram of a corrupted producer to consumer message with production repeated	128
Figure 44 – Sequence diagram of a connection terminated due to delays.....	129
Figure 45 – Sequence diagram of a failure of safety CRC check	129
Figure 46 – Sequence diagram of a point-to-point ping – normal response	130
Figure 47 – Sequence diagram of a successful multipoint ping, CP 2/3 safety	131
Figure 48 – Sequence diagram of a successful multipoint ping, CP 2/2 safety	132
Figure 49 – Sequence diagram of a multipoint ping retry.....	133
Figure 50 – Sequence diagram of a multipoint ping timeout	133
Figure 51 – Safety device reference model entity relation diagram	134
Figure 52 – Two devices interchanging safety data via a SafetyValidatorClient and a SafetyValidatorServer.....	135
Figure 53 – Point-to-point, originating consumer, target producer.....	137
Figure 54 – Point-to-point, originator producer, target consumer	138
Figure 55 – Multi-point, originator consumer, target producer.....	139
Figure 56 – Safety production data flow.....	140
Figure 57 – Consumer safety data monitoring.....	149
Figure 58 – SafetyValidatorServer – application triggered	150
Figure 59 – Target ownership.....	183
Figure 60 – SafetyOpen forms.....	184
Figure 61 – Connection ownership state chart	185
Figure 62 – SafetyOpen UNID mapping	185
Figure 63 – Common CPF 2 application layer	186
Figure 64 – End-to-End routing example	186
Figure 65 – Sources for safety related connection parameters	189
Figure 66 – Parameter mapping between originator and target.....	190
Figure 67 – CP 2/3 Safety connection establishment in targets for Form 2a SafetyOpen.....	192
Figure 68 – General sequence to detect configuration is required	193
Figure 69 – PID/CID exchanges for two originator scenarios	198
Figure 70 – Seed generation for multipoint connections	199

Figure 71 – PID/CID runtime handling	200
Figure 72 – Connection categories and supported services	203
Figure 73 – Recommended connection types	204
Figure 74 – Logic-to-logic supported services	204
Figure 75 – Recommended connection types for logic to logic	205
Figure 76 – Configuration data transfers	206
Figure 77 – Protection measures in safety devices	208
Figure 78 – Configuration, testing and locked relationships	210
Figure 79 – Originator's configuration data	212
Figure 80 – SNCT to device download process	214
Figure 81 – SNCT Downloads to originators that perform Form 1 configuration	215
Figure 82 – Protection from locking and ownership	217
Figure 83 – Example of read back and comparison of original and printout	217
Figure 84 – Diverse display without full data read back	218
Figure 85 – Verification process including all alternatives	219
Figure 86 – Baseline FSCP 2/1 on CP 16/3 device	233
Figure 87 – FSCP 2/1 Adaptation Layer and SMP interaction	236
Figure 88 – FSCP 2/1 Adaptation	237
Figure 89 – CP 16/3 device model	238
Figure 90 – Adding a standard module to a modular device	240
Figure 91 – Safety device NodeID processing logic	245
Figure 92 – Safety function response time	246
Figure 93 – Safety function response time components	248
Figure 94 – Network protocol reliability block diagram (RBD)	249
Figure 95 – Network PFH summary	251
Figure 96 – Extended Format PFH summary	252
Table 1 – Communications errors and detection measures matrix	29
Table 2 – New class attributes	31
Table 3 – Service extensions	32
Table 4 – SafetyOpen and SafetyClose response format	32
Table 5 – Safety network segment identifier	35
Table 6 – Safety network segment definition	35
Table 7 – Safety network segment router format	37
Table 8 – Safety Network Segment Extended Format	37
Table 9 – Multipoint producer parameter evaluation rules	42
Table 10 – ForwardOpen setting options for safety connections	44
Table 11 – Network connection parameters for safety connections	46
Table 12 – CP 2/3 Safety target application reply (size: 10 octets)	46
Table 13 – EF CP 2/3 Safety target application reply (size: 14 octets)	47
Table 14 – SafetyOpen target application reply (size: 18 octets)	47
Table 15 – EF SafetyOpen target application reply (size: 22 octets)	48
Table 16 – New and extended error codes for safety	48

Table 17 – SafetyOpen error event guidance table	49
Table 18 – Identity object common service changes	51
Table 19 – Identity object extensions for CP 16/3 devices	51
Table 20 – New DeviceNet object instance attribute	51
Table 21 – New TCP/IP Interface object instance attribute	52
Table 22 – SERCOS III Link object class attributes	52
Table 23 – SERCOS III Link object instance attributes	53
Table 24 – SERCOS III Link Object Common Services	53
Table 25 – Safety Supervisor class attributes	54
Table 26 – Safety Supervisor instance attributes	55
Table 27 – Device status attribute state values	59
Table 28 – Exception status attribute format	59
Table 29 – Common exception detail attribute values	60
Table 30 – Exception detail format summary	61
Table 31 – Summary of device behavior for various CFUNID values	63
Table 32 – Safety Supervisor common services	65
Table 33 – Safety Supervisor object specific services	65
Table 34 – Configure_Request message structure	67
Table 35 – Validate_Configuration message structure	67
Table 36 – Validate_Configuration success message structure	67
Table 37 – Validate_Configuration error code	68
Table 38 – Validate_Configuration extended codes	68
Table 39 – Set_Password message structure	70
Table 40 – Reset_Password message structure	70
Table 41 – Configuration_Lock/Unlock message structure	71
Table 42 – Mode_Change message structure	71
Table 43 – Safety_Reset message structure	72
Table 44 – Safety Supervisor safety reset types	72
Table 45 – Attribute bit map parameter	72
Table 46 – Reset processing rules for reset types	73
Table 47 – Propose_TUNID service	73
Table 48 – Apply_TUNID service	74
Table 49 – Safety Supervisor events	76
Table 50 – State event matrix for Safety Supervisor	77
Table 51 – Configuration owner control vs. device state	80
Table 52 – State mapping of Safety Supervisor to Identity object	81
Table 53 – Safety Supervisor object event mapping	81
Table 54 – Identity object event mapping	82
Table 55 – Safety Validator class attributes	83
Table 56 – Safety Validator instance attributes	83
Table 57 – Safety Validator state assignments	85
Table 58 – Safety Validator type, bit field assignments	86
Table 59 – Multipoint producer SafetyOpen parameter evaluation rules	87

Table 60 – Safety Validator class services.....	88
Table 61 – Safety Validator instance services.....	89
Table 62 – Safety Validator Get_Attributes_All service data.....	89
Table 63 – Safety Validator state event matrix.....	91
Table 64 – State mapping between Safety Supervisor and Safety Validator objects.....	92
Table 65 – Connection configuration object class attribute extensions.....	92
Table 66 – Connection Configuration Object instance attribute additions/extensions.....	92
Table 67 – Connection flag bit definitions	95
Table 68 – O-to-T connection parameters.....	96
Table 69 – T-to-O connection parameters.....	97
Table 70 – Data map formats	98
Table 71 – Data map format 0	99
Table 72 – Data map format 1	99
Table 73 – Target device's SCCRC values	101
Table 74 – Target device's SCTS values	101
Table 75 – Time correction connection parameters for multipoint connection.....	102
Table 76 – Format Type attribute meaning	103
Table 77 – Format Status attribute meaning	104
Table 78 – Connection Configuration Object-specific services.....	105
Table 79 – Get_Attributes_All Response service data (added attributes)	105
Table 80 – Get_Attributes_All Response service data (added parameters)	106
Table 81 – Set_Attributes_All Request service data (added attributes).....	106
Table 82 – Set_Attributes_All Response service data (added parameters)	106
Table 83 – State Mapping between Safety Supervisor and the CCO objects.....	107
Table 84 – Connection sections and PDU formats	109
Table 85 – Mode octet variables.....	110
Table 86 – Time Stamp variables	113
Table 87 – Time Coordination message variables	114
Table 88 – Time Correction Message variables	116
Table 89 – CRC polynomials used.....	120
Table 90 – Connection sections and message formats.....	121
Table 91 – Data reception – Link triggered	151
Table 92 – Time_Correction reception – Link triggered	151
Table 93 – Data reception – Application triggered.....	151
Table 94 – Time_Correction reception – Application triggered.....	152
Table 95 – Consuming application – Safety data monitoring.....	152
Table 96 – Producer connection status determination	164
Table 97 – Consuming safety connection status	175
Table 98 – Connection establishment errors and measures to detect errors	179
Table 99 – SNN Date/Time allocations	180
Table 100 – SNN legal range of time values	180
Table 101 – Safety connection parameters.....	188
Table 102 – SafetyOpen summary.....	191

Table 103 – Originator/Target service mapping.....	202
Table 104 – Unsupported originator/target service types.....	202
Table 105 – Configuration goals.....	206
Table 106 – Configuration owner control vs. device state.....	211
Table 107 – Errors and detection measures.....	220
Table 108 – Object Class section keywords.....	224
Table 109 – Safety Classx entry format.....	225
Table 110 – Parameter class keywords.....	225
Table 111 – New Connection Manager section keywords for safety.....	226
Table 112 – Connection Manager field usage for safety.....	227
Table 113 – Connection parameter field settings for safety.....	228
Table 114 – CP 2/3 ID assignment rules.....	230
Table 115 – LED indications for setting UNID.....	241
Table 116 – Module Status LED.....	242
Table 117 – Network status LED states.....	242
Table 118 – Connection reaction time type – producing/consuming applications.....	247

INTERNATIONAL ELECTROTECHNICAL COMMISSION

INDUSTRIAL COMMUNICATION NETWORKS – PROFILES –

Part 3-2: Functional safety fieldbuses – Additional specifications for CPF 2

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61784-3-2 has been prepared by subcommittee 65C: Industrial networks, of IEC technical committee 65: Industrial-process measurement, control and automation.

This third edition cancels and replaces the second edition published in 2010. This edition constitutes a technical revision. The main changes with respect to the previous edition are listed below (and highlighted in yellow in this document).

- Added detailed requirements for use of FSCP 2/1 in conjunction with CP 16/3 (see 4.1, 6.4.3, 6.5.3, 8.2, 8.13, and miscellaneous references when referencing CPF 2 networks);
- Defined object class section keywords for safety to EDS file definition in 8.10.2.1;
- New sections on safety CRC overview in 7.1.2.1 and Rollover counts for EF format in 7.4;
- Corrections to PFH calculations in 9.5.2;

- Change from MACID to NodeID as general reference to network identifier;
- Miscellaneous minor corrections made since the last publication.

The text of this standard is based on the following documents:

FDIS	Report on voting
65C/851/FDIS	65C/854/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of the IEC 61784-3 series, published under the general title *Industrial communication networks – Profiles – Functional safety fieldbuses*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.