

Institut luxembourgeois de la normalisation de l'accréditation, de la sécurité et qualité des produits et services

ILNAS-EN 16603-35-06:2022

Space engineering - Cleanliness requirements for spacecraft propulsion hardware

Raumfahrttechnik -Sauberkeitsanforderungen für die Antriebstechnik von Raumfahrzeugen

Ingénierie spatiale - Exigences de propreté du matériel de propulsion des engins spatiaux

National Foreword

This European Standard EN 16603-35-06:2022 was adopted as Luxembourgish Standard ILNAS-EN 16603-35-06:2022.

Every interested party, which is member of an organization based in Luxembourg, can participate for FREE in the development of Luxembourgish (ILNAS), European (CEN, CENELEC) and International (ISO, IEC) standards:

- Participate in the design of standards
- Foresee future developments
- Participate in technical committee meetings

https://portail-qualite.public.lu/fr/normes-normalisation/participer-normalisation.html

THIS PUBLICATION IS COPYRIGHT PROTECTED

Nothing from this publication may be reproduced or utilized in any form or by any mean - electronic, mechanical, photocopying or any other data carries without prior permission!

EUROPEAN STANDARD EN 16603-35-06:2023 16603-35-06

NORME EUROPÉENNE

EUROPÄISCHE NORM

July 2022

ICS 49.140

Supersedes EN 16603-35-06:2014

English version

Space engineering - Cleanliness requirements for spacecraft propulsion hardware

Ingénierie spatiale - Exigences de propreté du matériel de propulsion des engins spatiaux

Raumfahrttechnik - Sauberkeitsanforderungen für die Antriebstechnik von Raumfahrzeugen

This European Standard was approved by CEN on 20 April 2022.

CEN and CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN and CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN and CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN and CENELEC members are the national standards bodies and national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.





CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Table of contents

| Europ | ean Fo | reword | 6 |
|--------|--------------------------------|--|----|
| 1 Sco | oe | | 7 |
| 2 Norr | native : | references | 8 |
| 3 Tern | ns, defi | nitions and abbreviated terms | 10 |
| 3.1 | Terms | from other standards | 10 |
| 3.2 | Terms | specific to the present standard | 10 |
| 3.3 | Abbrev | viated terms | 12 |
| 3.4 | Symbo | ols | 13 |
| 3.5 | Nome | nclature | 13 |
| 4 Clea | nliness | s requirements | 14 |
| 4.1 | | al | |
| 4.2 | Design requirements | | 15 |
| | 4.2.1 | General | 15 |
| | 4.2.2 | Components | 15 |
| | 4.2.3 | System | 17 |
| | 4.2.4 | Ground support equipment (GSE) | 17 |
| 4.3 | Manufacturing | | 18 |
| | 4.3.1 | General | 18 |
| | 4.3.2 | Manufacturing processes | 18 |
| | 4.3.3 | Machined parts | 18 |
| | 4.3.4 | Tubing and manifolds | 18 |
| | 4.3.5 | Components | 19 |
| | 4.3.6 | Subsystems and systems | 21 |
| | 4.3.7 | Final rinsing solutions | 21 |
| 4.4 | Cleanliness classes definition | | 21 |
| | 4.4.1 | Particulate | 21 |
| | 4.4.2 | Non-volatile residues (NVR) | 25 |
| | 4.4.3 | Dryness and liquid residuals | 25 |
| | 4.4.4 | Requirements on process fluids to meet cleanliness classes | 26 |

| 4.5 | Test methods2 | | | |
|--------|--------------------------------|--|----|--|
| 4.6 | Code usage | | | |
| 5 Clea | ning te | chniques | 28 | |
| 5.1 | Genera | al | 28 | |
| 5.2 | Environment, health and safety | | | |
| | 5.2.1 | General | 29 | |
| | 5.2.2 | Hardware configuration requirements | 29 | |
| | 5.2.3 | Cleaning process approval | 30 | |
| 5.3 | Pre-cleaning | | 30 | |
| | 5.3.1 | General | 30 | |
| | 5.3.2 | Mechanical pre-cleaning | 30 | |
| | 5.3.3 | Chemical pre-cleaning | 31 | |
| 5.4 | Precisi | on cleaning | 32 | |
| | 5.4.1 | General | 32 | |
| | 5.4.2 | Re-cleaning operational systems | 32 | |
| 5.5 | Drying methods | | 33 | |
| | 5.5.1 | General | 33 | |
| | 5.5.2 | Gaseous purge-drying | 33 | |
| | 5.5.3 | Drying sample | 34 | |
| | 5.5.4 | Flow rates during purging | 35 | |
| | 5.5.5 | Vacuum drying procedure | 35 | |
| 5.6 | Except | ed components, subsystems and systems | 36 | |
| 6 Clea | nliness | verification requirements | 37 | |
| 6.1 | Surface | | | |
| | 6.1.1 | Visual and UV inspection | 37 | |
| | 6.1.2 | pH-test | 37 | |
| 6.2 | Accept | ance inspection of items cleaned in a controlled environment | 38 | |
| | 6.2.1 | General | 38 | |
| | 6.2.2 | Test fluids | 38 | |
| | 6.2.3 | Test fluid volume for analysis | 38 | |
| | 6.2.4 | Analysis of test fluid-flush sample (solvent) | 39 | |
| | 6.2.5 | Analysis of aqueous-based, liquid-flush sample | 40 | |
| | 6.2.6 | Drying | 41 | |
| | 6.2.7 | Vacuum drying | 41 | |
| 6.3 | Maintaining cleanliness | | 42 | |
| | 6.3.1 | Pressurant gas purge | 42 | |
| | 6.3.2 | Installation and marking of temporary hardware | 42 | |

| | 6.3.3 | Temporary hardware replacement | 42 |
|---------|----------------------|---|----|
| | 6.3.4 | Component replacement | 43 |
| 6.4 | Dryness verification | | 43 |
| | 6.4.1 | General | 43 |
| | 6.4.2 | Purge dryness | 43 |
| | 6.4.3 | Vacuum dryness | 43 |
| | 6.4.4 | Sample test and qualified procedure | 44 |
| 7 Acce | ptance | e inspection of packaging materials | 45 |
| 7.1 | Enviro | nmental control | 45 |
| 7.2 | Sampling | | 45 |
| 7.3 | Thickn | ess of packaging film | 45 |
| 7.4 | Static electricity | | |
| 7.5 | Verifica | ation of cleanliness level | 46 |
| | 7.5.1 | General | 46 |
| | 7.5.2 | Minimum surface area for test | 46 |
| | 7.5.3 | Sample preparation | 46 |
| | 7.5.4 | Rinsing procedures | 47 |
| 8 Pack | aging a | and protection | 48 |
| 8.1 | Approv | ved coverings | 48 |
| 8.2 | Packa | ging operations | 48 |
| 8.3 | Certific | cation labels | 48 |
| 9 Deliv | erable | s | 50 |
| 10 Tes | t proce | edures | 51 |
| 10.1 | Test lic | quid-flush procedure (solvent) | 51 |
| 10.2 | Gas flo | ow test procedure | 51 |
| 11 San | npling | and analytical practices | 52 |
| 11.1 | Cleanli | ness level test methods | 52 |
| | 11.1.1 | General | 52 |
| | 11.1.2 | Method I "Liquid Flush Test" | 52 |
| | 11.1.3 | Method II "Liquid Flow Test" | 53 |
| | 11.1.4 | Method III "Gas Flow Test" | 53 |
| | 11.1.5 | Method IV "Liquid flow test under operating conditions" | 53 |
| 12 Det | ermina | tion of particle population and NVR analysis | 55 |
| 12.1 | Micros | copic particle population | 55 |
| 12.2 | Gravim | netric NVR analysis method | 56 |

| Annex A (normative) Cleanliness Requirements Analysis (CRA) for spacecraft propulsion components, subsystems and systems - DRD | . 57 |
|---|------|
| Annex B (normative) Cleaning Technique Selection (CTS) for spacecraft propulsion components, subsystems and systems - DRD | |
| Annex C (normative) Cleanliness Certificate (CC) for spacecraft propulsion components, subsystems and systems - DRD | 61 |
| Annex D (normative) Typical test and cleaning liquids | 64 |
| Annex E (informative) Pre-cleaning sequences | 67 |
| Annex F (informative) Cleanliness certificate | 69 |
| Bibliography | 71 |
| Figures | |
| Figure F-1 : Example of a cleanliness certificate | 70 |
| Tables | |
| Table 4-1: Cleanliness classes | 24 |
| Table 4-2: NVR contamination levels | 25 |
| Table 4-3: Visible contamination levels | 27 |
| Table 7-1: Packaging materials | 46 |
| Table D-1 : Typical test and cleaning fluids | 64 |
| Table E-1 : Typical pre-cleaning sequence for common materials | 67 |

European Foreword

This document (EN 16602-20-07:2016) has been prepared by Technical Committee CEN-CENELEC/TC 5 "Space", the secretariat of which is held by DIN.

This standard (EN 16602-20-07:2016) originates from ECSS-Q-ST-20-07C.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by January 2023, and conflicting national standards shall be withdrawn at the latest by January 2023.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 16603-35-06:2014.

The main changes with respect to EN 16603-35-06:2014 are listed below:

- Implementation of Change Requests received to the ECSS equivalent standard
- Addition of the Nomenclature in clause 3.5
- Definition of "accuracy" deleted in 3.2 and reference to ECSS-S-ST-00-01 made in 3.1
- Definition "condensable hydrocarbon" and "dewar" deleted in clause 3.2 as they were not used in the standard
- Added requirements 6.4.3d.
- Modified requirements: 4.1h Note 2 (reference to Figure of other ECSS Standard corrected); 6.2.6.2a; 6.4.3a; 6.4.3c; 12.1a; 12.2c Note to item 10 moved to the end of the requirement.
- Interleaved Notes in requirement 12.1a move to the end of the requirement
- Cross-reference in Annex B.1.1 to added requirement 6.4.3d created
- Caption of Table in Annex D corrected from "Table A-1" to "Table D-1".

This document has been prepared under a standardization request given to CEN by the European Commission and the European Free Trade Association.

This document has been developed to cover specifically space systems and has therefore precedence over any EN covering the same scope but with a wider domain of applicability (e.g.: aerospace).

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

1 Scope

ECSS-E-ST-35-06 belongs to the Propulsion field of the mechanical discipline, and concerns itself with the cleanliness of propulsion components, sub-systems and systems

The standard

- defines design requirements which allow for cleaning of propulsion components sub-systems and systems and which avoid generation or unwanted collection of contamination,
- identifies cleanliness requirements (e.g. which particle / impurity / wetness level can be tolerated),
- defines requirements on cleaning to comply with the cleanliness level requirements, and the requirements on verification,
- identifies the cleanliness approach, cleaning requirements, (e.g. what needs to be done to ensure the tolerable level is not exceeded, compatibility requirements),
- identifies, specifies and defines the requirements regarding conditions under which cleaning or cleanliness verification takes place (e.g. compatibility, check after environmental test).

The standard is applicable to the most commonly used propulsion systems and their related storable propellant combinations: Hydrazine (N₂H₄), Mono Methyl Hydrazine (CH₃N₂H₃), MON (Mixed Oxides of Nitrogen), Nitrogen (N₂), Helium (He), Propane (C₃H₈), Butane (C₄H₁₀) and Xenon (Xe).

This standard is the basis for the European spacecraft and spacecraft propulsion industry to define, achieve and verify the required cleanliness levels in spacecraft propulsion systems.

This standard is particularly applicable to spacecraft propulsion as used for satellites and (manned) spacecraft and any of such projects including its ground support equipment.

External cleanliness requirements, e.g. outside of tanks, piping and aspects such as fungus and outgassing are covered by ECSS-Q-ST-70-01.

This standard may be tailored for the specific characteristic and constraints of a space project in conformance with ECSS-S-T-00.