

INTERNATIONAL
STANDARD

ISO
2418

IULTCS
IUP 2

Fourth edition
2023-02

**Leather — Chemical, physical,
mechanical and fastness tests —
Position and preparation of specimens
for testing**

*Cuir — Essais chimiques, physiques, mécaniques et essais de solidité
— Emplacement et préparation des spécimens pour les essais*



Reference numbers
ISO 2418:2023(E)
IULTCS/IUP 2:2023(E)

© ISO 2023



COPYRIGHT PROTECTED DOCUMENT

© ISO 2023

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

Page

Foreword.....	iv
1 Scope.....	1
2 Normative references.....	1
3 Terms and definitions.....	1
4 Position of laboratory test specimens.....	2
4.1 General.....	2
4.1.1 Segmentation of leather.....	2
4.1.2 Selection of test specimens.....	2
4.1.3 Position of specimens for physical and mechanical testing.....	3
4.1.4 Position of specimens for chemical testing.....	3
4.1.5 Position of specimens for colour fastness testing.....	3
4.1.6 Location of test specimens where areas of tension exist.....	3
4.1.7 Location of test specimens in case of arbitration.....	3
4.2 Whole hides, skins and sides.....	3
4.3 Bends (butts).....	6
4.4 Shoulders.....	7
4.5 Bellies.....	8
5 Storage of laboratory leather pieces and specimens.....	8
6 Identification of official test specimens.....	9
6.1 Marking of the direction of the backbone.....	9
6.2 Identification marking.....	9
7 Design of press knives for cutting test pieces.....	9
8 Preparation of test pieces.....	9
Bibliography.....	10