

DRAFT INTERNATIONAL STANDARD

ISO/DIS 22705-2

ISO/TC 227

Secretariat: JISC

Voting begins on:
2022-03-23

Voting terminates on:
2022-06-15

Springs — Measurement and test parameters —

Part 2: Cold formed cylindrical helical extension springs

ICS: 21.160

ISO/DIS 22705-2 - Preview only Copy via ILNAS e-Shop

THIS DOCUMENT IS A DRAFT CIRCULATED FOR COMMENT AND APPROVAL. IT IS THEREFORE SUBJECT TO CHANGE AND MAY NOT BE REFERRED TO AS AN INTERNATIONAL STANDARD UNTIL PUBLISHED AS SUCH.

IN ADDITION TO THEIR EVALUATION AS BEING ACCEPTABLE FOR INDUSTRIAL, TECHNOLOGICAL, COMMERCIAL AND USER PURPOSES, DRAFT INTERNATIONAL STANDARDS MAY ON OCCASION HAVE TO BE CONSIDERED IN THE LIGHT OF THEIR POTENTIAL TO BECOME STANDARDS TO WHICH REFERENCE MAY BE MADE IN NATIONAL REGULATIONS.

RECIPIENTS OF THIS DRAFT ARE INVITED TO SUBMIT, WITH THEIR COMMENTS, NOTIFICATION OF ANY RELEVANT PATENT RIGHTS OF WHICH THEY ARE AWARE AND TO PROVIDE SUPPORTING DOCUMENTATION.

This document is circulated as received from the committee secretariat.



Reference number
ISO/DIS 22705-2:2022(E)

© ISO 2022



COPYRIGHT PROTECTED DOCUMENT

© ISO 2022

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

	Page
Foreword.....	v
1 Scope	1
2 Normative references	1
3 Terms, definitions, symbols and abbreviated terms	1
3.1 Terms and definitions.....	1
3.2 Symbols and abbreviated terms.....	2
4 Environmental conditions	3
5 Qualifications of the person(s) performing the work	4
6 Geometries of guiding and supporting devices	4
7 Measuring and testing equipment	4
8 Measurement and test parameter for technical cold formed cylindrical extension springs	4
8.1 Free length (L_0).....	4
8.1.1 General.....	4
8.1.2 Type of characteristic.....	4
8.1.3 Measuring and/or testing equipment.....	4
8.1.4 Conditions of measurement and testing.....	5
8.1.5 Method of measurement and testing.....	5
8.1.6 Test location on the product.....	7
8.2 Body length (L_B).....	7
8.2.1 General.....	7
8.2.2 Type of characteristic.....	7
8.2.3 Measuring and/or testing equipment.....	8
8.2.4 Conditions of measurement and testing.....	8
8.2.5 Method of measurement and testing.....	8
8.2.6 Test location on the product.....	10
8.3 Spring hook length (L_H).....	10
8.3.1 General.....	10
8.3.2 Type of characteristic.....	10
8.3.3 Measuring and/or testing equipment.....	11
8.3.4 Conditions of measurement and testing.....	11
8.3.5 Method of measurement and testing.....	11
8.3.6 Test location on the product.....	13
8.4 Hook opening (m).....	13
8.4.1 General.....	13
8.4.2 Type of characteristic.....	13
8.4.3 Measuring and/or testing equipment.....	14
8.4.4 Conditions of measurement and testing.....	14
8.4.5 Method of measurement and testing.....	14
8.4.6 Test location on the product.....	15
8.5 Outside diameter (D_o).....	15
8.5.1 General.....	15
8.5.2 Type of characteristic.....	15
8.5.3 Measurement and/or testing equipment.....	16
8.5.4 Conditions of measurement and testing.....	16
8.5.5 Method of measurement and testing.....	16
8.5.6 Test location on the product.....	20
8.6 Inside diameter (D_i).....	20
8.6.1 General.....	20
8.6.2 Type of characteristic.....	20
8.6.3 Measuring and/or testing equipment.....	20
8.6.4 Conditions of measurement and testing.....	20