

DRAFT INTERNATIONAL STANDARD

ISO/DIS 24647

ISO/TC 135/SC 3

Secretariat: DIN

Voting begins on:
2022-04-20

Voting terminates on:
2022-07-13

Non-destructive testing — Robotic ultrasonic test systems — General requirements

ICS: 19.100

ISO/DIS 24647 - Preview only Copy via ILNAS e-Shop

THIS DOCUMENT IS A DRAFT CIRCULATED FOR COMMENT AND APPROVAL. IT IS THEREFORE SUBJECT TO CHANGE AND MAY NOT BE REFERRED TO AS AN INTERNATIONAL STANDARD UNTIL PUBLISHED AS SUCH.

IN ADDITION TO THEIR EVALUATION AS BEING ACCEPTABLE FOR INDUSTRIAL, TECHNOLOGICAL, COMMERCIAL AND USER PURPOSES, DRAFT INTERNATIONAL STANDARDS MAY ON OCCASION HAVE TO BE CONSIDERED IN THE LIGHT OF THEIR POTENTIAL TO BECOME STANDARDS TO WHICH REFERENCE MAY BE MADE IN NATIONAL REGULATIONS.

RECIPIENTS OF THIS DRAFT ARE INVITED TO SUBMIT, WITH THEIR COMMENTS, NOTIFICATION OF ANY RELEVANT PATENT RIGHTS OF WHICH THEY ARE AWARE AND TO PROVIDE SUPPORTING DOCUMENTATION.

This document is circulated as received from the committee secretariat.



Reference number
ISO/DIS 24647:2022(E)

© ISO 2022



COPYRIGHT PROTECTED DOCUMENT

© ISO 2022

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

	Page
Foreword.....	v
1 Scope.....	1
2 Normative references.....	1
3 Terms and definitions.....	1
4 Requirements for test personnel.....	2
5 Test system.....	2
5.1 General.....	2
5.2 Design principles.....	3
5.3 Test equipment.....	3
5.3.1 Instrument.....	3
5.3.2 Probes.....	3
5.3.3 Robots.....	3
5.3.4 Couplant.....	4
5.4 Typical test systems.....	4
5.4.1 Single-robot test system.....	4
5.4.2 Twin-robot test system.....	7
6 Characteristics and requirements for robotic ultrasonic test systems.....	9
6.1 General.....	9
6.2 Test technique.....	9
6.2.1 General.....	9
6.2.2 Pulse-echo technique.....	9
6.2.3 Trough-transmission technique.....	9
6.3 Planning of scan pattern and programming of robot motion control.....	9
6.3.1 General.....	9
6.3.2 Path planning method.....	9
6.3.3 Restrictions.....	12
6.4 Synchronisation of the acquisition of ultrasonic and position data.....	12
6.4.1 Synchronisation of ultrasonic signal and robot position.....	12
6.4.2 Synchronisation - Minimum requirements.....	12
6.4.3 Synchronisation - Optional requirements.....	12
6.5 Conditions for the application.....	13
7 Verification of the test system.....	13
7.1 General.....	13
7.2 Ultrasonic instrument and ultrasonic probes.....	13
7.2.1 General.....	13
7.2.2 Single probe systems.....	14
7.2.3 Multi-probe systems.....	14
7.3 Robots.....	14
7.4 Synchronization.....	14
7.5 Complete system — Robots, instrument and probes combined.....	15
7.5.1 General.....	15
7.5.2 Signal-to-noise ratio.....	15
7.5.3 Image distortion coefficient.....	15
7.5.4 Detection sensitivity.....	16
8 Typical process of an automated test for a robotic ultrasonic test system.....	16
8.1 Preparation.....	16
8.2 Probes.....	16
8.3 Trajectory Planning.....	17
8.4 Setup of the scanning reference coordinate system.....	17
8.5 Test procedure.....	17
9 Documentation of the verification results.....	17