
Paints and varnishes — Pull-off test for adhesion

Peintures et vernis — Essai de traction



COPYRIGHT PROTECTED DOCUMENT

© ISO 2023

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

Page

Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Principle	2
5 Apparatus	2
6 Adhesives	5
7 Sampling	6
8 Test panels	6
8.1 Substrate.....	6
8.2 Preparation and coating.....	6
8.3 Drying and conditioning.....	6
8.4 Thickness of coating.....	6
9 Procedure	6
9.1 Number of determinations.....	6
9.2 Ambient conditions.....	6
9.3 Adhesive.....	6
9.4 Test assemblies.....	7
9.4.1 Method A: General method (using two dollies) for testing both rigid and deformable substrates.....	7
9.4.2 Method B: Method for testing from one side only, using a single dolly (suitable for rigid substrates only).....	7
9.4.3 Method C: Method using dollies, one as a painted substrate.....	8
9.5 Measurement.....	9
9.5.1 Breaking strength.....	9
9.5.2 Nature of the fracture.....	9
10 Calculation and expression of results	9
10.1 Breaking strength.....	9
10.2 Nature of failure.....	10
10.3 Example.....	10
11 Precision	10
12 Test report	10
Bibliography	12