

# INTERNATIONAL STANDARD

## NORME INTERNATIONALE



**Wind energy generation systems –  
Part 12-1: Power performance measurements of electricity producing wind turbines**

**Systèmes de génération d'énergie éolienne –  
Partie 12-1: Mesures de performance de puissance des éoliennes de production  
d'électricité**



## THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2017 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office  
3, rue de Varembé  
CH-1211 Geneva 20  
Switzerland

Tel.: +41 22 919 02 11  
Fax: +41 22 919 03 00  
[info@iec.ch](mailto:info@iec.ch)  
[www.iec.ch](http://www.iec.ch)

### About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

### About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

#### IEC Catalogue - [webstore.iec.ch/catalogue](http://webstore.iec.ch/catalogue)

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

#### IEC publications search - [www.iec.ch/searchpub](http://www.iec.ch/searchpub)

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

#### IEC Just Published - [webstore.iec.ch/jstpublished](http://webstore.iec.ch/jstpublished)

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

#### Electropedia - [www.electropedia.org](http://www.electropedia.org)

The world's leading online dictionary of electronic and electrical terms containing 20 000 terms and definitions in English and French with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

#### IEC Glossary - [std.iec.ch/glossary](http://std.iec.ch/glossary)

65 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

#### IEC Customer Service Centre - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: [csc@iec.ch](mailto:csc@iec.ch).

### A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

### A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

#### Catalogue IEC - [webstore.iec.ch/catalogue](http://webstore.iec.ch/catalogue)

Application autonome pour consulter tous les renseignements bibliographiques sur les Normes internationales, Spécifications techniques, Rapports techniques et autres documents de l'IEC. Disponible pour PC, Mac OS, tablettes Android et iPad.

#### Recherche de publications IEC - [www.iec.ch/searchpub](http://www.iec.ch/searchpub)

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

#### IEC Just Published - [webstore.iec.ch/jstpublished](http://webstore.iec.ch/jstpublished)

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

#### Electropedia - [www.electropedia.org](http://www.electropedia.org)

Le premier dictionnaire en ligne de termes électroniques et électriques. Il contient 20 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans 16 langues additionnelles. Egalelement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

#### Glossaire IEC - [std.iec.ch/glossary](http://std.iec.ch/glossary)

65 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

#### Service Clients - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: [csc@iec.ch](mailto:csc@iec.ch).

# INTERNATIONAL STANDARD

## NORME INTERNATIONALE



**Wind energy generation systems –  
Part 12-1: Power performance measurements of electricity producing wind turbines**

**Systèmes de génération d'énergie éolienne –  
Partie 12-1: Mesures de performance de puissance des éoliennes de production  
d'électricité**

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

COMMISSION  
ELECTROTECHNIQUE  
INTERNATIONALE

## CONTENTS

FOREWORD .....	13
INTRODUCTION .....	15
1 Scope .....	16
2 Normative references .....	16
3 Terms and definitions .....	17
4 Symbols and units .....	20
5 Power performance method overview .....	23
6 Preparation for performance test .....	27
6.1 General .....	27
6.2 Wind turbine and electrical connection .....	27
6.3 Test site .....	27
6.3.1 General .....	27
6.3.2 Location of the wind measurement equipment .....	27
6.3.3 Measurement sector .....	28
6.3.4 Correction factors and uncertainty due to flow distortion originating from topography .....	28
7 Test equipment .....	29
7.1 Electric power .....	29
7.2 Wind speed .....	29
7.2.1 General .....	29
7.2.2 General requirements for meteorological mast mounted anemometers .....	30
7.2.3 Top-mounted anemometers .....	31
7.2.4 Side-mounted anemometers .....	31
7.2.5 Remote sensing device (RSD) .....	31
7.2.6 Rotor equivalent wind speed measurement .....	32
7.2.7 Hub height wind speed measurement .....	32
7.2.8 Wind shear measurements .....	32
7.3 Wind direction .....	34
7.4 Air density .....	34
7.5 Rotational speed and pitch angle .....	35
7.6 Blade condition .....	35
7.7 Wind turbine control system .....	35
7.8 Data acquisition system .....	35
8 Measurement procedure .....	35
8.1 General .....	35
8.2 Wind turbine operation .....	35
8.3 Data collection .....	36
8.4 Data rejection .....	36
8.5 Database .....	37
9 Derived results .....	37
9.1 Data normalisation .....	37
9.1.1 General .....	37
9.1.2 Correction for meteorological mast flow distortion of side-mounted anemometer .....	38
9.1.3 Wind shear correction (when REWS measurements available) .....	38
9.1.4 Wind veer correction .....	41

9.1.5	Air density normalisation.....	41
9.1.6	Turbulence normalisation.....	42
9.2	Determination of the measured power curve .....	42
9.3	Annual energy production (AEP).....	43
9.4	Power coefficient .....	45
10	Reporting format.....	45
Annex A (normative)	Assessment of influences caused by wind turbines and obstacles at the test site .....	52
A.1	General.....	52
A.2	Requirements regarding neighbouring and operating wind turbines.....	52
A.3	Requirements regarding obstacles .....	53
A.4	Method for calculation of sectors to exclude.....	53
A.5	Special requirements for extended obstacles .....	57
Annex B (normative)	Assessment of terrain at the test site .....	58
Annex C (normative)	Site calibration procedure .....	61
C.1	General.....	61
C.2	Overview of the procedure .....	61
C.3	Test set-up .....	63
C.3.1	Considerations for selection of the test wind turbine and location of the meteorological mast.....	63
C.3.2	Instrumentation.....	65
C.4	Data acquisition and rejection criteria.....	65
C.5	Analysis .....	66
C.5.1	Assessment of site shear conditions .....	66
C.5.2	Method 1: Bins of wind direction and wind shear.....	68
C.5.3	Method 2: Linear regression method where shear is not a significant influence .....	69
C.5.4	Additional calculations .....	69
C.6	Site calibration uncertainty .....	70
C.6.1	Site calibration category A uncertainty .....	70
C.6.2	Site calibration category B uncertainty .....	72
C.6.3	Combined uncertainty .....	72
C.7	Quality checks and additional uncertainties.....	72
C.7.1	Convergence check .....	72
C.7.2	Correlation check for linear regression (see C.5.3) .....	73
C.7.3	Change in correction between adjacent wind direction bins .....	73
C.7.4	Removal of the wind direction sensor between site calibration and power performance test .....	73
C.7.5	Site calibration and power performance measurements in different seasons.....	74
C.8	Verification of results .....	75
C.9	Site calibration examples .....	76
C.9.1	Example A .....	76
C.9.2	Example B .....	81
C.9.3	Example C .....	88
Annex D (normative)	Evaluation of uncertainty in measurement.....	91
Annex E (informative)	Theoretical basis for determining the uncertainty of measurement using the method of bins.....	94
E.1	General.....	94

E.2	Combining uncertainties.....	94
E.2.1	General .....	94
E.2.2	Expanded uncertainty .....	96
E.2.3	Basis for the uncertainty assessment.....	97
E.3	Category A uncertainties.....	100
E.3.1	General .....	100
E.3.2	Category A uncertainty in electric power.....	100
E.3.3	Category A uncertainties in the site calibration .....	101
E.4	Category B uncertainties: Introduction and data acquisition system .....	101
E.4.1	Category B uncertainties: Introduction .....	101
E.4.2	Category B uncertainties: data acquisition system .....	102
E.5	Category B uncertainties: Power output .....	102
E.5.1	General .....	102
E.5.2	Category B uncertainties: Power output – Current transformers .....	102
E.5.3	Category B uncertainties: Power output – Voltage transformers.....	103
E.5.4	Category B uncertainties: Power Output – Power transducer or other power measurement device .....	104
E.5.5	Category B uncertainties: Power output – Data acquisition .....	104
E.6	Category B uncertainties: Wind speed – Introduction and sensors .....	104
E.6.1	Category B uncertainties: Wind speed – Introduction .....	104
E.6.2	Category B uncertainties: Wind speed – Hardware .....	104
E.6.3	Category B uncertainties: Wind speed – Meteorological mast mounted sensors.....	105
E.7	Category B uncertainties: Wind speed – RSD .....	108
E.7.1	General .....	108
E.7.2	Category B uncertainties: Wind speed – RSD – Calibration .....	108
E.7.3	Category B uncertainties: Wind speed – RSD – in-situ check.....	108
E.7.4	Category B uncertainties: Wind speed – RSD – Classification .....	108
E.7.5	Category B uncertainties: Wind speed – RSD – Mounting .....	110
E.7.6	Category B uncertainties: Wind speed – RSD – Flow variation.....	110
E.7.7	Category B uncertainties: Wind speed – RSD – Monitoring test .....	111
E.8	Category B uncertainties: Wind speed – REWS .....	112
E.8.1	General .....	112
E.8.2	Category B uncertainties: Wind speed – REWS – Wind speed measurement over whole rotor.....	112
E.8.3	Category B uncertainties: Wind speed – REWS – Wind veer.....	113
E.9	Category B uncertainties: Wind speed – Terrain .....	113
E.9.1	General .....	113
E.9.2	Category B uncertainties: Wind speed – Terrain – Pre-calibration.....	114
E.9.3	Category B uncertainties: Wind speed – Terrain – Post-calibration .....	114
E.9.4	Category B uncertainties: Wind speed – Terrain – Classification.....	115
E.9.5	Category B uncertainties: Wind speed – Terrain – Mounting .....	116
E.9.6	Category B uncertainties: Wind speed – Terrain – Lightning finial.....	116
E.9.7	Category B uncertainties: Wind speed – Terrain – Data acquisition .....	117
E.9.8	Category B uncertainties: Wind speed – Terrain – Change in correction between adjacent bins .....	117
E.9.9	Category B uncertainties: Wind speed – Terrain – Removal of WD sensor .....	117
E.9.10	Category B uncertainties: Wind speed – Terrain – Seasonal variation.....	117
E.10	Category B uncertainties: Air density .....	118

E.10.1	General .....	118
E.10.2	Category B uncertainties: Air density – Temperature introduction .....	118
E.10.3	Category B uncertainties: Air density – Temperature – Calibration.....	119
E.10.4	Category B uncertainties: Air density – Temperature – Radiation shielding.....	119
E.10.5	Category B uncertainties: Air density – Temperature – Mounting .....	119
E.10.6	Category B uncertainties: Air density – Temperature – Data acquisition.....	119
E.10.7	Category B uncertainties: Air density – Pressure introduction .....	120
E.10.8	Category B uncertainties: Air density – Pressure – Calibration.....	120
E.10.9	Category B uncertainties: Air density – Pressure – Mounting .....	120
E.10.10	Category B uncertainties: Air density – Pressure – Data acquisition .....	121
E.10.11	Category B uncertainties: Air density – Relative humidity introduction .....	121
E.10.12	Category B uncertainties: Air density – Relative humidity – Calibration.....	122
E.10.13	Category B uncertainties: Air density – Relative humidity – Mounting .....	122
E.10.14	Category B uncertainties: Air Density – Relative humidity – Data acquisition .....	122
E.10.15	Category B uncertainties: Air density – Correction.....	122
E.11	Category B uncertainties: Method .....	123
E.11.1	General .....	123
E.11.2	Category B uncertainties: Method – Wind conditions .....	123
E.11.3	Category B uncertainties: Method – Seasonal effects .....	128
E.11.4	Category B uncertainties: Method – Turbulence normalisation (or the lack thereof) .....	129
E.11.5	Category B uncertainties: Method – Cold climate .....	129
E.12	Category B uncertainties: Wind direction.....	130
E.12.1	General.....	130
E.12.2	Category B uncertainties: Wind direction – Vane or sonic .....	130
E.12.3	Category B uncertainties: Wind direction – RSD .....	132
E.13	Combining uncertainties.....	133
E.13.1	General .....	133
E.13.2	Combining Category B uncertainties in electric power ( $u_{P,i}$ ) .....	133
E.13.3	Combining uncertainties in the wind speed measurement ( $u_{V,i}$ ).....	133
E.13.4	Combining uncertainties in the wind speed measurement from cup or sonic ( $u_{VS,i}$ ) .....	133
E.13.5	Combining uncertainties in the wind speed measurement from RSD ( $u_{VR,i}$ ) .....	134
E.13.6	Combining uncertainties in the wind speed measurement from REWS " $u_{REWS,i}$ .....	134
E.13.7	Combining uncertainties in the wind speed measurement for REWS for either a meteorological mast significantly above hub height or an RSD with a lower-than-hub-height meteorological mast .....	135
E.13.8	Combining uncertainties in the wind speed measurement for REWS for a hub height meteorological mast + RSD for shear using an absolute wind speed .....	138
E.13.9	Combining uncertainties in the wind speed measurement for REWS for a hub height meteorological mast and RSD for shear using a relative wind speed .....	140
E.13.10	Combining uncertainties in the wind speed measurement from REWS due to wind veer across the whole rotor $u_{REWS,veer,i}$ .....	141
E.13.11	Combining uncertainties in the wind speed measurement from flow distortion due to site calibration $u_{VT,i}$ .....	144
E.13.12	Combining uncertainties for the temperature measurement $u_{T,i}$ .....	145

E.13.13	Combining uncertainties for the pressure measurement $u_{B,i}$ .....	146
E.13.14	Combining uncertainties for the humidity measurement $u_{RH,i}$ .....	146
E.13.15	Combining uncertainties for the method related components $u_{M,i}$ .....	147
E.13.16	Combining uncertainties for the wind direction measurement with wind vane or sonic anemometer $u_{WV,i}$ .....	147
E.13.17	Combining uncertainties for the wind direction measurement with RSD $u_{WR,i}$ .....	147
E.13.18	Combined category B uncertainties.....	148
E.13.19	Combined standard uncertainty – Power curve .....	148
E.13.20	Combined standard uncertainty – Energy production .....	148
E.14	Relevance of uncertainty components under specified conditions.....	148
E.15	Reference tables.....	149
Annex F (normative)	Wind tunnel calibration procedure for anemometers .....	153
F.1	General requirements .....	153
F.2	Requirements to the wind tunnel .....	153
F.3	Instrumentation and calibration set-up requirements.....	155
F.4	Calibration procedure.....	155
F.4.1	General procedure cup and sonic anemometers .....	155
F.4.2	Procedure for the calibration of sonic anemometers.....	156
F.4.3	Determination of the wind speed at the anemometer position .....	156
F.5	Data analysis .....	157
F.6	Uncertainty analysis .....	157
F.7	Reporting format .....	158
F.8	Example uncertainty calculation.....	159
Annex G (normative)	Mounting of instruments on the meteorological mast .....	162
G.1	General.....	162
G.2	Single top-mounted anemometer.....	162
G.3	Side-by-side top-mounted anemometers .....	164
G.4	Side-mounted instruments .....	166
G.4.1	General .....	166
G.4.2	Tubular meteorological masts .....	167
G.4.3	Lattice meteorological masts .....	169
G.5	Lightning protection .....	174
G.6	Mounting of other meteorological instruments .....	174
Annex H (normative)	Power performance testing of small wind turbines .....	175
H.1	General.....	175
H.2	Definitions.....	175
H.3	Wind turbine system definition and installation .....	175
H.4	Meteorological mast location.....	176
H.5	Test equipment .....	177
H.6	Measurement procedure .....	177
H.7	Derived results.....	178
H.8	Reporting .....	179
H.9	Annex A – Assessment of influence cause by wind turbines and obstacles at the test site .....	179
H.10	Annex B – Assessment of terrain at test site .....	179
H.11	Annex C – Site calibration procedure .....	179
Annex I (normative)	Classification of cup and sonic anemometry .....	180
I.1	General.....	180

I.2	Classification classes.....	180
I.3	Influence parameter ranges .....	181
I.4	Classification of cup and sonic anemometers.....	181
I.5	Reporting format.....	183
Annex J (normative) Assessment of cup and sonic anemometry .....		184
J.1	General.....	184
J.2	Measurements of anemometer characteristics .....	184
J.2.1	Measurements in a wind tunnel for tilt angular response characteristics of cup anemometers .....	184
J.2.2	Wind tunnel measurements of directional characteristics of cup anemometers.....	185
J.2.3	Wind tunnel measurements of cup anemometer rotor torque characteristics .....	186
J.2.4	Wind tunnel measurements of step responses of cup anemometers .....	186
J.2.5	Measurement of temperature induced effects on anemometer performance .....	187
J.2.6	Wind tunnel measurements of directional characteristics of sonic anemometers.....	189
J.3	A cup anemometer classification method based on wind tunnel and laboratory tests and cup anemometer modelling.....	189
J.3.1	Method .....	189
J.3.2	Example of a cup anemometer model.....	189
J.4	A sonic anemometer classification method based on wind tunnel tests and sonic anemometer modelling.....	196
J.5	Free field comparison measurements.....	197
Annex K (normative) In-situ comparison of anemometers.....		198
K.1	General.....	198
K.2	Prerequisite.....	198
K.3	Analysis method .....	198
K.4	Evaluation criteria.....	199
Annex L (normative) The application of remote sensing technology .....		202
L.1	General.....	202
L.2	Classification of remote sensing devices.....	203
L.2.1	General .....	203
L.2.2	Data acquisition.....	203
L.2.3	Data preparation.....	204
L.2.4	Principle and requirements of a sensitivity test .....	205
L.2.5	Assessment of environmental variable significance.....	211
L.2.6	Assessment of interdependency between environmental variables .....	212
L.2.7	Calculation of accuracy class.....	214
L.2.8	Acceptance criteria .....	216
L.2.9	Classification of RSD .....	217
L.3	Verification of the performance of remote sensing devices .....	217
L.4	Evaluation of uncertainty of measurements of remote sensing devices .....	220
L.4.1	General .....	220
L.4.2	Reference uncertainty.....	220
L.4.3	Uncertainty resulting from the RSD calibration test .....	220
L.4.4	Uncertainty due to remote sensing device classification.....	222
L.4.5	Uncertainty due to non-homogenous flow within the measurement volume.....	223

L.4.6	Uncertainty due to mounting effects.....	223
L.4.7	Uncertainty due to variation in flow across the site .....	223
L.5	Additional checks.....	224
L.5.1	Monitoring the performance of the remote sensing device at the application site .....	224
L.5.2	Identification of malfunctioning of the remote sensing device .....	224
L.5.3	Consistency check of the assessment of the remote sensing device systematic uncertainties .....	224
L.5.4	In-situ test of the remote sensing device.....	225
L.6	Other requirements specific to power curve testing .....	225
L.7	Reporting .....	227
L.7.1	Common reporting on classification test, calibration test, and monitoring of the remote sensing device during application.....	227
L.7.2	Additional reporting on classification test.....	227
L.7.3	Additional reporting on calibration test.....	228
L.7.4	Additional reporting on application .....	228
Annex M (informative)	Normalisation of power curve data according to the turbulence intensity .....	229
M.1	General.....	229
M.2	Turbulence normalisation procedure .....	229
M.3	Determination of the zero turbulence power curve.....	231
M.4	Order of wind shear correction (normalisation) and turbulence normalisation .....	236
M.5	Uncertainty of turbulence normalisation or of power curves due to turbulence effects.....	236
Annex N (informative)	Wind tunnel calibration procedure for wind direction sensors .....	238
N.1	General.....	238
N.2	General requirements .....	238
N.3	Requirements of the wind tunnel .....	238
N.4	Instrumentation and calibration set-up requirements .....	239
N.5	Calibration procedure.....	240
N.6	Data analysis .....	241
N.7	Uncertainty analysis.....	241
N.8	Reporting format .....	241
N.9	Example of uncertainty calculation .....	243
N.9.1	General .....	243
N.9.2	Measurement uncertainties generated by determination of the flow direction in the wind tunnel .....	243
N.9.3	Contribution to measurement uncertainty by the wind direction sensor .....	244
N.9.4	Result of the uncertainty calculation .....	245
Annex O (informative)	Power performance testing in cold climate .....	248
O.1	General.....	248
O.2	Recommendations .....	248
O.2.1	General .....	248
O.2.2	Sonic anemometers .....	248
O.2.3	Cup anemometers .....	248
O.3	Uncertainties.....	249
O.4	Reporting .....	249
Annex P (informative)	Wind shear normalisation procedure .....	250
P.1	General.....	250

Annex Q (informative) Definition of the rotor equivalent wind speed under consideration of wind veer .....	252
Q.1 General.....	252
Q.2 Definition of rotor equivalent wind speed under consideration of wind veer .....	253
Q.3 Measurement of wind veer .....	253
Q.4 Combined wind shear and wind veer normalisation .....	253
Annex R (informative) Uncertainty considerations for tests on multiple turbines .....	254
R.1 General.....	254
Annex S (informative) Mast flow distortion correction for lattice masts .....	258
Bibliography.....	261

Figure 1 – Requirements as to distance of the wind measurement equipment and maximum allowed measurement sectors .....	28
Figure 2 – Wind shear measurement heights appropriate to measurement of rotor equivalent wind speed .....	33
Figure 3 – Wind shear measurement heights when no wind speed measurements above hub height are available (for wind shear exponent determination only) .....	34
Figure 4 – Process of application of the various normalisations.....	38
Figure 5 – Presentation of example database: power performance test scatter plot sampled at 1 Hz (mean values averaged over 10 min) .....	48
Figure 6 – Presentation of example measured power curve .....	49
Figure 7 – Presentation of example $C_p$ curve.....	49
Figure A.1 – Sectors to exclude due to wakes of neighbouring and operating wind turbines and significant obstacles .....	55
Figure A.2 – An example of sectors to exclude due to wakes of the wind turbine under test, a neighbouring and operating wind turbine and a significant obstacle .....	56
Figure B.1 – Illustration of area to be assessed, top view.....	58
Figure B.2 – Example of determination of slope and terrain variation from the best-fit plane: “ $2L$ to $4L$ ” and the case “measurement sector” (Table B.1, line 2).....	59
Figure B.3 – Determination of slope for the distance “ $2L$ to $4L$ ” and “ $8L$ to $16L$ ” and the case “outside measurement sector” (Table B.1, line 3 and line 5) .....	60
Figure C.1 – Site calibration flow chart.....	62
Figure C.2 – Terrain types .....	64
Figure C.3 – Example of the results of a verification test.....	76
Figure C.4 – Wind shear exponent vs. time of day, example A .....	77
Figure C.5 – Wind shear exponents at wind turbine location vs. reference meteorological mast, example A where the colour axis = wind speed (m/s) .....	78
Figure C.6 – Wind speed ratios and number of data points vs. wind shear exponent and wind direction bin – wind speed ratios (full lines), number of data points (dotted lines) .....	79
Figure C.7 – Data convergence check for $190^\circ$ bin.....	81
Figure C.8 – Wind shear exponent vs. time of day, example B .....	82
Figure C.9 – Wind shear exponents at wind turbine location vs. reference meteorological mast, example B .....	82
Figure C.10 – Linear regression of wind turbine location vs. reference meteorological mast hub height wind speeds for $330^\circ$ bin .....	83
Figure C.11 – Wind speed ratios vs. wind speed for the $330^\circ$ bin .....	83
Figure C.12 – Wind speed ratios vs. wind shear for the $330^\circ$ bin .....	84

Figure C.13 – Wind shear exponents at wind turbine location vs. reference meteorological mast post-filtering .....	85
Figure C.14 – Linear regression of wind turbine location vs. reference meteorological mast hub height wind speeds for 330° bin, post-filtering.....	85
Figure C.15 – Wind speed ratios vs. wind speed for the 330° bin, post-filtering.....	86
Figure C.16 – Data convergence check for 330° bin.....	87
Figure C.17 – Site calibration wind shear vs. power curve test wind shear .....	88
Figure C.18 – Convergence check for 270° bin .....	90
Figure F.1 – Definition of volume for flow uniformity test – The volume will also extend 1,5 x b in depth (along the flow) .....	154
Figure G.1 – Example of a top-mounted anemometer and requirements for mounting .....	164
Figure G.2 – Example of alternative top-mounted primary and control anemometers positioned side-by-side and wind vane and other instruments on the boom.....	166
Figure G.3 – Iso-speed plot of local flow speed around a cylindrical meteorological mast .....	168
Figure G.4 – Centreline relative wind speed as a function of distance $R_d$ from the centre of a tubular meteorological mast and meteorological mast diameter $d$ .....	169
Figure G.5 – Representation of a three-legged lattice meteorological mast .....	169
Figure G.6 – Iso-speed plot of local flow speed around a triangular lattice meteorological mast with a $C_T$ of 0,5 .....	170
Figure G.7 – Centreline relative wind speed as a function of distance $R_d$ from the centre of a triangular lattice meteorological mast of leg distance $L_m$ for various $C_T$ values .....	171
Figure G.8 – 3D CFD derived flow distortion for two different wind directions around a triangular lattice meteorological mast ( $C_T = 0,27$ ) – For flow direction see the red arrow lower left in each figure.....	173
Figure H.1 – Definition of hub height and meteorological mast location for vertical axis wind turbines .....	177
Figure J.1 – Tilt angular response $V_\alpha / V_{\alpha=0}$ of a cup anemometer as function of flow angle $\alpha$ compared to cosine response.....	185
Figure J.2 – Wind tunnel torque measurements $Q_A - Q_F$ as function of angular speed $\omega$ of a cup anemometer rotor at 8 m/s .....	186
Figure J.3 – Example of bearing friction torque $Q_F$ as function of temperature for a range of angular speeds $\omega$ .....	188
Figure J.4 – Example of rotor torque coefficient $C_{QA}$ as function of speed ratio $\lambda$ derived from step responses with $K_{low}$ equal to -5,5 and $K_{high}$ equal to -6,5 .....	191
Figure J.5 – Classification deviations of example cup anemometer showing a class 1,69A (upper) and a class 6,56B (lower) .....	195
Figure J.6 – Classification deviations of example cup anemometer showing a class 8,01C (upper) and a class 9,94D (lower) .....	196
Figure K.1 – Example with triangular lattice meteorological mast .....	200
Figure K.2 – Example with tubular meteorological mast .....	201
Figure L.1 – Deviation vs upflow angle determined for a remote sensing device with respect to the cup anemometer in Figure J.1 .....	207
Figure L.2 – Example of sensitivity analysis against wind shear .....	209
Figure L.3 – Example of wind shear versus turbulence intensity.....	213
Figure L.4 – Example of percentage deviation of remote sensing device and reference sensor measurements versus turbulence intensity .....	213

Figure L.5 – Comparison of 10 minute averages of the horizontal wind speed component as measured by a remote sensing device and a cup anemometer.....	219
Figure L.6 – Bin-wise comparison of measurement of the horizontal wind speed component of a remote sensing device and a cup anemometer.....	219
Figure L.7 – Example of permitted range of locations for measurement volume .....	226
Figure M.1 – Process for obtaining a power curve for a specific turbulence intensity ( $I_{\text{reference}}$ ).....	230
Figure M.2 – Process for obtaining the initial zero turbulence power curve parameters from the measured data .....	232
Figure M.3 – First approach for initial zero turbulence power curve.....	232
Figure M.4 – Process for obtaining the theoretical zero-turbulence power curve from the measured data .....	234
Figure M.5 – Adjusted initial zero turbulence power curve (green) compared to first approach (red) .....	235
Figure M.6 – Process for obtaining the final zero-turbulence power curve from the measured data.....	235
Figure M.7 – Adjusted initial zero turbulence power curve (green) compared to final zero turbulence power curve (black) .....	236
Figure N.1 – Example of calibration setup of a wind direction sensor in a wind tunnel.....	240
Figure Q.1 – Wind profiles measured with LIDAR over flat terrain .....	252
Figure S.1 – Example of mast flow distortion .....	258
Figure S.2 – Flow distortion residuals versus direction.....	260
Table 1 – Overview of wind measurement configurations for power curve measurements that meet the requirements of this standard .....	26
Table 2 – Wind speed measurement configurations (X indicates allowable configuration).....	30
Table 3 – Example of REWS calculation .....	40
Table 4 – Example of presentation of a measured power curve.....	50
Table 5 – Example of presentation of estimated annual energy production .....	51
Table A.1 – Obstacle requirements: relevance of obstacles .....	53
Table B.1 – Test site requirements: topographical variations.....	59
Table C.1 – Site calibration flow corrections (wind speed ratio).....	80
Table C.2 – Site calibration data count .....	80
Table C.3 – $r^2$ values for each wind direction bin.....	87
Table C.4 – Additional uncertainty due to change in bins .....	87
Table C.5 – Additional uncertainty due to change in bins .....	90
Table D.1 – List of uncertainty components .....	91
Table E.1 – Expanded uncertainties .....	96
Table E.2 – List of category A and B uncertainties .....	98
Table E.3 – Example of standard uncertainties due to absence of a wind shear measurement.....	125
Table E.4 – Example of standard uncertainties due to absence of a wind veer measurement.....	127
Table E.5 – Uncertainty contributions due to lack of upflow knowledge .....	128
Table E.6 – Uncertainty contributions due to lack of turbulence knowledge .....	128

Table E.7 – Suggested assumptions for correlations of measurement uncertainties between different measurement heights .....	137
Table E.8 – Suggested correlation assumptions for relative wind direction measurement uncertainties at different measurement heights .....	143
Table E.9 – Uncertainties from air density normalisation .....	149
Table E.10 – Sensitivity factors.....	151
Table E.11 – Category B uncertainties .....	152
Table F.1 – Example of evaluation of anemometer calibration uncertainty.....	159
Table G.1 – Estimation method for $C_T$ for various types of lattice mast.....	171
Table H.1 – Battery bank voltage settings .....	178
Table I.1 – Influence parameter ranges (10 min averages) of Classes A, B, C, D and S .....	182
Table J.1 – Tilt angle response of example cup anemometer .....	193
Table J.2 – Friction coefficients of example cup anemometer.....	194
Table J.3 – Miscellaneous data related to classification of example cup anemometer .....	194
Table L.1 – Bin width example for a list of environmental variables.....	208
Table L.2 – Parameters derived from a sensitivity analysis of a remote sensing device.....	210
Table L.3 – Ranges of environmental parameters for sensitivity analysis .....	211
Table L.4 – Example selection of environmental variables found to have a significant influence .....	212
Table L.5 – Sensitivity analysis parameters remaining after analysis of interdependency of variables .....	214
Table L.6 – Example scheme for calculating maximum influence of environmental variables.....	215
Table L.7 – Preliminary accuracy classes of a remote sensing device considering both all and only the most significant influential variables .....	216
Table L.8 – Example final accuracy classes of a remote sensing device .....	216
Table L.9 – Example of uncertainty calculations arising from calibration of a remote sensing device (RSD) in terms of systematic uncertainties.....	221
Table N.1 – Uncertainty contributions in wind directions sensor calibration .....	246
Table N.2 – Uncertainty contributions and total standard uncertainty in wind direction sensor calibration .....	247
Table R.1 – List of correlated uncertainty components .....	255

# INTERNATIONAL ELECTROTECHNICAL COMMISSION

---

## WIND ENERGY GENERATION SYSTEMS –

### **Part 12-1: Power performance measurements of electricity producing wind turbines**

#### FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61400-12-1 has been prepared by IEC technical committee 88: Wind energy generation systems.

This second edition cancels and replaces the first edition published in 2005. This edition constitutes a technical revision. This edition includes the following significant technical changes with respect to the previous edition:

- a) new definition of wind speed,
- b) inclusion of wind shear and wind veer,
- c) revision of air density correction,
- d) revision of site calibration,
- e) revision to definition of power curve,
- f) interpolation to bin centre method,
- g) revision of obstacle model,

- h) clarification of topography requirements,
- i) new annex on mast induced flow distortion,
- j) revision to anemometer classifications,
- k) inclusion of ultrasonic anemometers,
- l) cold climate annex added,
- m) database A changed to special database,
- n) revision of uncertainty annex,
- o) inclusion of remote sensing.

IEC 61400-12-2 is an addition to IEC 61400-12-1.

The text of this standard is based on the following documents:

FDIS	Report on voting
88/610/FDIS	88/617/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

A list of all parts in the IEC 61400, published under the general title *Wind energy generation systems*, can be found on the IEC website.

Future standards in this series will carry the new general title as cited above. Titles of existing standards in this series will be updated at the time of the next edition.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee recognizes that this revision represents a significant increase in complexity and perhaps greater difficulty to implement. However, it represents the committee's best attempt to address issues introduced by larger wind turbines operating in significant wind shear and complex terrain. The committee recommends that the new techniques introduced be validated immediately by test laboratories through inter-lab proficiency testing. The committee recommends a Review Report be written within three years of the release of this document which includes recommendations, clarifications and simplifications that will improve the practical implementation of this standard. If necessary a revision should be proposed at the same time to incorporate these recommendations, clarifications and simplifications.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

The contents of the corrigenda 1 (2019), 2 (2020) and 3 (2021) have been included in this copy.

**IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.**

## INTRODUCTION

The purpose of this part of IEC 61400 is to provide a uniform methodology that will ensure consistency, accuracy and reproducibility in the measurement and analysis of power performance by wind turbines. The standard has been prepared with the anticipation that it would be applied by:

- a) a wind turbine manufacturer striving to meet well-defined power performance requirements and/or a possible declaration system;
- b) a wind turbine purchaser in specifying such performance requirements;
- c) a wind turbine operator who may be required to verify that stated, or required, power performance specifications are met for new or refurbished units;
- d) a wind turbine planner or regulator who shall be able to accurately and fairly define power performance characteristics of wind turbines in response to regulations or permit requirements for new or modified installations.

This document provides guidance in the measurement, analysis, and reporting of power performance testing for wind turbines. The document will benefit those parties involved in the manufacture, installation planning and permitting, operation, utilization, and regulation of wind turbines. The technically accurate measurement and analysis techniques recommended in this standard should be applied by all parties to ensure that continuing development and operation of wind turbines is carried out in an atmosphere of consistent and accurate communication relative to wind turbine performance. This document presents measurement and reporting procedures expected to provide accurate results that can be replicated by others. Meanwhile, a user of the standard should be aware of differences that arise from large variations in wind shear and turbulence. Therefore, a user should consider the influence of these differences and the data selection criteria in relation to the purpose of the test before contracting the power performance measurements.

A key element of power performance testing is the measurement of wind speed. This document prescribes the use of cup or sonic anemometers or remote sensing devices (RSD) in conjunction with anemometers to measure wind. Even though suitable procedures for calibration/validation and classification are adhered to, the nature of the measurement principle of these devices may potentially cause them to perform differently. These instruments are robust and have been regarded as suitable for this kind of test with the limitation of some of them to certain classes of terrain.

Recognising that, as wind turbines become ever larger, a wind speed measured at a single height is increasingly unlikely to accurately represent the wind speed through the entire turbine rotor, this standard introduces an additional definition of wind speed. Whereas previously wind speed was defined as that measured at hub height only, this may now be supplemented with a so called Rotor Equivalent Wind Speed (REWS) defined by an arithmetic combination of simultaneous measurements of wind speed at a number of heights spanning the complete rotor diameter between lower tip and upper tip. The power curves defined by hub height wind speed and REWS are not the same and so the hub height wind speed power curve is always presented for comparison whenever a REWS power curve is measured. As a consequence of this difference in wind speed definition, the annual energy production (AEP) derived from the combination of a measured power curve with a wind speed distribution uses an identical definition of wind speed in both the power curve and the wind speed distribution.

Procedures to classify cup anemometers and ultrasonic anemometers are given in Annexes I and J. Procedures to classify remote sensing devices are given in Annex L. Special care should be taken in the selection of the instruments chosen to measure the wind speed because it can influence the result of the test.