

# DRAFT INTERNATIONAL STANDARD

## ISO/DIS 14356

ISO/TC 106/SC 2

Secretariat: ANSI

Voting begins on:  
2022-08-17

Voting terminates on:  
2022-11-09

---

---

## Dentistry — Duplicating material

*Art dentaire — Produits pour duplication*

ICS: 11.060.10

ISO/DIS 14356 - Preview only Copy via ILNAS e-Shop

This document is circulated as received from the committee secretariat.

THIS DOCUMENT IS A DRAFT CIRCULATED FOR COMMENT AND APPROVAL. IT IS THEREFORE SUBJECT TO CHANGE AND MAY NOT BE REFERRED TO AS AN INTERNATIONAL STANDARD UNTIL PUBLISHED AS SUCH.

IN ADDITION TO THEIR EVALUATION AS BEING ACCEPTABLE FOR INDUSTRIAL, TECHNOLOGICAL, COMMERCIAL AND USER PURPOSES, DRAFT INTERNATIONAL STANDARDS MAY ON OCCASION HAVE TO BE CONSIDERED IN THE LIGHT OF THEIR POTENTIAL TO BECOME STANDARDS TO WHICH REFERENCE MAY BE MADE IN NATIONAL REGULATIONS.

RECIPIENTS OF THIS DRAFT ARE INVITED TO SUBMIT, WITH THEIR COMMENTS, NOTIFICATION OF ANY RELEVANT PATENT RIGHTS OF WHICH THEY ARE AWARE AND TO PROVIDE SUPPORTING DOCUMENTATION.

**ISO/CEN PARALLEL PROCESSING**



Reference number  
ISO/DIS 14356:2022(E)

© ISO 2022



## **COPYRIGHT PROTECTED DOCUMENT**

© ISO 2022

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
CP 401 • Ch. de Blandonnet 8  
CH-1214 Vernier, Geneva  
Phone: +41 22 749 01 11  
Email: [copyright@iso.org](mailto:copyright@iso.org)  
Website: [www.iso.org](http://www.iso.org)

Published in Switzerland

# Contents

Page

|  |           |
|--|-----------|
| <b>Foreword</b>  | <b>iv</b> |
| <b>1 Scope</b>   | <b>1</b>  |
| <b>2 Normative references</b>  | <b>1</b>  |
| <b>3 Terms and definitions</b>   | <b>1</b>  |
| <b>4 Classification by types</b>   | <b>4</b>  |
| <b>5 Material characteristics and properties — Requirements</b>                  | <b>4</b>  |
| 5.1 General  | 4         |
| 5.2 Melting temperature — Type 1 materials                                       | 4         |
| 5.3 Pouring temperature — Type 1 materials                                       | 4         |
| 5.4 Component colours — Type 2 materials   | 4         |
| 5.5 Detail reproduction  | 4         |
| 5.6 Compatibility with refractory investment (and gypsum if applicable)          | 4         |
| 5.7 Elastic recovery   | 4         |
| 5.8 Tear strength  | 4         |
| 5.9 Resistance to fungal growth — Type 1 materials only                          | 5         |
| <b>6 Sampling</b>  | <b>5</b>  |
| <b>7 Test methods — General</b>  | <b>5</b>  |
| 7.1 Laboratory conditions  | 5         |
| 7.2 Verification of apparatus function   | 5         |
| 7.3 Specimen preparation and testing   | 5         |
| 7.3.1 General  | 5         |
| 7.3.2 Preparation of Type 1 materials  | 5         |
| 7.3.3 Preparation of Type 2 materials  | 5         |
| 7.4 Pass/fail determinations   | 6         |
| 7.5 Expression of test results   | 6         |
| <b>8 Specific specimen preparation and test procedures</b>                       | <b>6</b>  |
| 8.1 Melting temperature test — Type 1 materials only                             | 6         |
| 8.2 Detail reproduction test   | 7         |
| 8.3 Test for compatibility with refractory investment (and gypsum if applicable) | 8         |
| 8.3.1 Apparatus and materials  | 8         |
| 8.3.2 Specimen preparation   | 8         |
| 8.3.3 Test procedure   | 9         |
| 8.3.4 Pass/fail determination and expression of results                          | 9         |
| 8.4 Elastic recovery test  | 9         |
| 8.5 Tear strength test   | 12        |
| 8.5.1 Apparatus and materials  | 12        |
| 8.5.2 Specimen preparation (5 specimens)   | 13        |
| 8.5.3 Test procedure   | 14        |
| 8.5.4 Calculation of results   | 14        |
| 8.5.5 Pass/fail determination and expression of results                          | 15        |
| 8.6 Fungal growth resistance test — Type 1 agar materials only                   | 15        |
| 8.6.1 Apparatus and materials  | 15        |
| 8.6.2 Specimen preparation (1 test specimen and 1 control specimen)              | 15        |
| 8.6.3 Test procedure   | 15        |
| 8.6.4 Pass/fail determination  | 15        |
| 8.6.5 Expression of results  | 15        |
| <b>9 Requirements for packaging</b>  | <b>15</b> |
| <b>10 Requirements for labelling</b>   | <b>15</b> |
| <b>11 Instructions for use — Required information</b>                            | <b>16</b> |
| <b>Annex A (informative) Optional procedure for tear test</b>                    | <b>27</b> |