

English Version

Plant biostimulants - Determination of the anaerobic plate count

Biostimulants des végétaux - Détermination du dénombrement sur plaque des germes anaérobies

Pflanzen-Biostimulanzien - Bestimmung der anaeroben Keimzahl

This draft European Standard is submitted to CEN members for enquiry. It has been drawn up by the Technical Committee CEN/TC 455.

If this draft becomes a European Standard, CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

This draft European Standard was established by CEN in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and United Kingdom.

Recipients of this draft are invited to submit, with their comments, notification of any relevant patent rights of which they are aware and to provide supporting documentation.

Warning : This document is not a European Standard. It is distributed for review and comments. It is subject to change without notice and shall not be referred to as a European Standard.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents	Page
European foreword	4
Introduction	5
1 Scope.....	7
2 Normative references.....	7
3 Terms and definitions	7
4 Principle	8
4.1 General.....	8
4.2 Brief description	8
5 Culture media and reagents.....	8
6 Equipment and consumables	8
7 Preparation of test sample	9
7.1 General.....	9
7.2 Liquid – water-based formulations.....	9
7.3 Liquid – oil-based (emulsifiable concentrate - EC) formulations.....	9
7.4 Solid – wettable powder (WP) formulations.....	9
7.5 Solid – water dispersible granules (WDG) formulations.....	9
7.6 Solid – pellets, granules, microgranules (slow release) formulations.....	10
7.7 Solid substrates	10
8 Procedure	10
8.1 Test portion, initial suspension and dilutions	10
8.2 Inoculation and incubation	10
8.3 Critical control point.....	10
9 Calculation.....	10
10 Expression of results	11
11 Performance characteristics of the method.....	11
11.1 Interlaboratory studies	11
11.2 Sensitivity	11
11.3 Specificity.....	11
12 Test report.....	11
13 Quality assurance	11
Annex A (informative) Guidelines for calculating and reporting the Anaerobic Plate Counts (ANPC).....	12
A.1 General.....	12
A.2 Example.....	12
Annex B (normative) Composition and preparation of culture media and reagents	13
B.1 Anaerobe Agar (ANA)	13

Annex C (informative) Results of the interlaboratory study for the determination of the anaerobic plate count	15
C.1 Results of the interlaboratory study	15
C.2 Statistical analysis.....	15
Annex ZA (informative) Relationship of this European Standard and the essential requirements of Regulation (EU) 2019/1009 making available on the market of EU fertilising products aimed to be covered.....	17
Bibliography	18

European foreword

This document (prEN 17719:2023) has been prepared by Technical Committee CEN/TC 455 “Plant Biostimulants”, the secretariat of which is held by AFNOR.

This document is currently submitted to the CEN enquiry.

This document will supersede CEN/TS 17719:2022.

This document has been prepared under a Standardization Request given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive(s) / Regulation(s).

For relationship with EU Directive(s) / Regulation(s), see informative Annex ZA, which is an integral part of this document.

Introduction

This document was prepared by the experts of CEN/TC 455 “Plant Biostimulants”. The European Committee for Standardization (CEN) was requested by the European Commission (EC) to draft European standards or European standardization deliverables to support the implementation of Regulation (EU) 2019/1009 of 5 June 2019 laying down rules on the making available on the market of EU fertilising products (“FPR” or “Fertilising Products Regulation”). This standardization request, presented as SR M/564 and M/564 Amd1, also contributes to the Communication on “Innovating for Sustainable Growth: A Bio economy for Europe”. Working Group 5 “Labelling and denominations”, was created to develop a work program as part of this standardization request.

Technical committee CEN/TC 455 “Plant Biostimulants” was established to carry out the work program that will prepare a series of standards. The interest in biostimulants has increased significantly in Europe as a valuable tool to use in agriculture. Standardization was identified as having an important role in order to promote the use of biostimulants. The work of CEN/TC 455 seeks to improve the reliability of the supply chain, thereby improving the confidence of farmers, industry, and consumers in biostimulants, and will promote and support commercialisation of the European biostimulant industry.

Biostimulants used in agriculture can be applied in multiple ways: on soil, on plants, as seed treatment, etc. A microbial plant biostimulant consists of a microorganism or a consortium of microorganisms, as referred to in Component Material Category 7 of Annex II of the EU Fertilising Products Regulation 2019/1009 [1].

The method is applicable to microbial plant biostimulants except those composed of aerobic bacterium to verify that the concentration of anaerobes does not exceed the respective limits described in the EU Fertilisers Regulation.

Table 1 summarizes many of the agro-ecological principles and the role played by biostimulants.

Table 1 — Agro-ecological principles and the role played by biostimulants

Increase biodiversity
By improving soil microorganism quality/quantity
Reinforce biological regulation and interactions
By reinforcing plant-microorganism interactions
— symbiotic exchanges i.e. <i>mycorrhize</i>
— symbiotic exchanges i.e. <i>rhizobiaceae/fava</i>
— secretions mimicking plant hormones (i.e. <i>trichoderma</i>)
By regulating plant physiological processes
— e.g. growth, metabolism, plant development...
Improve biogeochemical cycles
— improve absorption of nutritional elements
— improve bioavailability of nutritional elements in the soil
— stimulate degradation of organic matter

WARNING — Persons using this document should be familiar with normal laboratory practice. This document does not purport to address all of the safety problems, if any, associated with its use. It is the responsibility of the user to establish appropriate safety and health practices and to ensure compliance with any national regulatory conditions.

IMPORTANT — It is absolutely essential that tests conducted in accordance with this document be carried out by suitably trained staff.