



International
Standard

ISO 16795

**Nuclear energy — Determination
of Gd_2O_3 content in pellets
containing uranium oxide by X-ray
fluorescence spectrometry**

*Énergie nucléaire — Détermination de la teneur de Gd_2O_3 par
spectrométrie à fluorescence X dans des pastilles combustibles
contenant de l'oxyde d'uranium*

ISO 16795:2024 - Preview only Copy via IIASA e-Shop

**Second edition
2024-04**



COPYRIGHT PROTECTED DOCUMENT

© ISO 2024

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

Page

Foreword	iv
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Principle	1
5 Apparatus	1
6 Reagents	2
7 Preparation of standards	2
8 Polishing	3
9 Equipment calibration	3
9.1 Angle calibration	3
9.2 Pulse-height distribution	3
9.3 Background correction	3
9.4 Stability (sensitivity) check	3
10 Calibration curve	4
11 Measurements	4
12 Precision and accuracy	4
13 Test report	4
Annex A (informative) Angle calibration and background correction	6
Annex B (informative) Precision and accuracy	7
Bibliography	8