

Institut luxembourgeois de la normalisation de l'accréditation, de la sécurité et qualité des produits et services

ILNAS-EN ISO 11929-4:2023

Determination of the characteristic limits (decision threshold, detection limit and limits of the coverage interval) for measurements of ionizing

Détermination des limites caractéristiques (seuil de décision, limite de détection et limites de l'intervalle élargi) pour le mesurage des

Bestimmung der charakteristischen Grenzen (Erkennungsgrenze, Nachweisgrenze und Grenzen des Überdeckungsintervalls) bei Messungen

01011010010 0011010010110100101010101111

National Foreword

This European Standard EN ISO 11929-4:2023 was adopted as Luxembourgish Standard ILNAS-EN ISO 11929-4:2023.

Every interested party, which is member of an organization based in Luxembourg, can participate for FREE in the development of Luxembourgish (ILNAS), European (CEN, CENELEC) and International (ISO, IEC) standards:

- Participate in the design of standards
- Foresee future developments
- Participate in technical committee meetings

https://portail-qualite.public.lu/fr/normes-normalisation/participer-normalisation.html

THIS PUBLICATION IS COPYRIGHT PROTECTED

Nothing from this publication may be reproduced or utilized in any form or by any mean - electronic, mechanical, photocopying or any other data carries without prior permission!

EUROPEAN STANDARD LINAS-EN ISO 11929-4:2023 ISO 11929-4

NORME EUROPÉENNE

EUROPÄISCHE NORM

July 2023

ICS 17.240

English Version

Determination of the characteristic limits (decision threshold, detection limit and limits of the coverage interval) for measurements of ionizing radiation - Fundamentals and application - Part 4: Guidelines to applications (ISO 11929-4:2022)

Détermination des limites caractéristiques (seuil de décision, limite de détection et limites de l'intervalle élargi) pour le mesurage des rayonnements ionisants - Principes fondamentaux et applications - Partie 4: Lignes directrices relatives aux applications (ISO 11929-4:2022)

This European Standard was approved by CEN on 16 July 2023.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents	Page
European foreword	3

European foreword

The text of ISO 11929-4:2022 has been prepared by Technical Committee ISO/TC 85 "Nuclear energy, nuclear technologies, and radiological protection" of the International Organization for Standardization (ISO) and has been taken over as EN ISO 11929-4:2023 by Technical Committee CEN/TC 430 "Nuclear energy, nuclear technologies, and radiological protection" the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by January 2024, and conflicting national standards shall be withdrawn at the latest by January 2024.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

Any feedback and questions on this document should be directed to the users' national standards body. A complete listing of these bodies can be found on the CEN website.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.

Endorsement notice

The text of ISO 11929-4:2022 has been approved by CEN as EN ISO 11929-4:2023 without any modification.

ILNNTERNATIONAL STANDARD

ISO 11929-4

Third edition 2022-07

Determination of the characteristic limits (decision threshold, detection limit and limits of the coverage interval) for measurements of ionizing radiation — Fundamentals and application —

Part 4: **Guidelines to applications**

Détermination des limites caractéristiques (seuil de décision, limite de détection et limites de l'intervalle élargi) pour le mesurage des rayonnements ionisants — Principes fondamentaux et applications —

Partie 4: Lignes directrices relatives aux applications





COPYRIGHT PROTECTED DOCUMENT

© ISO 2022

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Email: copyright@iso.org Website: www.iso.org

Published in Switzerland

Intr	oductio	on	viii
1	Scop	e	1
2	Norr	native references	2
3		ns and definitions	
4	_	ntities and symbols	
5	Sum 5.1	mary of this documentProcedures according to ISO 11929 (all parts)	5
	5.1	Survey on the examples	
	5.3	General stipulations	
6	Cour	nting measurements with small or moderate uncertainties	9
	6.1	Definition of the task and general aspects	9
	6.2	Model of evaluation and standard uncertainty	
	6.3	Available information, input data, and specifications	9
	6.4	Evaluation of the measurement and characteristic limits according to ISO 11929-1 6.4.1 Background effect	
		6.4.1 Background effect	
		6.4.3 Standard uncertainty as a function of an assumed true value	10
		6.4.4 Decision threshold	
		6.4.5 Detection limit	
		6.4.6 Limits of coverage intervals	
		6.4.7 The best estimate and its associated standard uncertainty	
	6.5	Documentation of the results obtained by ISO 11929-1 and ISO 11929-2	
	6.6	Assessment and explanations	13
7		nting measurement with small count numbers	
	7.1	Definition of the task and general aspects	
	7.2	Model of evaluation and standard uncertainty	
	7.3	Available information, input data, and specifications.	
	7.4	Evaluation of the measurement and characteristic limits according to ISO 11929-1 7.4.1 Background effect	
		7.4.1 Background effect	
		7.4.3 Standard uncertainty as a function of an assumed true value	
		7.4.4 Decision threshold	
		7.4.5 Detection limit	
		7.4.6 Limits of coverage intervals	
		7.4.7 The best estimate and its associated standard uncertainty	
	7.5	Documentation of the results obtained by ISO 11929-1 and ISO 11929-2	17
	7.6 7.7	Assessment and explanations	18 10
	7.7	7.7.1 General	
		7.7.2 Background effect	
		7.7.3 Primary result and its associated standard uncertainty	
		7.7.4 Standard uncertainty as a function of an assumed true value	
		7.7.5 Decision threshold	20
		7.7.6 Detection limit	
		7.7.7 Limits of coverage intervals	
	7.0	7.7.8 The best estimate and its associated standard uncertainty	
	7.8 7.9	Documentation of the results obtained by ISO 11929-1 and ISO 11929-2	22 20
		nting measurements with large uncertainties in the numerator of the	43

	8.1	Definition of the task and general aspects	23
	8.2	Model of evaluation and standard uncertainty	24
	8.3	Available information, input data, and specifications	24
	8.4	Evaluation of the measurement and characteristic limits according to ISO 11929-1	25
		8.4.1 Background effect	
		8.4.2 Primary result and its associated standard uncertainty	
		8.4.3 Standard uncertainty as a function of an assumed true value	
		8.4.4 Decision threshold	
		8.4.5 Detection limit	
		8.4.6 Limits of coverage intervals	
	0 =	8.4.7 The best estimate and its associated standard uncertainty	
	8.5 8.6	Documentation of the results obtained by ISO 11929-1 and ISO 11929-2 Assessment and explanations	
9		ting measurements with large uncertainties in the denominator of the	20
,		ration factor	28
	9.1	Definition of the task and general aspects	28
	9.2	Model of evaluation and standard uncertainty	29
	9.3	Available information, input data, and specifications	29
	9.4	Evaluation of the measurement and characteristic limits according to ISO 11929-1	
		9.4.1 Background effect	
		9.4.2 Primary result and its associated standard uncertainty	
		9.4.3 Standard uncertainty as a function of an assumed true value	
		9.4.4 Decision threshold	
		9.4.5 Detection limit	
		9.4.6 Limits of coverage intervals	31
		9.4.7 The best estimate and its associated standard uncertainty	
	9.5	Documentation of the results obtained by ISO 11929-1 and ISO 11929-2	32
	9.6	Assessment and explanations	
10	Coun	ting measurements with shielding of the background	34
	10.1	Definition of the task and general aspects	34
	10.2	Model of evaluation and standard uncertainty	2.4
			34
	10.3	Available information, input data, and specifications	34
	10.3 10.4		34
		Available information, input data, and specifications	34 35
		Available information, input data, and specifications Evaluation of the measurement and characteristic limits according to ISO 11929-1 10.4.1 Background effect 10.4.2 Primary result and its associated standard uncertainty	34 35 35
		Available information, input data, and specifications Evaluation of the measurement and characteristic limits according to ISO 11929-1 10.4.1 Background effect 10.4.2 Primary result and its associated standard uncertainty	34 35 35
		Available information, input data, and specifications Evaluation of the measurement and characteristic limits according to ISO 11929-1 10.4.1 Background effect	34 35 35 35
		Available information, input data, and specifications Evaluation of the measurement and characteristic limits according to ISO 11929-1 10.4.1 Background effect 10.4.2 Primary result and its associated standard uncertainty	34 35 35 35
		Available information, input data, and specifications. Evaluation of the measurement and characteristic limits according to ISO 11929-1 10.4.1 Background effect. 10.4.2 Primary result and its associated standard uncertainty. 10.4.3 Standard uncertainty as a function of an assumed true value. 10.4.4 Decision threshold. 10.4.5 Detection limit.	34 35 35 35 35
		Available information, input data, and specifications Evaluation of the measurement and characteristic limits according to ISO 11929-1 10.4.1 Background effect 10.4.2 Primary result and its associated standard uncertainty 10.4.3 Standard uncertainty as a function of an assumed true value 10.4.4 Decision threshold 10.4.5 Detection limit 10.4.6 Limits of coverage intervals	34 35 35 35 35
		Available information, input data, and specifications Evaluation of the measurement and characteristic limits according to ISO 11929-1 10.4.1 Background effect 10.4.2 Primary result and its associated standard uncertainty 10.4.3 Standard uncertainty as a function of an assumed true value 10.4.4 Decision threshold 10.4.5 Detection limit 10.4.6 Limits of coverage intervals 10.4.7 The best estimate and its associated standard uncertainty	34 35 35 35 35 35 36 36 36
	10.4	Available information, input data, and specifications Evaluation of the measurement and characteristic limits according to ISO 11929-1 10.4.1 Background effect 10.4.2 Primary result and its associated standard uncertainty 10.4.3 Standard uncertainty as a function of an assumed true value 10.4.4 Decision threshold 10.4.5 Detection limit 10.4.6 Limits of coverage intervals	34 35 35 35 35 35 36 36 36
11	10.4 10.5 10.6	Available information, input data, and specifications. Evaluation of the measurement and characteristic limits according to ISO 11929-1 10.4.1 Background effect. 10.4.2 Primary result and its associated standard uncertainty. 10.4.3 Standard uncertainty as a function of an assumed true value. 10.4.4 Decision threshold. 10.4.5 Detection limit. 10.4.6 Limits of coverage intervals. 10.4.7 The best estimate and its associated standard uncertainty. Documentation of the results obtained by ISO 11929-1 and ISO 11929-2. Assessment and explanations. ting clearance measurement.	34 35 35 35 36 36 36
11	10.4 10.5 10.6	Available information, input data, and specifications. Evaluation of the measurement and characteristic limits according to ISO 11929-1 10.4.1 Background effect	34353535363636363638
11	10.4 10.5 10.6 Coun	Available information, input data, and specifications. Evaluation of the measurement and characteristic limits according to ISO 11929-1 10.4.1 Background effect	343535353636363838
11	10.4 10.5 10.6 Coun 11.1	Available information, input data, and specifications. Evaluation of the measurement and characteristic limits according to ISO 11929-1 10.4.1 Background effect	343535353636363838
11	10.4 10.5 10.6 Coun 11.1 11.2	Available information, input data, and specifications. Evaluation of the measurement and characteristic limits according to ISO 11929-1 10.4.1 Background effect	34353535363636383838
11	10.4 10.5 10.6 Coun 11.1 11.2 11.3	Available information, input data, and specifications Evaluation of the measurement and characteristic limits according to ISO 11929-1 10.4.1 Background effect	34353535363636363636363636
11	10.4 10.5 10.6 Coun 11.1 11.2 11.3	Available information, input data, and specifications Evaluation of the measurement and characteristic limits according to ISO 11929-1 10.4.1 Background effect	34 35 35 36 36 36 36 38 38 39 39
11	10.4 10.5 10.6 Coun 11.1 11.2 11.3	Available information, input data, and specifications Evaluation of the measurement and characteristic limits according to ISO 11929-1 10.4.1 Background effect 10.4.2 Primary result and its associated standard uncertainty 10.4.3 Standard uncertainty as a function of an assumed true value 10.4.4 Decision threshold 10.4.5 Detection limit 10.4.6 Limits of coverage intervals 10.4.7 The best estimate and its associated standard uncertainty Documentation of the results obtained by ISO 11929-1 and ISO 11929-2. Assessment and explanations ting clearance measurement Definition of the task and general aspects Model of evaluation and standard uncertainty Available information, input data, and specifications Evaluation of the measurement and characteristic limits according to ISO 11929-1 11.4.1 Background effect 11.4.2 Primary result and its associated standard uncertainty	34353535363636383839394040
11	10.4 10.5 10.6 Coun 11.1 11.2 11.3	Available information, input data, and specifications. Evaluation of the measurement and characteristic limits according to ISO 11929-1 10.4.1 Background effect. 10.4.2 Primary result and its associated standard uncertainty. 10.4.3 Standard uncertainty as a function of an assumed true value 10.4.4 Decision threshold 10.4.5 Detection limit 10.4.6 Limits of coverage intervals. 10.4.7 The best estimate and its associated standard uncertainty. Documentation of the results obtained by ISO 11929-1 and ISO 11929-2 Assessment and explanations ting clearance measurement Definition of the task and general aspects Model of evaluation and standard uncertainty Available information, input data, and specifications Evaluation of the measurement and characteristic limits according to ISO 11929-1 11.4.1 Background effect	3435353536363638383939404040
11	10.4 10.5 10.6 Coun 11.1 11.2 11.3	Available information, input data, and specifications Evaluation of the measurement and characteristic limits according to ISO 11929-1 10.4.1 Background effect 10.4.2 Primary result and its associated standard uncertainty 10.4.3 Standard uncertainty as a function of an assumed true value 10.4.4 Decision threshold 10.4.5 Detection limit 10.4.6 Limits of coverage intervals 10.4.7 The best estimate and its associated standard uncertainty Documentation of the results obtained by ISO 11929-1 and ISO 11929-2 Assessment and explanations ting clearance measurement Definition of the task and general aspects Model of evaluation and standard uncertainty Available information, input data, and specifications Evaluation of the measurement and characteristic limits according to ISO 11929-1 11.4.1 Background effect 11.4.2 Primary result and its associated standard uncertainty 11.4.3 Standard uncertainty as a function of an assumed true value	3435353536363638383939404040
11	10.4 10.5 10.6 Coun 11.1 11.2 11.3	Available information, input data, and specifications Evaluation of the measurement and characteristic limits according to ISO 11929-1 10.4.1 Background effect	34 35 35 35 36 36 36 38 38 39 40 40 40 41
11	10.4 10.5 10.6 Coun 11.1 11.2 11.3	Available information, input data, and specifications Evaluation of the measurement and characteristic limits according to ISO 11929-1 10.4.1 Background effect 10.4.2 Primary result and its associated standard uncertainty 10.4.3 Standard uncertainty as a function of an assumed true value 10.4.4 Decision threshold 10.4.5 Detection limit 10.4.6 Limits of coverage intervals 10.4.7 The best estimate and its associated standard uncertainty Documentation of the results obtained by ISO 11929-1 and ISO 11929-2 Assessment and explanations ting clearance measurement Definition of the task and general aspects Model of evaluation and standard uncertainty Available information, input data, and specifications Evaluation of the measurement and characteristic limits according to ISO 11929-1 11.4.1 Background effect 11.4.2 Primary result and its associated standard uncertainty 11.4.3 Standard uncertainty as a function of an assumed true value 11.4.4 Decision threshold 11.4.5 Detection limit	34 35 35 35 36 36 36 38 38 39 40 40 40 41 41
11	10.4 10.5 10.6 Coun 11.1 11.2 11.3	Available information, input data, and specifications Evaluation of the measurement and characteristic limits according to ISO 11929-1 10.4.1 Background effect	34 35 35 35 36 36 36 36 38 38 39 40 40 40 41 41 41