

English Version

Intelligent transport systems - eSafety - Part 5: eCall for UNECE category L1 and L3 Powered Two-Wheeled Vehicles

Systèmes de transport intelligents - ESafety - Partie 5 :
eCall pour les véhicules à deux roues motorisés des
catégories UNECE L1 et L3

Intelligente Verkehrssysteme - eSicherheit - Teil 5:
eCall für motorisierte Zweiräder der UNECE-
Fahrzeugklassen L1 und L3

This draft European Standard is submitted to CEN members for enquiry. It has been drawn up by the Technical Committee CEN/TC 278.

If this draft becomes a European Standard, CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

This draft European Standard was established by CEN in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and United Kingdom.

Recipients of this draft are invited to submit, with their comments, notification of any relevant patent rights of which they are aware and to provide supporting documentation.

Warning : This document is not a European Standard. It is distributed for review and comments. It is subject to change without notice and shall not be referred to as a European Standard.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents

Page

European foreword	3
Introduction	4
1 Scope.....	5
2 Normative references.....	5
3 Terms and definitions	5
4 Symbols and abbreviations	7
5 Conformance.....	8
6 Context.....	8
7 eCall requirements for P2WV	8
7.1 Context.....	8
7.2 Activation of an eCall	8
7.2.1 Automatic eCall.....	8
7.2.2 Manual eCall.....	10
7.3 Audio connection between the PSAP and the user of the vehicle.....	10
7.4 Audible and visible indication to the rider(s)	10
7.5 MSD and additional data for P2WV eCall	11
8 eCall conformance tests for P2WV	11
8.1 General.....	11
8.2 Changed or omitted tests	12
8.2.1 Manual eCall activation not supported.....	12
8.2.2 Manual eCall activation supported.....	12
8.2.3 Limited or missing audio capabilities	12
8.3 Additional tests.....	12
8.3.1 Limited audio capabilities additional data.....	12
8.3.2 Incident severity identification and audio/visible indication	12
Annex A (informative) Compliance with EN 15722:2020 and EN 17870:2023	13
Annex B (normative) Incident severity identification and audio/visible indication for automatic triggering of a P2WV eCall.....	15
Bibliography	19

European foreword

This document (prEN 17249-5:2024) has been prepared by Technical Committee CEN/TC 278 “Intelligent transport systems”, the secretariat of which is held by NEN.

This document is currently submitted to the CEN Enquiry.

This document will supersede CEN/TS 17249-5:2022.

NOTE This document is complementary to EN 16072 and EN 15722 and presents adaptation requirements for the provision of eCall for Powered Two Wheels Vehicles.

Introduction

In accordance with European Regulation 2015/758, after 31st March 2018, all new model Category M1/N1 vehicles will be, as a result of European Regulation, equipped with 112-eCall.

The eCall Regulation at the time of developing this deliverable covers only M1 and N1 Category vehicles (cars and vans). The European Commission's "ICT Rolling Plan" states the objective "Action 1 Develop technical specification/standards for the implementation of eCall in vehicles of categories other than M1 and N1 and for other user types, taking into account requirements included within type approval regulation as well as ongoing activities in this area (pilots, CEF, ...)." And it goes on to explain "... for the extension to other vehicle types and services, such as Heavy-Duty Vehicles, Power Two Wheel Vehicles and other classes of vulnerable road users".

See CEN/TR 17249-1:2018.

Powered Two Wheel Vehicle (vehicle mounted) 112-eCall, using OEM systems included during the manufacture of the vehicle, present challenges to the eCall paradigm in that, in case of an accident, the rider is likely to be separated from the vehicle, usually by some distance. eCall equipment mounted on P2WVs is also subjected to far harsher environmental exposure than its in-car counterparts, and providing equipment, such as speakers, that will last and reliably operate for the lifetime of the vehicle, presents a significant challenge. This document takes these issues into account as a variation of the requirements specified for Category M1 and N1 vehicles and, in particular, does not provide the requirement for two-way voice dialogue in all models. Other features that characterize eCall are maintained as optional. An optional additional data element (or, in the future, a specific bit in the MSD) that enables the PSAP to identify where voice communications are possible or not, is added.

This document defines the additional high-level service requirements for the provision of eCall to Powered Two Wheel Vehicles of UNECE Category L1 and L3 (vehicle mounted). As with the existing provisions for eCall for Category M1/N1 vehicles, and other specifications in this series, these are specified within the paradigm of being OEM fit equipment supplied with new vehicles.

NOTE The provision of eCall for vehicles via the aftermarket (post sales and registration), and the operational requirements for any such aftermarket solution for vehicle and will be the subject of other work, that will use the specifications of this document as a principle reference point.

1 Scope

In respect of 112-eCall (operating requirements defined in EN 16072), this document defines adaptations to eCall specifications defined in EN 16072 and other related documents to enable the provision of eCall for Powered Two Wheel Vehicles.

As with the existing provisions for eCall for Category M1/N1 vehicles, these are specified within the paradigm of being OEM fit equipment supplied with new vehicles.

For the purposes of the present document, the P2WV 'L' categories, as defined in Directive 2002/24/EC, Regulation (EU) No 168/2013, UNECE and as referenced/specified in EN 15722 apply.

This document includes only the requirements for Category L1 and L3 P2WV (vehicle based) with the exception of L1e-A (powered cycle), although other documents can subject other 'L' subcategories to use this document. Other Technical Specifications may be prepared for other UNECE category 'L' variants.

This document is based on and substitutes CEN/TS 17249-5:2022, following results achieved in sAFE project (sub-activity 3.5) [11] to obtain a specification allowing a more practical implementation of eCall for P2WVs.

The specifications herein relate only to the provision of pan-European eCall, and does not provide specifications for third party service provision of eCall. Other than in the 112-eCall paradigm, which involves a direct call from the vehicle to the most appropriate PSAP, third party service provision involves the support of an intermediary third-party service provider before the call is forwarded to the PSAP.

NOTE The provision of eCall for vehicles via the aftermarket (post sales and registration), and the operational requirements for any such aftermarket solution, will be the subject of other work, that will use the specifications of this document as a principle reference point.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 15722, *Intelligent transport systems — ESafety — ECall minimum set of data*

prEN 16072:2023, *Intelligent transport systems — ESafety — Pan-European eCall operating requirements*

EN 16454, *Intelligent transport systems — ESafety — ECall end to end conformance testing*

EN 17870, *Intelligent transport systems — ESafety — eCall Additional Dataconcept for equipment limitations*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <https://www.electropedia.org/>
- ISO Online browsing platform: available at <https://www.iso.org/obp/>

3.1

112

single European emergency call number supporting *Teleservice 12*

[SOURCE: ETSI/TS 122 003]

3.2

data

representations of static or dynamic objects in a formalized manner suitable for communication, interpretation, or processing by humans or by machines

Note 1 to entry: In packet switched networks, voice is carried in packets of data.

3.3

data concept

any of a group of *data* structures (i.e. object class, property, value domain, *data elements*, message, interface dialogue, *association*) referring to abstractions or things in the natural world that can be identified with explicit boundaries and meaning and whose properties and behaviour all follow the same rules

3.4

data element

single unit of information of interest (such as a fact, proposition, observation, etc.) about some (entity) class of interest (e.g. a person, place, process, property, concept, state, event) considered to be indivisible in a particular context

3.5

112 eCall

eCall

emergency call which is generated either automatically via activation of in-vehicle sensors or manually by the *vehicle occupants* (or person(s) riding on a vehicle that is not fitted with an enclosed compartment and/or (a) seatbelt(s)), and which, when activated, provides notification and relevant location information to the most appropriate '*Public Safety Answering Point*', by means of *mobile wireless communications networks*, carries a defined standardized '*Minimum Set of Data*' [MSD] and additional data notifying that there has been an incident that requires response from the emergency services, and if equipped establishes an audio channel between rider or pillion nearby and the most appropriate '*Public Safety Answering Point*'

3.6

eCall in-vehicle system

in vehicle system

IVS

'in-vehicle equipment' for the purposes of eCall (eCall in-vehicle equipment) only and not any other in-vehicle equipment provided for purposes other than eCall

3.7

MSD

minimum set of data

direct, timely data content of an eCall message to the PSAP operator receiving the emergency call containing information about the location of the incident, providing detail characterising the vehicle, and potentially sometimes also providing additional data that is deemed relevant, as defined in EN 15722