



Institut luxembourgeois de la normalisation
de l'accréditation, de la sécurité et qualité
des produits et services


ILNAS-EN 13763-17:2003

Explosives for civil uses - Detonators and relays - Part 17: Determination of no-fire current of electric detonators

Explosivstoffe für zivile Zwecke - Zünder
und Verzögerungselemente - Teil 17:
Bestimmung der
Nichtansprechstromstärke elektrischer

Explosifs à usage civil - Détonateurs et
relais - Partie 17: Détermination du
courant maximal de non-amorçage des
détonateurs électriques

12/2003



National Foreword

This European Standard EN 13763-17:2003 was adopted as Luxembourgish Standard ILNAS-EN 13763-17:2003.

Every interested party, which is member of an organization based in Luxembourg, can participate for FREE in the development of Luxembourgish (ILNAS), European (CEN, CENELEC) and International (ISO, IEC) standards:

- Participate in the design of standards
- Foresee future developments
- Participate in technical committee meetings

<https://portail-qualite.public.lu/fr/normes-normalisation/participer-normalisation.html>

THIS PUBLICATION IS COPYRIGHT PROTECTED

Nothing from this publication may be reproduced or utilized in any form or by any mean - electronic, mechanical, photocopying or any other data carries without prior permission!

ICS 71.100.30

English version

Explosives for civil uses - Detonators and relays - Part 17: Determination of no-fire current of electric detonators

Explosifs à usage civil - Détonateurs et relais - Partie 17:
Détermination du courant maximal de non-amorçage des
détonateurs électriques

Explosivstoffe für zivile Zwecke - Zünder und
Verzögerungselemente - Teil 17: Bestimmung der
Nichtansprechstromstärke elektrischer Zünder

This European Standard was approved by CEN on 10 November 2003.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Luxembourg, Malta, Netherlands, Norway, Portugal, Slovakia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

Contents

page

Foreword	3
1 Scope	5
2 Normative references	5
3 Terms and definitions.....	5
4 Test pieces.....	5
5 Apparatus	5
6 Procedure	6
7 Calculation of results	6
8 Test report	7
Annex A (informative) Range of applicability of the test method.....	8
Annex ZA (informative) Clauses of this European Standard addressing essential requirements or other provisions of EU Directives	9

Foreword

This document (EN 13763-17:2003) has been prepared by Technical Committee CEN/TC 321 "Explosives for civil uses", the secretariat of which is held by AENOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by June 2004, and conflicting national standards shall be withdrawn at the latest by June 2004.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive(s).

For relationship with EU Directive(s), see informative annex ZA, which is an integral part of this document.

Annex A is informative.

This European Standard is one of a series of standards with the generic title *Explosives for civil uses – Detonators and relays*. The other parts of this series are listed below:

prEN 13763-1	Part 1: Requirements
EN 13763-2	Part 2: Determination of thermal stability
EN 13763-3	Part 3: Determination of sensitiveness to impact
EN 13763-4	Part 4: Determination of resistance to abrasion of leading wires and shock tubes
EN 13763-5	Part 5: Determination of resistance to cutting damage of leading wires and shock tubes
EN 13763-6	Part 6: Determination of resistance to cracking in low temperatures of leading wires
EN 13763-7	Part 7: Determination of the mechanical strength of leading wires, shock tubes, connections, crimps and closures
EN 13763-8	Part 8: Determination of the resistance to vibration of plain detonators
EN 13763-9	Part 9: Determination of resistance to bending of detonators
EN 13763-11	Part 11: Determination of resistance to damage by dropping of detonators and relays
EN 13763-12	Part 12: Determination of resistance to hydrostatic pressure
prEN 13763-13	Part 13: Determination of resistance of electric detonators against electrostatic discharge
prEN 13763-15	Part 15: Determination of equivalent initiating capability
EN 13763-16	Part 16: Determination of delay accuracy
EN 13763-18	Part 18: Determination of series firing current of electric detonators
EN 13763-19	Part 19: Determination of firing impulse of electric detonators
EN 13763-20	Part 20: Determination of total electrical resistance of electric detonators
EN 13763-21	Part 21: Determination of flash-over voltage of electric detonators