INTERNATIONAL STANDARD

13156

First edition 2009-11-15

Information technology — Telecommunications and information exchange between systems — High rate 60 GHz PHY, MAC and HDMI PAL

Technologies de l'information — Téléinformatique — PHY, MAC et HDMI PAL 60 GHz à haut débit



PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.



COPYRIGHT PROTECTED DOCUMENT

© ISO/IEC 2009

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

Page

Forewordxii
Introductionxiii
1 Scope1
2 Conformance
3 Normative references1
4 Terms and definitions1
5 Notational conventions4
6 Abbreviations and acronyms4
7 General description (informative)7
7.1 PHY general description7
7.2 MAC general description 8
7.2.1 General description of the architecture8
7.2.2 Device address
7.2.3 Features assumed from the PHY
7.2.4 Overview of MAC service functionality9
7.2.5 MAC policies
7.2.6 Support for higher-layer timer synchronization
7.3 MUX general description
7.4 HDMI PAL description
8 PHY layer (informative)
9 Description of signal
9.1 Mathematical framework for SCBT, OFDM, DBPSK, DQPSK, UEP-QPSK, OOK and 4ASK
9.2 Mathematical framework for the narrow band section of the discovery mode preamble
9.3 Mathematical framework for DAMI
10 PLCP sublayer
•
10.1 General PPDU frame format
10.1.1 PLCP preamble
10.1.2 PLCP header
10.1.3 PPDU payload
10.1.4 Antenna training sequence
10.2 Type A PPDU
10.2.1 Mode dependent parameters
10.2.2 SCBT
10.2.3 OFDM