

INTERNATIONAL STANDARD

Representation of process control engineering – Requests in P&I diagrams and data exchange between P&ID tools and PCE-CAE tools



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2008 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.

If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland
Email: inmail@iec.ch
Web: www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

- Catalogue of IEC publications: www.iec.ch/searchpub

The IEC on-line Catalogue enables you to search by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, withdrawn and replaced publications.

- IEC Just Published: www.iec.ch/online_news/justpub

Stay up to date on all new IEC publications. Just Published details twice a month all new publications released. Available on-line and also by email.

- Electropedia: www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 20 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary online.

- Customer Service Centre: www.iec.ch/webstore/custserv

If you wish to give us your feedback on this publication or need further assistance, please visit the Customer Service Centre FAQ or contact us:

Email: csc@iec.ch
Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00

INTERNATIONAL STANDARD

Representation of process control engineering – Requests in P&I diagrams and data exchange between P&ID tools and PCE-CAE tools

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

PRICE CODE

XF

ICS 35.240.50; 25.040.40

ISBN 2-8318-9942-7

CONTENTS

FOREWORD.....	6
INTRODUCTION.....	8
1 Scope.....	10
2 Normative references	10
3 Terms and definitions	10
4 Abbreviations	14
5 Conformity.....	15
6 Representation of PCE requests in a P&ID	16
6.1 PCE request and PCE loop	16
6.2 Objectives and principles	17
6.3 Requirements for the identification and representation of PCE requests.....	17
6.3.1 General	17
6.3.2 Types of lines	18
6.3.3 Displaying the location of the operator interface	18
6.3.4 PCE categories and processing functions	19
6.3.5 PCE request reference designation scheme	22
6.3.6 PU-vendor and typical identification	23
6.3.7 Device information.....	23
6.3.8 Alarming, switching and indicating.....	24
6.3.9 Safety-relevant, GMP and quality-relevant PCE requests	24
6.3.10 PCE control functions	25
7 Neutral data exchange of PCE relevant P&ID information	26
7.1 Objectives	26
7.2 Meaning of P&ID elements	26
7.3 PCE relevant information of P&ID tools	27
7.4 Formal description of PCE relevant information of P&ID tools.....	28
7.4.1 General	28
7.4.2 Modeling PCE relevant information using the CAEX system description language	29
7.4.3 Basic CAEX mappings	29
7.4.4 Mapping of a PCE request interface to an external interface of the corresponding plant hierarchy item	31
7.4.5 CAEX description of direct links between PCE request interfaces of different plant hierarchy items	33
7.4.6 PCE loops	34
8 Additional PCE attributes.....	35
Annex A (normative) CAEX – Data model for machine information exchange	36
Annex B (informative) Examples of PCE requests	109
Annex C (normative) Full XML schema of the CAEX Model.....	119
Annex D (informative) CAEX modelling examples	128
Bibliography.....	135
Figure 1 – Information flow between P&ID and PCE tool	9
Figure 2 – Organization of PCE requests	17
Figure 3 – General representation of a PCE-Request in a P&ID	18

Figure 4 – Multi-sensor element.....	18
Figure 5 – Local interface	19
Figure 6 – Manually operated switch in local control panel.....	19
Figure 7 – Pressure indication in central control room.....	19
Figure 8 – Example of PCE request identification	23
Figure 9 – Example of flow measurement with indication in the CCR delivered by vendor A specified by typical A20	23
Figure 10 – Example of pH-measurement with indication in the CCR	23
Figure 11 – Example of flow measurement with indication in the CCR and high and low alarm	24
Figure 12 – Flow measurement with indication in the CCR and high alarm and a high-high switching function.....	24
Figure 13 – Flow measurement with indication in the CCR and a high-high switch limit, a high alarm, a low alarm and a low-low switch limit for a safety function	24
Figure 14 – GMP relevant, safety relevant and quality relevant flow measurement with indication in the CCR	25
Figure 15 – Control function.....	25
Figure 16 – Safety relevant control function	25
Figure 17 – P&ID elements and associations (PCE relevant items are shown in dark lines)	27
Figure 18 – Process data model (PCE relevant items are shown in dark lines).....	28
Figure 19 – PCE request data model	30
Figure 20 – Example of two plant sections and a signal connection via external interfaces.....	32
Figure 21 – Simplified CAEX model of indirect links between PCE requests across different plant hierarchy items.....	32
Figure 22 – Example of two plant sections and a direct connection	33
Figure 23 – Simplified CAEX model of direct links between PCE requests across different plant hierarchy items.....	34
Figure A.1 – CAEX architecture of a SystemUnitClass	42
Figure A.2 – Example of a SystemUnitClassLib.....	42
Figure A.3 – Examples of Attributes	44
Figure A.4 – Examples of an InterfaceClassLib	46
Figure A.5 – Usage of Links.....	47
Figure A.6 – Example of a RoleClassLib	48
Figure A.7 – CAEX Role Concept.....	50
Figure A.8 – CAEX data definition for use case 1	50
Figure A.9 – CAEX data definition for use case 2	51
Figure A.10 – CAEX data definition for use case 3	51
Figure A.11 – CAEX data definition of a MappingObject.....	53
Figure A.12 – Example for a hierarchical plant structure	53
Figure A.13 – CAEX data structure	54
Figure A.14 – Distribution of data in several CAEX files	54
Figure A.15 – Referencing of external CAEX files	54
Figure A.16 – Example of how to use alias names	55
Figure A.17 – Multiple crossed structures	56

Figure B.1 – Local level indication, 1 process connection	109
Figure B.2 – Local level indication, 2 process connections.....	109
Figure B.3 – Local flow indication	109
Figure B.4 – Local pressure indication	109
Figure B.5 – Local temperature indication.....	109
Figure B.6 – Local control panel, pressure indication, high alarm.....	110
Figure B.7 – Local temperature indication, CCR temperature high alarm.....	110
Figure B.8 – Local pressure indication, CCR pressure high alarm and switch.....	110
Figure B.9 – CCR flow indication, device information: Orifice Plate.....	110
Figure B.10 – CCR pressure indication, low, low low and high alarm	110
Figure B.11 – CCR temperature indication and registration.....	111
Figure B.12 – CCR level indication and registration, 1 process connection	111
Figure B.13 – CCR level indication, 2 process connections.....	111
Figure B.14 – Two flow indications and flow ratio control in CCR.....	111
Figure B.15 – CCR flow indication and high alarm, flow control, control valve with extra interlock and open/close indication	112
Figure B.16 – Local pressure indication, CCR pressure indication, high alarm and high high safety relevant switch.....	112
Figure B.17 – Local pressure indication, CCR pressure indication, alarms and switches	112
Figure B.18 – CCR pressure indication, high and low alarm, safety relevant switch action on on/off valve.....	112
Figure B.19 – Switched valve with on/off indication and switching action, safety relevant switched valve.....	113
Figure B.20 – Pressure restriction.....	113
Figure B.21 – Flow restriction	113
Figure B.22 – PT compensated flow control, safety-relevant pressure switch (two out of three (2oo3) shutdown), switched control valve with on/off indication and switching action at open position.....	114
Figure B.23 – CCR temperature control, additional manual switch actions from CCR with indication and local control panel.....	114
Figure B.24 – Motor typical, local on/off control, CCR off control, current, fault with alarm and running indication.....	115
Figure B.25 – Multivariable controller.....	115
Figure B.26 – On/off valve with position indication	116
Figure B.27 – On/off valve with safety relevant switch and position indication	116
Figure B.28 – Level control with continuous controller.....	116
Figure B.29 – Level control with on/off switch	116
Figure B.30 – Cascade control for temperature as control input, flow control as follow-up controller	117
Figure B.31 – Safety directed high control to a subsequent valve, manual control for reset function and manual control for manual/automatic switch of the valve, valve with open/close indication and safety-relevant switch to subsequent valve.....	117
Figure B.32 – Flow control in CCR.....	117
Figure B.33 – Temperature control with high alarm and high switch	117
Figure B.34 – Manual control from CCR.....	118
Figure B.35 – Flow measurement with display and alarms in CCR, high high switch on process control function and switch on/off valve	118

Figure B.36 – Local P-/F-/T-/S- control without auxiliary power (stand-alone).....	118
Figure D.1 – Example CAEX interface library.....	128
Figure D.2 – Example CAEX role library	129
Figure D.3 – Example to be mapped with CAEX.....	131
Figure D.4 – CAEX model of the example described in Figure D.3	132
Table 1 – Abbreviations	15
Table 2 – PCE categories	20
Table 3 – PCE processing function	21
Table 4 – Sequence combinations	22
Table 5 – PCE processing functions for actuators	22
Table 6 – P&ID attributes relevant in PCE environment	35
Table 7 – Data handling attributes	35
Table A.1 – XML notation conventions	36
Table A.2 – CAEX data types and elements	37

INTERNATIONAL ELECTROTECHNICAL COMMISSION

REPRESENTATION OF PROCESS CONTROL ENGINEERING – REQUESTS IN P&I DIAGRAMS AND DATA EXCHANGE BETWEEN P&ID TOOLS AND PCE-CAE TOOLS

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62424 has been prepared by IEC technical committee 65: Industrial-process measurement, control and automation.

This standard cancels and replaces IEC/PAS 62424 published in 2005. This first edition constitutes a technical revision.

The text of this standard is based on the following documents:

FDIS	Report on voting
65/420/FDIS	65/428/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of this publication will remain unchanged until the maintenance result date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

Withdrawn