




Institut luxembourgeois de la normalisation
de l'accréditation, de la sécurité et qualité
des produits et services

ILNAS-EN 4013:2004

Aerospace series - Shank nuts, self-locking, in heat resisting nickel base alloy NI-PH2601 (Inconel 718), silver plated - Classification: 1 550 MPa (at

Luft- und Raumfahrt - Einnietmuttern, selbstsichernd, aus hochwarmfester Nickelbasislegierung NI-PH2601 (Inconel 718), versilbert - Klasse: 1 550 MPa (bei

Série aérospatiale - Écrous à sertir, à freinage interne, en alliage résistant à chaud à base de nickel NI-PH2601 (Inconel 718), argentés - Classification : 1



National Foreword

This European Standard EN 4013:2004 was adopted as Luxembourgish Standard ILNAS-EN 4013:2004.

Every interested party, which is member of an organization based in Luxembourg, can participate for FREE in the development of Luxembourgish (ILNAS), European (CEN, CENELEC) and International (ISO, IEC) standards:

- Participate in the design of standards
- Foresee future developments
- Participate in technical committee meetings

<https://portail-qualite.public.lu/fr/normes-normalisation/participer-normalisation.html>

THIS PUBLICATION IS COPYRIGHT PROTECTED

Nothing from this publication may be reproduced or utilized in any form or by any mean - electronic, mechanical, photocopying or any other data carries without prior permission!

EUROPEAN STANDARD ILNAS-EN 4013:2004 **EN 4013**
NORME EUROPÉENNE
EUROPÄISCHE NORM

November 2004

ICS 49.030.30

Supersedes EN 4013:2003

English version

**Aerospace series - Shank nuts, self-locking, in heat resisting
nickel base alloy NI-PH2601 (Inconel 718), silver plated -
Classification: 1 550 MPa (at ambient temperature) / 600° C**

Série aéronautique - Écrous à sertir, à freinage interne, en
alliage résistant à chaud à base de nickel NI-PH2601
(Inconel 718), argentés - Classification : 1 550 MPa (à
température ambiante) / 600° C

Luft- und Raumfahrt - Einnietmuttern, selbstsichernd, aus
hochwarmfester Nickelbasislegierung NI-PH2601 (Inconel
718), versilbert - Klasse: 1 550 MPa (bei Raumtemperatur)
/ 600° C

This European Standard was approved by CEN on 11 September 2003.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Central Secretariat has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

Contents		Page
Foreword.....		3
1	Scope	4
2	Normative references	4
3	Required characteristics	4
4	Designation	6
5	Marking	6
6	Technical specification	6