
**Continuous hot-dip zinc-coated twin-roll
cast steel sheet of structural quality and
high strength steel**

*Tôles coulées entre cylindres et galvanisées en continu par immersion à
chaud, de qualité destinée à la construction et en acier à haute résistance*





COPYRIGHT PROTECTED DOCUMENT

© ISO 2012

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

Page

Foreword	iv
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Thickness	2
5 Conditions of manufacture	2
5.1 Chemical composition	2
5.2 Mechanical properties	4
6 Coating	5
6.1 Coating mass	5
6.2 Coating adherence	6
6.3 Weldability	7
6.4 Painting	7
7 Surface treatment	7
7.1 Mill passivation	7
7.2 Mill phosphating	7
7.3 Oiling	7
8 Dimensional and shape tolerances	8
9 Sampling	8
9.1 Chemical composition	8
9.2 Tensile test	8
9.3 Coating tests	8
9.4 Retest	8
10 Test methods	9
10.1 Tensile test	9
10.2 Coating properties	9
11 Designation system	9
11.1 General	9
11.2 Coating type	9
11.3 Coating mass	9
11.4 Coating conditions	9
11.5 Surface treatment	10
11.6 Structural grades	10
11.7 Example of designation	10
11.8 Resubmission	10
12 Workmanship	10
13 Inspection and acceptance	11
14 Marking	11
15 Information to be supplied by the purchaser	11
Annex A (normative) Orders requiring base-metal thickness	13
Bibliography	14