International Standard



5167

INTERNATIONAL ORGANIZATION FOR STANDARDIZATION-MEXALYHAPOAHAR OPTAHUSALUR NO CTAHAAPTUSALURU-ORGANISATION INTERNATIONALE DE NORMALISATION

Measurement of fluid flow by means of orifice plates, nozzles and venturi tubes inserted in circular cross-section conduits running full

Mesure de débit des fluides au moyen de diaphragmes, tuyères et tubes de Venturi insérés dans des conduites en charge de section circulaire

First edition - 1980-02-01

FOREWORD

ISO (the International Organization for Standardization) is a worldwide federation of national standards institutes (ISO member bodies). The work of developing International Standards is carried out through ISO technical committees. Every member body interested in a subject for which a technical committee has been set up has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work.

Draft International Standards adopted by the technical committees are circulated to the member bodies for approval before their acceptance as International Standards by the ISO Council.

International Standard ISO 5167 was developed by Technical Committee ISO/TC 30 has been set up in order to resolve the differences between the two documents.

It has been approved by the member bodies of the following countries:

Australia Belgium

Germany, F. R. Hungary

Romania

Chile

Korea, Rep. of

South Africa, Rep. of

Czechoslovakia

Mexico

Turkey

Egypt, Arab Rep. of

Netherlands

United Kingdom USSR

Finland

Philippines

France

Portugal

The member body of the following country expressed disapproval of the document on technical grounds:

USA

This International Standard cancels and replaces ISO Recommendations R 541-1967 and R 781-1968, of which it constitutes a technical revision.

During the development of this International Standard, it was found that it was in conflict with a document on the same subject being prepared by ISO/TC 28/SC 5 "Measurement of light hydrocarbon fluids". A liaison group ISO/TC 28/SC 5 — ISO/TC 30 has been set up in order to resolve the differences between the two documents.

The completion in the future of the work of this liaison group may therefore lead to the revision of this International Standard.

© International Organization for Standardization, 1980 •

Printed in Switzerland

CC	CONTENTS				Page
1	Scope and field of application				. 1
2			• •	`.	. 1
2.1	•,	• • •			. 2
2.2	.2 Pressure measurement : Definitions		•	• • •	. 3
2.3	.3 Primary devices : Definitions				. 3
2.4	.4 Flow: Definitions				. 3
3	Principle of the method of measurement and computation				. 4
3.1	.1 Principle of the method of measurement		• • •		. 4
3.2	.2 Method of determination of the diameter ratio of the select primary device	ted	star	ndar	d . 4
3.3	.3 Computation of rate of flow				. 5
3.4	.4 Determination of mass density				. 5
4	Selection of the primary device	<i>.</i>			. 6
5	General requirements for the measurements				. 6
5.1	.1 Primary device	· ••••			. 6
5.2	.2 Type of fluid				. 6
5.3	.3 Flow conditions	• •,•			. 7
6	Installation requirements				. 7
6.1	.1 General				. 7
6.2	.2 Minimum upstream and downstream straight lengths required f installation between various fittings and the primary device				. 7
6.3	.3 Straightening devices				. 10
6.4	.4 General requirement for flow conditions at the primary device				. 12
6.5	5 Additional specific installation requirements for orifice plates, venturi nozzles.	noz	zles	and	d . 12
6.6	6 Additional specific installation requirements for classical ventur	i tul	oes .		. 13