

INTERNATIONAL STANDARD

**Vacuum cleaners for household use –
Part 1: Dry vacuum cleaners – Methods for measuring the performance**



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2010 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.

If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland
Email: inmail@iec.ch
Web: www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

- Catalogue of IEC publications: www.iec.ch/searchpub

The IEC on-line Catalogue enables you to search by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, withdrawn and replaced publications.

- IEC Just Published: www.iec.ch/online_news/justpub

Stay up to date on all new IEC publications. Just Published details twice a month all new publications released. Available on-line and also by email.

- Electropedia: www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 20 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary online.

- Customer Service Centre: www.iec.ch/webstore/custserv

If you wish to give us your feedback on this publication or need further assistance, please visit the Customer Service Centre FAQ or contact us:

Email: csc@iec.ch
Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00

INTERNATIONAL STANDARD

**Vacuum cleaners for household use –
Part 1: Dry vacuum cleaners – Methods for measuring the performance**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

PRICE CODE **XB**

ICS 97.080

ISBN 978-2-88912-179-3

CONTENTS

FOREWORD.....	4
1 Scope.....	6
2 Normative references.....	6
3 Terms and definitions	7
4 General conditions for testing	8
4.1 Atmospheric conditions.....	8
4.2 Test equipment and materials.....	9
4.3 Voltage and frequency.....	9
4.4 Running-in of vacuum cleaner.....	9
4.5 Equipment of the vacuum cleaner.....	9
4.6 Operation of the vacuum cleaner	10
4.7 Conditioning prior to each tests.....	10
4.8 Mechanical operator	10
4.9 Number of samples.....	10
4.10 In-house reference cleaner system(s).....	11
5 Dry vacuum cleaning tests	11
5.1 Dust removal from hard flat floors.....	11
5.2 Dust removal from hard floors with crevices.....	13
5.3 Dust removal from carpets.....	14
5.4 Dust removal along walls	17
5.5 Fibre removal from carpets and upholstery.....	18
5.6 Thread removal from carpets.....	22
5.7 Maximum usable volume of the dust receptacle	23
5.8 Air data.....	24
5.9 Performance with loaded dust receptacle.....	26
5.10 Total emission while vacuum cleaning.....	28
5.11 Filtration efficiency of the vacuum cleaner.....	28
6 Miscellaneous tests	33
6.1 General.....	33
6.2 Motion resistance	34
6.3 Cleaning under furniture	34
6.4 Radius of operation	35
6.5 Impact resistance for detachable cleaning heads.....	36
6.6 Deformation of hose and connecting tubes.....	36
6.7 Bump test.....	37
6.8 Flexibility of the hose	39
6.9 Repeated bending of the hose	40
6.10 Life test	41
6.11 Mass	42
6.12 Weight in hand	42
6.13 Specific cleaning time.....	43
6.14 Dimensions	43
6.15 Noise level.....	43
6.16 Energy consumption	43
7 Test material and equipment.....	45
7.1 General	45

7.2	Material for measurements	46
7.3	Equipment for measurements	50
8	Instructions for use	65
	Annex A (informative) Information on materials.....	66
	Annex B (informative) Information at the point of sale	67
	Annex C (normative) Guidance specification on verified carpets	68
	Bibliography	70
	Figure 1 – Right-angled T	17
	Figure 2 – Determination of cleaning area	18
	Figure 3 – Stencil for distribution of fibres on test carpets	19
	Figure 4 – Zig Zag stroke pattern	20
	Figure 5 – Frame for test cushion	21
	Figure 6 – Stencil for distribution of fibres on upholstery	21
	Figure 7 – Arrangement of threads in the thread removal test	22
	Figure 8 – Stroke length in measurements.....	23
	Figure 9 – Air data curves	25
	Figure 10 – Connecting tube opening	26
	Figure 11 – Test dust for loading dust receptacle.....	27
	Figure 12 – Insertion depth.....	35
	Figure 13 – Position of test object and cross-section for measurement of deformation	37
	Figure 14 – Profile of threshold	38
	Figure 15 – Arrangements for bump test.....	38
	Figure 16 – Preparation of hoses for testing flexibility	40
	Figure 17 – Equipment for repeated bending of hoses	41
	Figure 18 – Test plate with crevice	50
	Figure 19 – Carpet-beating machine.....	51
	Figure 20 – Carpet hold-downs and guides	52
	Figure 21 – Dust spreader and roller for embedding dust into carpets	52
	Figure 22 – Alternative A equipment for air data measurements.....	53
	Figure 23 – Measuring box for alternative A.....	54
	Figure 24 – Alternative B equipment for air data measurements.....	56
	Figure 25 – Test hood	60
	Figure 26 – Aerosol channel with sampling probe	61
	Figure 27 – Exhaust channel with sampling probe.....	61
	Figure 28 – Drum for impact test	63
	Figure 29 – Device for testing deformation of hoses and connecting tubes	64
	Figure 30 – Mechanical operator for the measurement of dust removal from carpets and of motion resistance.....	65
	Table 1 – Confidence limits of a Poisson distribution for 95 % - confidence range	32
	Table 2 – Graduation of 8 size classes for particle sizes 0,3 µm – 10 µm	62

INTERNATIONAL ELECTROTECHNICAL COMMISSION

VACUUM CLEANERS FOR HOUSEHOLD USE –

Part 1: Dry vacuum cleaners –
Methods for measuring the performance

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60312-1 has been prepared by subcommittee 59F: Floor treatment appliances, of IEC technical committee 59: Performance of household and similar electrical appliances.

The text of this standard is based on the following documents:

FDIS	Report on voting
59F/195/FDIS	59F/199/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all the parts in the IEC 60312 series, under the general title *Vacuum cleaners for household use*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

Withdrawn

VACUUM CLEANERS FOR HOUSEHOLD USE –

Part 1: Dry vacuum cleaners – Methods for measuring the performance

1 Scope

This International Standard is applicable for measurements of the performance of dry vacuum cleaners for household use in or under conditions similar to those in households.

The purpose of this standard is to specify essential performance characteristics of dry vacuum cleaners being of interest to the users and to describe methods for measuring these characteristics.

NOTE 1 Due to influence of environmental conditions, variations in time, origin of test materials and proficiency of the operator, most of the described test methods will give more reliable results when applied for comparative testing of a number of appliances at the same time, in the same laboratory and by the same operator.

NOTE 2 This standard is not intended for battery-operated vacuum cleaners.

For safety requirements, reference is made to IEC 60335-1 and IEC 60335-2-2.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60688, *Electrical measuring transducers for converting a.c. electrical quantities to analogue or digital signals*

IEC 60704-1, *Household and similar electrical appliances – Test code for the determination of airborne acoustical noise – Part 1: General requirements*

IEC 60704-2-1, *Household and similar electrical appliances – Test code for the determination of airborne acoustical noise – Part 2-1: Particular requirements for vacuum cleaners*

ISO 554, *Standard atmospheres for conditioning and/or testing – Specifications*

ISO 679, *Methods of testing cements – Determination of strength*

ISO 1763, *Carpets – Determination of number of tufts and/or loops per unit length and per unit area*

ISO 1765, *Machine-made textile floor coverings – Determination of thickness*

ISO 1766, *Textile floor coverings – Determination of thickness of pile above the substrate*

ISO 2424, *Textile floor coverings – Vocabulary*

ISO 2439, *Flexible cellular polymeric materials – Determination of hardness (indentation technique)*

ISO 3386-1, *Polymeric materials, cellular flexible – Determination of stress-strain characteristics in compression – Part 1: Low-density materials*

ISO 5167-1, *Measurement of fluid flow by means of pressure differential devices inserted in circular cross-section conduits running full – Part 1: General principles and requirements*

ISO 8543, *Textile floor coverings – Methods for determination of mass*

ISO 12103-1, *Road vehicles – Test dust for filter evaluation – Part 1: Arizona test dust*

3 Terms and definitions

For the purpose of this document, the following definitions apply:

3.1

dry vacuum cleaner

electrically operated appliance that removes dry material (e. g. dust, fibre, threads) from the surface to be cleaned by an airflow created by a vacuum developed within the unit, the removed material being separated in the appliance and the cleaned suction air being returned to the ambient

3.2

upright cleaner

self-standing and floor-supported vacuum cleaner with the cleaning head forming an integral part of or permanently connected to the cleaner housing, the cleaning head normally being provided with an agitation device to assist dirt removal and the complete cleaner housing being moved over the surface to be cleaned by means of an attached handle

3.3

cleaning head

plain nozzle or a brush attached to a connecting tube, or a power nozzle, separate or part of the cleaner housing, and that part of a vacuum cleaner which is applied to a surface to be cleaned

3.4

active nozzle

cleaning head provided with a driven agitation device to assist dirt removal

NOTE The agitation device may be driven by an incorporated electric motor (motorized nozzle), an incorporated turbine powered by the air flow (air-turbine nozzle) or an incorporated friction or gear mechanism actuated by moving the cleaning head over the surface to be cleaned (mechanical nozzle)

3.5

passive nozzle

cleaning head without any driven agitation devices

3.6

self-propelled cleaning head

cleaning head provided with a propulsion mechanism

3.7

cleaning head width

B

the external maximum width of the cleaning head in metres