

INTERNATIONAL STANDARD

NORME INTERNATIONALE



**Energy management system application program interface (EMS-API) –
Part 301: Common information model (CIM) base**

**Interface de programmation d'application pour système de gestion d'énergie
(EMS-API) –
Partie 301: Base de modèle d'information commun (CIM)**



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2013 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.
If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de la CEI ou du Comité national de la CEI du pays du demandeur.

Si vous avez des questions sur le copyright de la CEI ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de la CEI de votre pays de résidence.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

Useful links:

IEC publications search - www.iec.ch/searchpub

The advanced search enables you to find IEC publications by a variety of criteria (reference number, text, technical committee,...).

It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available on-line and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 30 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary (IEV) on-line.

Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

A propos de la CEI

La Commission Electrotechnique Internationale (CEI) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications CEI

Le contenu technique des publications de la CEI est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Liens utiles:

Recherche de publications CEI - www.iec.ch/searchpub

La recherche avancée vous permet de trouver des publications CEI en utilisant différents critères (numéro de référence, texte, comité d'études,...).

Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

Just Published CEI - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications de la CEI. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

Electropedia - www.electropedia.org

Le premier dictionnaire en ligne au monde de termes électroniques et électriques. Il contient plus de 30 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans les langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (VEI) en ligne.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: csc@iec.ch.

INTERNATIONAL STANDARD

NORME INTERNATIONALE



**Energy management system application program interface (EMS-API) –
Part 301: Common information model (CIM) base**

**Interface de programmation d'application pour système de gestion d'énergie
(EMS-API) –
Partie 301: Base de modèle d'information commun (CIM)**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

PRICE CODE **XH**
CODE PRIX

ICS 33.200

ISBN 978-2-83220-813-7

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD.....	18
INTRODUCTION	20
1 Scope.....	22
2 Normative references.....	22
3 Terms and definitions.....	23
4 CIM specification.....	23
4.1 CIM modeling notation.....	23
4.2 CIM packages.....	23
4.3 CIM classes and relationships.....	25
4.3.1 Classes.....	25
4.3.2 Generalization	26
4.3.3 Simple association	27
4.3.4 Aggregation.....	28
4.4 CIM model concepts and examples.....	28
4.4.1 Concepts.....	28
4.4.2 Containment, equipment hierarchies and naming.....	28
4.4.3 Connectivity model.....	31
4.4.4 Inheritance hierarchy.....	34
4.4.5 Transformer model.....	36
4.4.6 Regulating transformer modeling.....	37
4.4.7 Measurements and controls.....	40
4.4.8 Regulating control models.....	44
4.5 Modeling guidelines.....	44
4.5.1 Modeling for change.....	44
4.5.2 Process for amendments to the CIM.....	45
4.5.3 Changes to the CIM UML model	45
4.5.4 Changes to the CIM standards documents.....	45
4.5.5 CIM profiles.....	45
4.6 Modeling tools.....	46
4.7 User implementation conventions	46
4.8 CIM modeling examples.....	46
5 Detailed model.....	47
5.1 Overview.....	47
5.2 Context.....	47
6 Package architecture	49
6.1 Top package IEC61970	49
6.1.1 General.....	49
6.1.2 IEC61970CIMVersion root class	49
6.1.3 Package Domain.....	50
6.1.4 Package Core.....	69
6.1.5 Package OperationalLimits.....	96
6.1.6 Package Topology.....	103
6.1.7 Package Wires.....	110
6.1.8 Package Generation.....	174
6.1.9 Package LoadModel.....	238
6.1.10 Package Outage.....	251

6.1.11 Package Protection	256
6.1.12 Package Equivalents	262
6.1.13 Package Meas	267
6.1.14 Package SCADA	291
6.1.15 Package ControlArea	296
6.1.16 Package Contingency	302
6.1.17 Package StateVariables	305
Bibliography	310
Figure 1 – CIM IEC 61970-301 package diagram	25
Figure 2 – Example of generalization	27
Figure 3 – Example of simple association	28
Figure 4 – Example of aggregation	28
Figure 5 – Equipment containers	30
Figure 6 – Connectivity model	31
Figure 7 – Simple network example	33
Figure 8 – Simple network connectivity modeled with CIM Topology	33
Figure 9 – Equipment inheritance hierarchy	35
Figure 10 – Transformer model	37
Figure 11 – Symmetrical Phase Shifter	38
Figure 12 – Asymmetrical Phase Shifter	39
Figure 13 – Navigating from PSR to MeasurementValue	41
Figure 14 – Measurement placement	43
Figure 15 – Regulating control models	44
Figure 16 – CIM top level packages	47
Figure 17 – Logical diagram IEC61970::Main	49
Figure 18 – Logical diagram Domain::CombinedDatatypes	50
Figure 19 – Logical diagram Domain::BasicDatatypes	51
Figure 20 – Logical diagram Domain::ElectricityDatatypes	51
Figure 21 – Logical diagram Domain::EnumeratedUnitDatatypes	52
Figure 22 – Logical diagram Domain::GeneralDatatypes	53
Figure 23 – Logical diagram Domain::MonetaryDatatypes	54
Figure 24 – Logical diagram Domain::TimeDatatypes	54
Figure 25 – Logical diagram Core::Reporting	69
Figure 26 – Logical diagram Core::Main	70
Figure 27 – Logical diagram Core::CurveSchedule	71
Figure 28 – Logical diagram Core::Datatypes	71
Figure 29 – Logical diagram Core::DocumentationExampleAggregation	72
Figure 30 – Logical diagram Core::DocumentationExampleAssociation	72
Figure 31 – Logical diagram Core::Ownership	73
Figure 32 – Logical diagram OperationalLimits::OperationalLimits	96
Figure 33 – Logical diagram OperationalLimits::BranchGroup	97
Figure 34 – Logical diagram Topology::TopologicalNodeTerminal	104
Figure 35 – Logical diagram Topology::Topology	105

Figure 36 – Logical diagram Topology::TopologyMeasRelations	106
Figure 37 – Logical diagram Topology::TopologyReporting	107
Figure 38 – Logical diagram Topology::Main	108
Figure 39 – Logical diagram Wires::DocumentationExampleInheritance	111
Figure 40 – Logical diagram Wires::MutualCoupling	112
Figure 41 – Logical diagram Wires::Schedules	113
Figure 42 – Logical diagram Wires::Datatypes	114
Figure 43 – Logical diagram Wires::InheritanceHierarchy	115
Figure 44 – Logical diagram Wires::LineModel	116
Figure 45 – Logical diagram Wires::NamingHierarchyPart1	117
Figure 46 – Logical diagram Wires::NamingHierarchyPart2	118
Figure 47 – Logical diagram Wires::RegulatingEquipment	119
Figure 48 – Logical diagram Wires::TransformerModel	120
Figure 49 – Logical diagram Wires::VoltageControl	121
Figure 50 – Logical diagram Generation::Main	175
Figure 51 – Logical diagram GenerationDynamics::Main	175
Figure 52 – Logical diagram GenerationDynamics::Datatypes	176
Figure 53 – Logical diagram Production::Nuclear	192
Figure 54 – Logical diagram Production::Main	193
Figure 55 – Logical diagram Production::Datatypes	194
Figure 56 – Logical diagram Production::Hydro	195
Figure 57 – Logical diagram Production::Thermal	196
Figure 58 – Logical diagram LoadModel::Main	238
Figure 59 – Logical diagram LoadModel::Datatypes	239
Figure 60 – Logical diagram Outage::Datatypes	251
Figure 61 – Logical diagram Outage::Main	252
Figure 62 – Logical diagram Protection::Main	256
Figure 63 – Logical diagram Equivalents::Main	262
Figure 64 – Logical diagram Meas::Datatypes	268
Figure 65 – Logical diagram Meas::Meas	268
Figure 66 – Logical diagram Meas::Control	269
Figure 67 – Logical diagram Meas::InheritanceStructure	270
Figure 68 – Logical diagram Meas::Measurement with limits	271
Figure 69 – Logical diagram Meas::Quality	272
Figure 70 – Logical diagram SCADA::Datatypes	292
Figure 71 – Logical diagram SCADA::Main	292
Figure 72 – Logical diagram ControlArea::ControlArea	297
Figure 73 – Logical diagram ControlArea::ControlAreaInheritance	298
Figure 74 – Logical diagram ControlArea::Datatypes	298
Figure 75 – Logical diagram Contingency::Contingency	302
Figure 76 – Logical diagram StateVariables::StateVariables	305
Table 1 – MeasurementType naming conventions	42

Table 2 – MeasurementValueSource naming conventions.....	43
Table 3 – Attributes	47
Table 4 – Association ends.....	48
Table 5 – Enums	48
Table 6 – Attributes of IEC61970::IEC61970CIMVersion.....	50
Table 7 – Attributes of Domain::AbsoluteDate.....	54
Table 8 – Attributes of Domain::AbsoluteDateTime	55
Table 9 – Attributes of Domain::ActivePower	55
Table 10 – Attributes of Domain::ActivePowerChangeRate	55
Table 11 – Attributes of Domain::Admittance	56
Table 12 – Attributes of Domain::AngleDegrees.....	56
Table 13 – Attributes of Domain::AngleRadians	56
Table 14 – Attributes of Domain::ApparentPower	56
Table 15 – Attributes of Domain::Capacitance	57
Table 16 – Attributes of Domain::Conductance	57
Table 17 – Attributes of Domain::CostPerEnergyUnit.....	57
Table 18 – Attributes of Domain::CostRate.....	58
Table 19 – Literals of Domain::Currency	58
Table 20 – Attributes of Domain::CurrentFlow.....	58
Table 21 – Attributes of Domain::Damping	59
Table 22 – Attributes of Domain::FloatQuantity.....	59
Table 23 – Attributes of Domain::Frequency.....	59
Table 24 – Attributes of Domain::Hours.....	60
Table 25 – Attributes of Domain::Impedance	60
Table 26 – Attributes of Domain::Inductance	60
Table 27 – Attributes of Domain::IntegerQuantity	60
Table 28 – Attributes of Domain::KWActivePower	61
Table 29 – Attributes of Domain::Length	61
Table 30 – Attributes of Domain::Minutes.....	61
Table 31 – Literals of Domain::MonetaryAmountPerEnergyUnit	62
Table 32 – Literals of Domain::MonetaryAmountPerHeatUnit	62
Table 33 – Literals of Domain::MonetaryAmountRate	62
Table 34 – Attributes of Domain::Money.....	62
Table 35 – Attributes of Domain::PerCent	63
Table 36 – Attributes of Domain::Pressure	63
Table 37 – Attributes of Domain::PU.....	63
Table 38 – Attributes of Domain::Reactance.....	63
Table 39 – Attributes of Domain::ReactivePower	64
Table 40 – Attributes of Domain::RealEnergy	64
Table 41 – Attributes of Domain::Resistance	64
Table 42 – Attributes of Domain::RotationSpeed.....	65
Table 43 – Attributes of Domain::Seconds.....	65
Table 44 – Attributes of Domain::StringQuantity.....	65

Table 45 – Attributes of Domain::Susceptance.....	66
Table 46 – Attributes of Domain::Temperature.....	66
Table 47 – Literals of Domain::UnitMultiplier	66
Table 48 – Literals of Domain::UnitSymbol.....	67
Table 49 – Attributes of Domain::Voltage	68
Table 50 – Attributes of Domain::VoltagePerReactivePower.....	68
Table 51 – Attributes of Domain::Volume	68
Table 52 – Attributes of Domain::WaterLevel.....	68
Table 53 – Attributes of Domain::Weight	69
Table 54 – Attributes of Core::ReportingGroup	73
Table 55 – Association ends of Core::ReportingGroup with other classes.....	74
Table 56 – Attributes of Core::ReportingSuperGroup.....	74
Table 57 – Association ends of Core::ReportingSuperGroup with other classes.....	74
Table 58 – Attributes of Core::BasePower.....	74
Table 59 – Attributes of Core::BaseVoltage.....	75
Table 60 – Association ends of Core::BaseVoltage with other classes.....	75
Table 61 – Attributes of Core::BasicIntervalSchedule.....	76
Table 62 – Attributes of Core::Bay.....	76
Table 63 – Association ends of Core::Bay with other classes.....	77
Table 64 – Literals of Core::BreakerConfiguration.....	77
Table 65 – Literals of Core::BusbarConfiguration.....	77
Table 66 – Literals of Core::CompanyType.....	78
Table 67 – Attributes of Core::ConductingEquipment.....	78
Table 68 – Association ends of Core::ConductingEquipment with other classes.....	78
Table 69 – Attributes of Core::ConnectivityNode.....	79
Table 70 – Association ends of Core::ConnectivityNode with other classes.....	79
Table 71 – Attributes of Core::ConnectivityNodeContainer.....	80
Table 72 – Association ends of Core::ConnectivityNodeContainer with other classes.....	80
Table 73 – Attributes of Core::Curve.....	80
Table 74 – Association ends of Core::Curve with other classes.....	81
Table 75 – Attributes of Core::CurveData.....	81
Table 76 – Association ends of Core::CurveData with other classes.....	81
Table 77 – Literals of Core::CurveStyle.....	82
Table 78 – Attributes of Core::Equipment.....	82
Table 79 – Association ends of Core::Equipment with other classes.....	82
Table 80 – Attributes of Core::EquipmentContainer.....	83
Table 81 – Association ends of Core::EquipmentContainer with other classes.....	83
Table 82 – Attributes of Core::GeographicalRegion.....	84
Table 83 – Association ends of Core::GeographicalRegion with other classes.....	84
Table 84 – Attributes of Core::IdentifiedObject.....	84
Table 85 – Attributes of Core::IrregularIntervalSchedule.....	85
Table 86 – Association ends of Core::IrregularIntervalSchedule with other classes.....	85
Table 87 – Attributes of Core::IrregularTimePoint.....	86

Table 88 – Association ends of Core::IrregularTimePoint with other classes	86
Table 89 – Attributes of Core::OperatingParticipant.....	86
Table 90 – Association ends of Core::OperatingParticipant with other classes	86
Table 91 – Attributes of Core::OperatingShare	87
Table 92 – Association ends of Core::OperatingShare with other classes	87
Table 93 – Literals of Core::PhaseCode.....	87
Table 94 – Attributes of Core::PowerSystemResource.....	88
Table 95 – Association ends of Core::PowerSystemResource with other classes	88
Table 96 – Attributes of Core::PsrList	89
Table 97 – Association ends of Core::PsrList with other classes.....	89
Table 98 – Attributes of Core::PSRType.....	89
Table 99 – Association ends of Core::PSRType with other classes	89
Table 100 – Attributes of Core::RegularIntervalSchedule	90
Table 101 – Association ends of Core::RegularIntervalSchedule with other classes.....	90
Table 102 – Attributes of Core::RegularTimePoint.....	91
Table 103 – Association ends of Core::RegularTimePoint with other classes	91
Table 104 – Attributes of Core::SubGeographicalRegion	91
Table 105 – Association ends of Core::SubGeographicalRegion with other classes	91
Table 106 – Attributes of Core::Substation	92
Table 107 – Association ends of Core::Substation with other classes.....	92
Table 108 – Attributes of Core::Terminal.....	93
Table 109 – Association ends of Core::Terminal with other classes	93
Table 110 – Attributes of Core::Unit.....	94
Table 111 – Association ends of Core::Unit with other classes	95
Table 112 – Attributes of Core::VoltageLevel.....	95
Table 113 – Association ends of Core::VoltageLevel with other classes	95
Table 114 – Literals of OperationalLimits::OperationalLimitDirectionKind	97
Table 115 – Attributes of OperationalLimits::OperationalLimitType	98
Table 116 – Association ends of OperationalLimits::OperationalLimitType with other classes.....	98
Table 117 – Attributes of OperationalLimits::ActivePowerLimit	98
Table 118 – Association ends of OperationalLimits::ActivePowerLimit with other classes.....	99
Table 119 – Attributes of OperationalLimits::ApparentPowerLimit	99
Table 120 – Association ends of OperationalLimits::ApparentPowerLimit with other classes.....	99
Table 121 – Attributes of OperationalLimits::BranchGroup	100
Table 122 – Association ends of OperationalLimits::BranchGroup with other classes.....	100
Table 123 – Attributes of OperationalLimits::BranchGroupTerminal.....	100
Table 124 – Association ends of OperationalLimits::BranchGroupTerminal with other classes.....	100
Table 125 – Attributes of OperationalLimits::CurrentLimit	101
Table 126 – Association ends of OperationalLimits::CurrentLimit with other classes	101
Table 127 – Attributes of OperationalLimits::OperationalLimit	101