

INTERNATIONAL STANDARD

IEC 60191-6-13

First edition
2007-06

Mechanical standardization of semiconductor devices –

Part 6-13: Design guideline of open-top-type sockets for Fine-pitch Ball Grid Array and Fine-pitch Land Grid Array (FBGA/FLGA)



Reference number
IEC 60191-6-13:2007(E)



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2007 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.

If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland
Email: inmail@iec.ch
Web: www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

- Catalogue of IEC publications: www.iec.ch/searchpub

The IEC on-line Catalogue enables you to search by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, withdrawn and replaced publications.

- IEC Just Published: www.iec.ch/online_news/justpub

Stay up to date on all new IEC publications. Just Published details twice a month all new publications released. Available on-line and also by email.

- Customer Service Centre: www.iec.ch/webstore/custserv

If you wish to give us your feedback on this publication or need further assistance, please visit the Customer Service Centre FAQ or contact us:

Email: csc@iec.ch
Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00

INTERNATIONAL STANDARD

IEC 60191-6-13

First edition
2007-06

Mechanical standardization of semiconductor devices –

Part 6-13: Design guideline of open-top-type sockets for Fine-pitch Ball Grid Array and Fine-pitch Land Grid Array (FBGA/FLGA)



CONTENTS

FOREWORD.....	3
1 Scope.....	5
2 Normative references	5
3 Terms and definitions	5
4 Socket code	5
4.1 Construction of socket code	5
4.2 Symbols	6
5 Terminal number	6
6 Socket nominal dimension.....	6
7 Socket length and width	7
8 Reference symbols and schematics.....	7
8.1 Outline drawings	7
8.2 Reference symbols and schematics of recommended socket mounting pattern on printed circuit board.....	9
8.3 Overall dimensions.....	10
8.4 Recommended dimensions of socket mounting pattern on printed circuit board	14
9 Individual outline drawing standard registration.....	15
Table 1 – Overall dimensions.....	10
Table 2 – Socket dimensions	12
Table 2a – Socket dimensions for Group 1, 2 and 3 (square socket)	12
Table 2b – Socket dimension for Group 4 (square or rectangular socket).....	13
Table 3 – Socket mounting dimensions	14
Table 4 – Registration table.....	15
Figure 1 – Outline drawings of the socket	8
Figure 2 – Applicable package outline.....	8
Figure 3 – Socket mounting pattern	9

INTERNATIONAL ELECTROTECHNICAL COMMISSION

MECHANICAL STANDARDIZATION OF SEMICONDUCTOR DEVICES –**Part 6-13: Design guideline of open-top-type sockets for Fine-pitch Ball Grid Array and Fine-pitch Land Grid Array (FBGA/FLGA)**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60191-6-13 has been prepared by subcommittee 47D: Mechanical standardization for semiconductor devices, of IEC technical committee 47: Semiconductor devices.

The text of this standard is based on the following documents:

FDIS	Report on voting
47D/681/FDIS	47D/692/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all the parts in the IEC 60191 series, under the general title *Mechanical standardization of semiconductor devices*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the maintenance result date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

Withdrawn

MECHANICAL STANDARDIZATION OF SEMICONDUCTOR DEVICES –

Part 6-13: Design guideline of open-top-type sockets for Fine-pitch Ball Grid Array and Fine-pitch Land Grid Array (FBGA/FLGA)

1 Scope

This part of IEC 60191 gives a design guideline of open-top-type semiconductor sockets for Fine-pitch Ball Grid Array (“FBGA” hereafter) and Fine-pitch Land Grid Array (“FLGA” hereafter). This standard is intended to establish the outline drawings and dimensions of the open-top-type socket out of the test and burn-in sockets applied to FBGA and FLGA.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60191-2, *Mechanical standardization of semiconductor devices – Part 2: Dimensions*

IEC 60191-6:2004, *Mechanical standardization of semiconductor devices – Part 6: General rules for the preparation of outline drawings of surface mounted semiconductor device packages*


3 Terms and definitions

For the purposes of this document, the terms and definitions of IEC 60191-6 apply.

4 Socket code

4.1 Construction of socket code

A socket code is constructed as follows.



4.2 Symbols

a) Semiconductor sockets symbol

The symbol for socket shall be expressed in 3 characters. The first character, “**S**”, refers to socket and the rest to the package code. FBGA shall be expressed as “**FB**”, FLGA shall be expressed as “**FL**”.

b) Socket type symbol

The symbol for socket type shall be expressed in 2 characters. The first character “**T**” refers to open top type and the rest remains option “**X**”. Clamshell type socket is referred to as “**C**”.

c) Socket nominal dimension symbol

The symbol for nominal dimension shall be expressed in 6 characters, which are 4 numeric characters and 2 alphabetical characters. The first 4 numeric characters comply with nominal dimension E x D which refers to applicable maximum width and length of FBGA/FLGA package.

The last 2 alphabetical characters refer to socket base matrix size either an even or an odd.

It refers to an odd contact row by “**A**” and an even contact row by “**B**” in order socket width direction and next socket length direction.

Namely, it refers to “**AA**” in case row number is an odd both for width and length direction, “**BB**” in case row number is an even both for width and length direction, “**AB**” in case row number is an odd at width direction and an even at length direction and “**BA**” in case row number is an even at width direction and an odd at length direction.

d) Number of terminal arrays

The symbol for number of terminal arrays shall be expressed by 4 numeric characters applying applicable package matrix size in E direction and D direction.

e) Terminal pitch

The symbol for terminal pitch of applicable package shall be expressed in 3 numeric characters. A decimal [.] is omitted.

5 Terminal number

The terminal number is provided in the following manner when the socket is viewed with the angle from top side. The horizontal row nearest to the index corner when the index is placed on the left top side is referred to as A.

As the row moves down, the number changes in the order of B, C, AA, AB.

1 is defined for the vertical row nearest to the index corner. As the row moves rightward, the number is increased 2, 3, The terminal number is combined with these alphabets and numbers and expressed as A1 or B1. I, O, Q, S, X and Z are not used as symbols for a horizontal row.

6 Socket nominal dimension

The applicable package length and width which extend from 1,50 mm to 21,0 mm by 0,50 mm increments are divided into 4 package groups. The socket nominal dimension is defined by the largest value of the package length or width in each socket group.