

INTERNATIONAL STANDARD

NORME INTERNATIONALE



INTERNATIONAL SPECIAL COMMITTEE ON RADIO INTERFERENCE
COMITÉ INTERNATIONAL SPÉCIAL DES PERTURBATIONS RADIOÉLECTRIQUES

BASIC EMC PUBLICATION
PUBLICATION FONDAMENTALE EN CEM

**Specification for radio disturbance and immunity measuring apparatus and methods –
Part 2-3: Methods of measurement of disturbances and immunity – Radiated disturbance measurements**

**Spécifications des méthodes et des appareils de mesure des perturbations radioélectriques et de l'immunité aux perturbations radioélectriques –
Partie 2-3: Méthodes de mesure des perturbations et de l'immunité – Mesures des perturbations rayonnées**



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2010 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.

If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de la CEI ou du Comité national de la CEI du pays du demandeur.

Si vous avez des questions sur le copyright de la CEI ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de la CEI de votre pays de résidence.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland
Email: inmail@iec.ch
Web: www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

- Catalogue of IEC publications: www.iec.ch/searchpub

The IEC on-line Catalogue enables you to search by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, withdrawn and replaced publications.

- IEC Just Published: www.iec.ch/online_news/justpub

Stay up to date on all new IEC publications. Just Published details twice a month all new publications released. Available on-line and also by email.

- Electropedia: www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 20 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary online.

- Customer Service Centre: www.iec.ch/webstore/custserv

If you wish to give us your feedback on this publication or need further assistance, please visit the Customer Service Centre FAQ or contact us:

Email: csc@iec.ch
Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00

A propos de la CEI

La Commission Electrotechnique Internationale (CEI) est la première organisation mondiale qui élabore et publie des normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications CEI

Le contenu technique des publications de la CEI est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

- Catalogue des publications de la CEI: www.iec.ch/searchpub/cur_fut-f.htm

Le Catalogue en-ligne de la CEI vous permet d'effectuer des recherches en utilisant différents critères (numéro de référence, texte, comité d'études,...). Il donne aussi des informations sur les projets et les publications retirées ou remplacées.

- Just Published CEI: www.iec.ch/online_news/justpub

Restez informé sur les nouvelles publications de la CEI. Just Published détaille deux fois par mois les nouvelles publications parues. Disponible en-ligne et aussi par email.

- Electropedia: www.electropedia.org

Le premier dictionnaire en ligne au monde de termes électroniques et électriques. Il contient plus de 20 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans les langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International en ligne.

- Service Clients: www.iec.ch/webstore/custserv/custserv_entry-f.htm

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions, visitez le FAQ du Service clients ou contactez-nous:

Email: csc@iec.ch
Tél.: +41 22 919 02 11
Fax: +41 22 919 03 00

INTERNATIONAL STANDARD

NORME INTERNATIONALE



INTERNATIONAL SPECIAL COMMITTEE ON RADIO INTERFERENCE
COMITÉ INTERNATIONAL SPÉCIAL DES PERTURBATIONS RADIOÉLECTRIQUES

BASIC EMC PUBLICATION
PUBLICATION FONDAMENTALE EN CEM

**Specification for radio disturbance and immunity measuring apparatus and methods –
Part 2-3: Methods of measurement of disturbances and immunity – Radiated disturbance measurements**

**Spécifications des méthodes et des appareils de mesure des perturbations radioélectriques et de l'immunité aux perturbations radioélectriques –
Partie 2-3: Méthodes de mesure des perturbations et de l'immunité – Mesures des perturbations rayonnées**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

PRICE CODE **XD**
CODE PRIX

ICS 33.100.10; 33.100.20

ISBN 978-2-88910-013-2

CONTENTS

FOREWORD.....	6
1 Scope.....	8
2 Normative references	8
3 Terms and definitions	9
4 Types of disturbance to be measured	13
4.1 General.....	13
4.2 Types of disturbance	13
4.3 Detector functions	14
5 Connection of measuring equipment.....	14
6 General measurement requirements and conditions	14
6.1 General.....	14
6.2 Disturbance not produced by the equipment under test	14
6.2.1 General	14
6.2.2 Compliance (conformity assessment) testing	14
6.3 Measurement of continuous disturbance.....	15
6.3.1 Narrowband continuous disturbance.....	15
6.3.2 Broadband continuous disturbance.....	15
6.3.3 Use of spectrum analyzers and scanning receivers.....	15
6.4 Operating conditions of the EUT.....	15
6.4.1 Normal load conditions	15
6.4.2 The time of operation.....	15
6.4.3 Running-in time	15
6.4.4 Supply.....	16
6.4.5 Mode of operation.....	16
6.5 Interpretation of measuring results.....	16
6.5.1 Continuous disturbance.....	16
6.5.2 Discontinuous disturbance.....	16
6.6 Measurement times and scan rates for continuous disturbance	16
6.6.1 General	16
6.6.2 Minimum measurement times	17
6.6.3 Scan rates for scanning receivers and spectrum analyzers.....	17
6.6.4 Scan times for stepping receivers	18
6.6.5 Strategies for obtaining a spectrum overview using the peak detector	19
7 Measurement of radiated disturbances	22
7.1 Introductory remarks	22
7.2 Loop-antenna system measurements (9 kHz to 30 MHz)	23
7.2.1 General	23
7.2.2 General measurement method.....	23
7.2.3 Test environment.....	24
7.2.4 Configuration of the equipment under test	24
7.2.5 Measurement uncertainty for LAS.....	25
7.3 Open-area test site or semi-anechoic chamber measurements (30 MHz to 1 GHz)	25
7.3.1 Measurand	25
7.3.2 Test site requirements	26
7.3.3 General measurement method.....	26

7.3.4	Measurement distance.....	27
7.3.5	Antenna height variation.....	27
7.3.6	Product specification details.....	27
7.3.7	Measurement instrumentation.....	29
7.3.8	Field-strength measurements on other outdoor sites.....	29
7.3.9	Measurement uncertainty for OATS and SAC.....	29
7.4	Fully-anechoic room measurements (30 MHz to 1 GHz).....	30
7.4.1	Test set-up and site geometry.....	30
7.4.2	EUT position.....	32
7.4.3	Cable layout and termination.....	33
7.4.4	Measurement uncertainty for FAR.....	34
7.5	Radiated emission measurement method (30 MHz to 1 GHz) and radiated immunity test method (80 MHz to 1 GHz) with common test set-up in semi-anechoic chamber.....	34
7.5.1	Applicability.....	34
7.5.2	EUT perimeter definition and antenna-to-EUT separation distance.....	34
7.5.3	Uniform test volume.....	35
7.5.4	Specifications for EUT set-up in common emissions/immunity test setup.....	36
7.5.5	Measurement uncertainty for common emission/immunity set-up and method.....	41
7.6	Fully-anechoic room and absorber-lined OATS/SAC measurements (1 GHz to 18 GHz).....	41
7.6.1	Quantity to measure.....	41
7.6.2	Measurement distance.....	41
7.6.3	Set-up and operating conditions of the equipment under test (EUT).....	41
7.6.4	Measurement site.....	42
7.6.5	Measurement instrumentation.....	42
7.6.6	Measurement procedure.....	42
7.6.7	Measurement uncertainty for FAR.....	49
7.7	<i>In situ</i> measurements (9 kHz to 18 GHz).....	49
7.7.1	Applicability of and preparation for <i>in situ</i> measurements.....	49
7.7.2	Field-strength measurements <i>in situ</i> in the frequency range 9 kHz to 30 MHz.....	50
7.7.3	Field-strength measurements <i>in situ</i> in the frequency range above 30 MHz.....	51
7.7.4	<i>In situ</i> measurement of the disturbance effective radiated power using the substitution method.....	52
7.7.5	Documentation of the measurement results.....	56
7.7.6	Measurement uncertainty for <i>in situ</i> method.....	56
7.8	Substitution measurements (30 MHz to 18 GHz).....	56
7.8.1	General.....	56
7.8.2	Test site.....	56
7.8.3	Test antennas.....	57
7.8.4	EUT configuration.....	57
7.8.5	Test procedure.....	57
7.8.6	Measurement uncertainty for substitution method.....	58
7.9	Reverberation chamber measurements (80 MHz to 18 GHz).....	58
7.10	TEM waveguide measurements (30 MHz to 18 GHz).....	58
8	Automated measurement of emissions.....	58

8.1	Introduction – precautions for automated measurements	58
8.2	Generic measurement procedure.....	59
8.3	Pre-scan measurements.....	59
8.3.1	General	59
8.3.2	Determination of the required measurement time.....	59
8.3.3	Pre-scan requirements for different types of measurements	60
8.4	Data reduction.....	61
8.5	Emission maximization and final measurement.....	62
8.6	Post-processing and reporting.....	63
Annex A (informative) Measurement of disturbances in the presence of ambient emissions		64
Annex B (informative) Use of spectrum analyzers and scanning receivers.....		78
Annex C (informative) Scan rates and measurement times for use with the average detector		81
Annex D (informative) Explanation of APD measurement method applying to the compliance test.....		85
Annex E (normative) Determination of suitability of spectrum analyzers for compliance tests		87
Bibliography.....		88
Figure 1 – Measurement of a combination of a CW signal (NB) and an impulsive signal (BB) using multiple sweeps with maximum hold		19
Figure 2 – Example of a timing analysis.....		20
Figure 3 – A broadband spectrum measured with a stepped receiver.....		21
Figure 4 – Intermittent narrowband disturbances measured using fast short repetitive sweeps with maximum hold function to obtain an overview of the emission spectrum.....		22
Figure 5 – Concept of magnetic field induced current measurements made with the loop antenna system.....		24
Figure 6 – Concept of electric field strength measurements made on an open-area test site (OATS) or semi-anechoic chamber (SAC) showing the direct and reflected rays arriving at the receiving antenna.....		26
Figure 7 – Typical FAR site geometry, where a, b, c, e depend upon the room performance		30
Figure 8 – Typical test set-up for table-top equipment within the test volume of a FAR		31
Figure 9 – Typical test set-up for floor-standing equipment within the test volume of a FAR.....		32
Figure 10 – Positions of reference planes for uniform field calibration (top-view)		35
Figure 11 – Test set-up for table-top equipment.....		39
Figure 12 – Test set-up for table-top equipment – Top view		39
Figure 13 – Test set-up for floor-standing equipment		40
Figure 14 – Test set-up for floor-standing equipment – Top view		40
Figure 15 – Measurement method above 1 GHz, receive antenna in vertical polarization.....		43
Figure 16 – Illustration of height scan requirements for two different categories of EUTs		45
Figure 17 – Determination of the transition distance		55
Figure 18 – Substitution method set-up geometries for: a) measurement, b) calibration		57
Figure 19 – Process to give reduction of measurement time		59

Figure A.1 – Flow diagram for the selection of bandwidths and detectors and the estimated measurement errors due to that selection	66
Figure A.2 – Relative difference in adjacent emission amplitudes during preliminary testing	68
Figure A.3 – Disturbance by an unmodulated signal (dotted line)	69
Figure A.4 – Disturbance by an amplitude-modulated signal (dotted line).....	69
Figure A.5 – Indication of an amplitude-modulated signal as a function of modulation frequency with the QP detector in CISPR bands B, C and D	70
Figure A.6 – Indication of a pulse-modulated signal (pulse width 50 μ s) as a function of pulse repetition frequency with peak, QP and average detectors.....	71
Figure A.7 – Disturbance by a broadband signal (dotted line)	71
Figure A.8 – Unmodulated EUT disturbance (dotted line).....	72
Figure A.9 – Amplitude-modulated EUT disturbance (dotted line).....	73
Figure A.10 – Increase of peak value with superposition of two unmodulated signals.....	74
Figure A.11 – Determination of the amplitude of the disturbance signal by means of the amplitude ratio d and the factor i [see Equation (A.3) and Equation (A.6)].....	75
Figure A.12 – Increase of average indication measured with a real receiver and calculated from Equation (A.8).....	76
Figure C.1 – Weighting function of a 10 ms pulse for peak (PK) and average detections with (CISPR AV) and without (AV) peak reading: meter time constant 160 ms	83
Figure C.2 – Weighting functions of a 10 ms pulse for peak (PK) and average detections with (CISPR AV) and without (AV) peak reading: meter time constant 100 ms.....	83
Figure C.3 – Example of weighting functions (of a 1 Hz pulse) for peak (PK) and average detections as a function of pulse width: meter time constant 160 ms	84
Figure C.4 – Example of weighting functions (of a 1 Hz pulse) for peak (PK) and average detections as a function of pulse width: meter time constant 100 ms	84
Figure D.1 – Example of APD measurement Method 1 for fluctuating disturbances.....	85
Figure D.2 – Example of APD measurement Method 2 for fluctuating disturbances.....	86
Table 1 – Minimum scan times for the three CISPR bands with peak and quasi-peak detectors	17
Table 2 – Applicable frequency ranges and document references for CISPR radiated emission test sites and test methods.....	23
Table 3 – Minimum dimension of w (w_{\min}).....	44
Table 4 – Example values of w for three antenna types.....	45
Table 5 – Horizontal polarization correction factors as a function of frequency.....	54
Table 6 – Recommended antenna heights to guarantee signal interception (for pre-scan) in the frequency range 30 MHz to 1 000 MHz	61
Table A.1 – Combinations of EUT disturbance and ambient emissions.....	65
Table A.2 – Measurement error depending on the detector type and on the combination of ambient and disturbing signal spectra	77
Table C.1 – Pulse suppression factors and scan rates for a 100 Hz video bandwidth.....	82
Table C.2 – Meter time constants and the corresponding video bandwidths and maximum scan rates	82
Table E.1 – Maximum amplitude difference between peak and quasi-peak detected signals	87

INTERNATIONAL ELECTROTECHNICAL COMMISSION
INTERNATIONAL SPECIAL COMMITTEE ON RADIO INTERFERENCE

**SPECIFICATION FOR RADIO DISTURBANCE AND IMMUNITY
MEASURING APPARATUS AND METHODS –**

**Part 2-3: Methods of measurement of disturbances and immunity –
Radiated disturbance measurements**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard CISPR 16-2-3 has been prepared by CISPR subcommittee A: Radio-interference measurements and statistical methods.

This third edition of CISPR 16-2-3 cancels and replaces the second edition published in 2006. It is a technical revision.

This edition includes the following significant technical changes with respect to the previous edition: addition of the measurand for radiated emissions measurements in an OATS and a SAC in the range of 30 MHz to 1 000 MHz, and addition of a new normative annex on the determination of suitability of spectrum analysers for compliance tests. Also, numerous maintenance items are addressed to make the standard current with respect to other parts of the CISPR 16 series.

It has the status of a basic EMC publication in accordance with IEC Guide 107, *Electromagnetic compatibility – Guide to the drafting of electromagnetic compatibility publications*.

The text of this standard is based on the following documents:

FDIS	Report on voting
CISPR/A/886/FDIS	CISPR/A/892/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of the CISPR 16 series, published under the general title *Specification for radio disturbance and immunity measuring apparatus and methods*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.