

# INTERNATIONAL STANDARD

# NORME INTERNATIONALE

**Adjustable speed electrical power drive systems –  
Part 7-204: Generic interface and use of profiles for power drive systems –  
Profile type 4 specification**

**Entraînements électriques de puissance à vitesse variable –  
Partie 7-204: Interface générique et utilisation de profils pour les entraînements  
électriques de puissance – Spécification de profil de type 4**





## THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2015 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office  
3, rue de Varembe  
CH-1211 Geneva 20  
Switzerland

Tel.: +41 22 919 02 11  
Fax: +41 22 919 03 00  
[info@iec.ch](mailto:info@iec.ch)  
[www.iec.ch](http://www.iec.ch)

### About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

### About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

#### IEC Catalogue - [webstore.iec.ch/catalogue](http://webstore.iec.ch/catalogue)

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

#### IEC publications search - [www.iec.ch/searchpub](http://www.iec.ch/searchpub)

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

#### IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

#### Electropedia - [www.electropedia.org](http://www.electropedia.org)

The world's leading online dictionary of electronic and electrical terms containing more than 30 000 terms and definitions in English and French, with equivalent terms in 15 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

#### IEC Glossary - [std.iec.ch/glossary](http://std.iec.ch/glossary)

More than 60 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

#### IEC Customer Service Centre - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: [csc@iec.ch](mailto:csc@iec.ch).

### A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

### A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

#### Catalogue IEC - [webstore.iec.ch/catalogue](http://webstore.iec.ch/catalogue)

Application autonome pour consulter tous les renseignements bibliographiques sur les Normes internationales, Spécifications techniques, Rapports techniques et autres documents de l'IEC. Disponible pour PC, Mac OS, tablettes Android et iPad.

#### Recherche de publications IEC - [www.iec.ch/searchpub](http://www.iec.ch/searchpub)

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

#### IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

#### Electropedia - [www.electropedia.org](http://www.electropedia.org)

Le premier dictionnaire en ligne de termes électroniques et électriques. Il contient plus de 30 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans 15 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

#### Glossaire IEC - [std.iec.ch/glossary](http://std.iec.ch/glossary)

Plus de 60 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

#### Service Clients - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: [csc@iec.ch](mailto:csc@iec.ch).

# INTERNATIONAL STANDARD

# NORME INTERNATIONALE



---

**Adjustable speed electrical power drive systems –  
Part 7-204: Generic interface and use of profiles for power drive systems –  
Profile type 4 specification**

**Entraînements électriques de puissance à vitesse variable –  
Partie 7-204: Interface générique et utilisation de profils pour les entraînements  
électriques de puissance – Spécification de profil de type 4**

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

COMMISSION  
ELECTROTECHNIQUE  
INTERNATIONALE

---

ICS 29.200; 35.100.05

ISBN 978-2-8322-2947-7

**Warning! Make sure that you obtained this publication from an authorized distributor.  
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

## CONTENTS

FOREWORD .....	39
INTRODUCTION .....	41
1 Scope .....	45
2 Normative references .....	45
3 Terms, definitions and abbreviated terms .....	45
3.1 Terms and definitions .....	45
3.2 Abbreviated terms .....	50
4 General .....	51
5 Data types .....	51
6 Short description of SERCOS data exchange .....	51
6.1 General .....	51
6.2 Synchronization .....	52
7 Drive application functions .....	52
7.1 Drive operation modes .....	52
7.1.1 Operation mode selections .....	52
7.1.2 Torque/force control .....	56
7.1.3 Velocity control .....	58
7.1.4 Position control .....	61
7.1.5 Interpolation and positioning .....	64
7.2 Drive state machine .....	68
7.2.1 Description of the FG Drive state machine .....	68
7.2.2 Start-up .....	70
7.2.3 Shut-down .....	71
7.3 Drive parameters .....	73
7.3.1 Motor parameters (FG Motor) .....	73
7.3.2 Amplifier parameters (FG Amplifier) .....	73
7.3.3 Motor feedback parameters (FG Motor feedback) .....	74
7.3.4 External feedback parameters (FG External feedback) .....	74
7.3.5 Mechanical parameters (FG Mechanics) .....	74
7.3.6 Power parameters (FG_Power_Limit) .....	75
7.3.7 Acceleration parameters (FG Acceleration limit) .....	75
7.3.8 Drive specifically diagnosis parameters (FG Drive diagnosis) .....	75
7.3.9 Temperature parameters with warning and shut-down diagnostics (FG_Drive_Warning) .....	76
7.4 Drive synchronous operation (FG Drive synchronous operation) .....	76
7.4.1 General .....	76
7.4.2 Synchronization of the synchronous spindle to the lead spindle with a fixed angular offset .....	77
7.4.3 New synchronous position offset after synchronization .....	79
7.4.4 New speed ratio after synchronization .....	79
7.5 Homing .....	80
7.5.1 Description of FG Drive homing .....	80
7.5.2 Drive controlled homing .....	80
7.5.3 Control unit controlled homing .....	82
7.5.4 Set absolute position .....	86
7.6 Cyclic Marker Detection (FG Cyclic marker detection) .....	89

7.7	Modification of the coordinate system (FG Modify coordinate system).....	90
7.8	Spindle positioning procedure (FG Position spindle) .....	91
7.8.1	General .....	91
7.8.2	Start conditions of spindle positioning.....	91
7.8.3	New position values while the procedure command is active.....	93
7.8.4	Switching the positioning mode angle position/relative offset while the procedure command is active .....	93
7.9	Velocity window .....	94
7.10	Park axis procedure command (FG Park axis).....	95
7.11	Move to Positive stop (FG Positive stop).....	96
7.12	Parameter sets and gear ratios .....	96
7.12.1	Definition of FG Parameter sets.....	96
7.12.2	Switching of parameter sets and gear ratio .....	97
7.13	Gear engaging procedure command (FG Gear engaging) .....	97
7.14	Position switches (FG Position switch).....	99
7.14.1	General .....	99
7.14.2	Position switch mode .....	100
7.14.3	Cam switch mode .....	100
8	Scaling of operation data.....	101
8.1	General.....	101
8.2	Scaling of position data.....	102
8.2.1	Description of FG Scale position .....	102
8.2.2	No scaling of position data.....	102
8.2.3	Scaling of linear position data.....	102
8.2.4	Scaling of rotational position data .....	103
8.3	Scaling of velocity data .....	103
8.3.1	Description of FG Scale velocity .....	103
8.3.2	No scaling of velocity data .....	104
8.3.3	Scaling of linear velocity data .....	104
8.3.4	Scaling of rotational velocity data .....	105
8.4	Scaling of torque/force data .....	105
8.4.1	Description of FG Scale torque .....	105
8.4.2	Percentage scaling of torque/force data.....	106
8.4.3	Scaling of force data.....	106
8.4.4	Scaling of torque data.....	107
8.5	Scaling of acceleration data and jerk data.....	107
8.5.1	Description of FG Scale acceleration .....	107
8.5.2	No scaling of acceleration data and jerk data.....	108
8.5.3	Scaling of linear acceleration/jerk data .....	108
8.5.4	Scaling of rotational acceleration/jerk data .....	109
8.5.5	Scaling of ramp time.....	109
8.6	Polarities .....	110
8.7	Scaling of temperature data .....	110
9	Status codes of drives .....	111
9.1	Overview.....	111
9.2	Priority of diagnosis classes.....	115
10	Drive classes.....	116
10.1	Overview.....	116
11	Identification numbers in numerical order .....	117

12	Description of identification numbers .....	132
12.1	IDN S-0-0005 Minimum feedback processing time ( $t_5$ ) .....	132
12.1.1	Attributes .....	132
12.1.2	Description .....	132
12.2	IDN S-0-0007 Feedback acquisition capture point ( $t_4$ ).....	132
12.2.1	Attributes .....	132
12.2.2	Description .....	132
12.3	IDN S-0-0011 Class 1 diagnostic (C1D) .....	133
12.3.1	Attributes .....	133
12.3.2	Description .....	133
12.4	IDN S-0-0012 Class 2 diagnostic (C2D) .....	135
12.4.1	Attributes .....	135
12.4.2	Description .....	135
12.5	IDN S-0-0013 Class 3 diagnostic (C3D) .....	137
12.5.1	Attributes .....	137
12.5.2	Description .....	137
12.6	IDN S-0-0015 Telegram type.....	138
12.6.1	Attributes .....	138
12.6.2	Description .....	138
12.7	IDN S-0-0016 Configuration list of AT .....	140
12.7.1	Attributes .....	140
12.7.2	Description .....	141
12.8	IDN S-0-0017 IDN-list of all operation data .....	141
12.8.1	Attributes .....	141
12.8.2	Description .....	141
12.9	IDN S-0-0018 IDN-list of operation data for CP2 .....	141
12.9.1	Attributes .....	141
12.9.2	Description .....	142
12.10	IDN S-0-0019 IDN-list of operation data for CP3 .....	142
12.10.1	Attributes .....	142
12.10.2	Description .....	142
12.11	IDN S-0-0020 IDN-list of operation data for CP4 .....	142
12.11.1	Attributes .....	142
12.11.2	Description .....	143
12.12	IDN S-0-0021 IDN-list of invalid operation data for CP2 .....	143
12.12.1	Attributes .....	143
12.12.2	Description .....	143
12.13	IDN S-0-0022 IDN-list of invalid operation data for CP3 .....	143
12.13.1	Attributes .....	143
12.13.2	Description .....	144
12.14	IDN S-0-0023 IDN-list of invalid operation data for CP4 .....	144
12.14.1	Attributes .....	144
12.14.2	Description .....	144
12.15	IDN S-0-0025 IDN-list of all procedure commands .....	144
12.15.1	Attributes .....	144
12.15.2	Description .....	145
12.16	IDN S-0-0026 Configuration list for signal status word .....	145
12.16.1	Attributes .....	145
12.16.2	Description .....	145

12.17	IDN S-0-0027 Configuration list for signal control word .....	145
12.17.1	Attributes .....	145
12.17.2	Description .....	146
12.18	IDN S-0-0030 Manufacturer version .....	146
12.18.1	Attributes .....	146
12.18.2	Description .....	146
12.19	IDN S-0-0031 Hardware version .....	146
12.19.1	Attributes .....	146
12.19.2	Description .....	147
12.20	IDN S-0-0032 Primary operation mode .....	147
12.20.1	Attributes .....	147
12.20.2	Description .....	147
12.21	IDN S-0-0033 Secondary operation mode 1 .....	147
12.21.1	Attributes .....	147
12.21.2	Description .....	148
12.22	IDN S-0-0034 Secondary operation mode 2 .....	148
12.22.1	Attributes .....	148
12.22.2	Description .....	148
12.23	IDN S-0-0035 Secondary operation mode 3 .....	149
12.23.1	Attributes .....	149
12.23.2	Description .....	149
12.24	IDN S-0-0036 Velocity command value .....	149
12.24.1	Attributes .....	149
12.24.2	Description .....	149
12.25	IDN S-0-0037 Additive velocity command value .....	150
12.25.1	Attributes .....	150
12.25.2	Description .....	150
12.26	IDN S-0-0038 Positive velocity limit value .....	150
12.26.1	Attributes .....	150
12.26.2	Description .....	151
12.27	IDN S-0-0039 Negative velocity limit value .....	151
12.27.1	Attributes .....	151
12.27.2	Description .....	151
12.28	IDN S-0-0040 Velocity feedback value 1 .....	151
12.28.1	Attributes .....	151
12.28.2	Description .....	152
12.29	IDN S-0-0041 Homing velocity .....	152
12.29.1	Attributes .....	152
12.29.2	Description .....	152
12.30	IDN S-0-0042 Homing acceleration .....	152
12.30.1	Attributes .....	152
12.30.2	Description .....	153
12.31	IDN S-0-0043 Velocity polarity parameter .....	153
12.31.1	Attributes .....	153
12.31.2	Description .....	153
12.32	IDN S-0-0044 Velocity data scaling type .....	154
12.32.1	Attributes .....	154
12.32.2	Description .....	154
12.33	IDN S-0-0045 Velocity data scaling factor .....	155

12.33.1	Attributes .....	155
12.33.2	Description .....	155
12.34	IDN S-0-0046 Velocity data scaling exponent.....	156
12.34.1	Attributes .....	156
12.34.2	Description .....	156
12.35	IDN S-0-0047 Position command value .....	156
12.35.1	Attributes .....	156
12.35.2	Description .....	157
12.36	IDN S-0-0048 Additive position command value .....	157
12.36.1	Attributes .....	157
12.36.2	Description .....	157
12.37	IDN S-0-0049 Positive position limit value.....	158
12.37.1	Attributes .....	158
12.37.2	Description .....	158
12.38	IDN S-0-0050 Negative position limit value .....	158
12.38.1	Attributes .....	158
12.38.2	Description .....	159
12.39	IDN S-0-0051 Position feedback value 1 (motor feedback).....	159
12.39.1	Attributes .....	159
12.39.2	Description .....	160
12.40	IDN S-0-0052 Reference distance 1 .....	160
12.40.1	Attributes .....	160
12.40.2	Description .....	160
12.41	IDN S-0-0053 Position feedback value 2 (external feedback) .....	161
12.41.1	Attributes .....	161
12.41.2	Description .....	161
12.42	IDN S-0-0054 Reference distance 2 .....	161
12.42.1	Attributes .....	161
12.42.2	Description .....	162
12.43	IDN S-0-0055 Position polarity parameters .....	162
12.43.1	Attributes .....	162
12.43.2	Description .....	162
12.44	IDN S-0-0057 Position window .....	163
12.44.1	Attributes .....	163
12.44.2	Description .....	163
12.45	IDN S-0-0058 Reversal clearance .....	164
12.45.1	Attributes .....	164
12.45.2	Description .....	164
12.46	IDN S-0-0059 Position switch flag parameter .....	164
12.46.1	Attributes .....	164
12.46.2	Description .....	164
12.47	IDN S-0-0060 to S-0-0075 Position switch points on 1-16 .....	165
12.47.1	Attributes .....	165
12.47.2	Description .....	165
12.48	IDN S-0-0076 Position data scaling type .....	166
12.48.1	Attributes .....	166
12.48.2	Description .....	166
12.49	IDN S-0-0077 Linear position data scaling factor.....	167
12.49.1	Attributes .....	167