

INTERNATIONAL STANDARD

NORME INTERNATIONALE

**Adjustable speed electrical power drive systems –
Part 7-303: Generic interface and use of profiles for power drive systems –
Mapping of profile type 3 to network technologies**

**Entraînements électriques de puissance à vitesse variable –
Partie 7-303: Interface générique et utilisation de profils pour les entraînements
électriques de puissance – Mise en correspondance du profil de type 3 avec les
technologies de réseaux**





THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2015 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

IEC publications search - www.iec.ch/searchpub

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 30 000 terms and definitions in English and French, with equivalent terms in 15 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

More than 60 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Catalogue IEC - webstore.iec.ch/catalogue

Application autonome pour consulter tous les renseignements bibliographiques sur les Normes internationales, Spécifications techniques, Rapports techniques et autres documents de l'IEC. Disponible pour PC, Mac OS, tablettes Android et iPad.

Recherche de publications IEC - www.iec.ch/searchpub

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

Electropedia - www.electropedia.org

Le premier dictionnaire en ligne de termes électroniques et électriques. Il contient plus de 30 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans 15 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Glossaire IEC - std.iec.ch/glossary

Plus de 60 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: csc@iec.ch.

INTERNATIONAL STANDARD

NORME INTERNATIONALE



**Adjustable speed electrical power drive systems –
Part 7-303: Generic interface and use of profiles for power drive systems –
Mapping of profile type 3 to network technologies**

**Entraînements électriques de puissance à vitesse variable –
Partie 7-303: Interface générique et utilisation de profils pour les entraînements
électriques de puissance – Mise en correspondance du profil de type 3 avec les
technologies de réseaux**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 29.200; 35.100.05

ISBN 978-2-8322-2933-0

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD.....	7
INTRODUCTION.....	9
0.1 General.....	9
0.2 Patent declaration.....	12
1 Scope.....	14
2 Normative references.....	14
3 Terms, definitions and abbreviated terms.....	14
3.1 Terms and definitions.....	14
3.2 Abbreviated terms.....	19
4 Mapping to PROFIBUS DP.....	21
4.1 General.....	21
4.2 Mapping to PROFIBUS data types.....	21
4.3 Base Model at PROFIBUS DP.....	22
4.3.1 Communication devices.....	22
4.3.2 Communication relationship.....	23
4.3.3 Communication network.....	24
4.3.4 Communication services.....	25
4.3.5 P-Device communication model.....	27
4.3.6 Base Model State Machine.....	28
4.3.7 Definition of the CO.....	29
4.4 Drive Model at PROFIBUS DP.....	29
4.4.1 P-Device.....	29
4.4.2 Drive Unit.....	30
4.5 DO IO Data.....	30
4.5.1 COs for DO IO Data configuration.....	30
4.5.2 Standard telegram configuration.....	32
4.5.3 Cyclic Data Exchange between DP-Slaves (DXB).....	34
4.6 Parameter Access.....	43
4.6.1 PAP for Parameter Access.....	43
4.6.2 Definition of the Base Mode Parameter Access mechanism.....	45
4.7 P-Device configuration.....	53
4.7.1 P-Device configuration on PROFIBUS DP.....	53
4.7.2 Drive Unit configuration on PROFIBUS DP.....	53
4.7.3 Getting the Drive Object – ID (DO-ID).....	55
4.8 Diagnosis.....	57
4.9 Clock Synchronous Operation.....	57
4.9.1 Sequence of an isochronous DP cycle.....	57
4.9.2 Time settings.....	58
4.9.3 Running-up, cyclic operation.....	63
4.9.4 Parameterisation, configuring (Set_Prm, GSD).....	73
4.9.5 Clock cycle generation (Global Control) and clock cycle save.....	75
4.9.6 Monitoring mechanisms.....	79
4.10 PROFIBUS DP specific parameter.....	81
4.10.1 Overview of the communication interface related parameters.....	81
4.10.2 Definition of the specific parameters.....	81
4.11 Specified communication functions for the Application Classes.....	82

5	Mapping to PROFINET IO.....	83
5.1	General.....	83
5.2	Mapping to PROFINET IO data types.....	83
5.3	Base Model at PROFINET IO.....	84
5.3.1	Communication devices.....	84
5.3.2	Communication relationship.....	85
5.3.3	Communication network.....	86
5.3.4	Communication services.....	87
5.3.5	P-Device communication model.....	88
5.3.6	Base Model State Machine.....	90
5.3.7	Definition of the CO.....	91
5.4	Drive Model at PROFINET IO.....	91
5.4.1	P-Device.....	91
5.4.2	Drive Unit.....	92
5.4.3	DO architecture.....	92
5.4.4	Definition of the Module Ident Number and API.....	94
5.4.5	Definition of the Submodule Ident Number.....	94
5.5	DO IO Data.....	96
5.5.1	COs for DO IO Data configuration.....	96
5.5.2	IO Data Producer and Consumer Status.....	96
5.6	Parameter Access.....	96
5.6.1	PAPs for Parameter Access.....	96
5.6.2	Base Mode Parameter Access.....	97
5.7	P-Device Configuration.....	99
5.7.1	P-Device Configuration on PROFINET IO.....	99
5.7.2	Drive Unit Configuration on PROFINET IO.....	100
5.7.3	Getting the Drive Object – ID (DO-ID).....	100
5.8	Diagnosis.....	101
5.8.1	Use of PROFINET IO Diagnosis for PROFIdrive.....	101
5.8.2	Use of the Alarm ASE.....	101
5.8.3	Use of the ChannelDiagnosisData structure.....	102
5.8.4	Use of the ChannelErrorType.....	104
5.8.5	On demand access of Diagnosis Information.....	104
5.9	Clock Synchronous Operation.....	105
5.10	PROFINET IO specific parameter.....	106
5.10.1	Overview about the communication interface related parameters.....	106
5.10.2	Definition of the specific parameters.....	106
5.11	Specified communication functions for the Application Classes.....	108
5.12	I&M data records.....	108
	Bibliography.....	109
	Figure 1 – Structure of IEC 61800-7.....	12
	Figure 2 – PROFIBUS DP Devices in a PROFIdrive drive system.....	23
	Figure 3 – PROFIdrive Devices and their relationship for PROFIBUS DP.....	24
	Figure 4 – General Communication Model for PROFIdrive at PROFIBUS DP.....	25
	Figure 5 – PROFIBUS DP DXB communication designations.....	26
	Figure 6 – Synchronous communication for PROFIdrive at PROFIBUS DP.....	27
	Figure 7 – Overview about the P-Device communication model on PROFIBUS.....	27

Figure 8 – Mapping of the Base Model State Machine at PROFIBUS DP.....	29
Figure 9 – PROFIBUS DP specific logical P-Device model (multi axis drive)	30
Figure 10 – Mapping of PROFIBUS Slot to the PROFIdrive DO.....	31
Figure 11 – Application example of DXB communication.....	36
Figure 12 – Dataflow inside a Homogeneous P-Device with DXB relations.....	39
Figure 13 – Structure of a DXB Subscriber Table (inside a Prm-Block)	40
Figure 14 – Timing diagram of PROFIBUS with Cyclic Data Exchange between DP-slaves	41
Figure 15 – PAP and Parameter Access mechanism for a PROFIBUS homogeneous P-Device.....	44
Figure 16 – PAP and Parameter Access mechanism for a PROFIBUS heterogeneous P-Device.....	45
Figure 17 – Telegram sequence via MS1 AR or MS2 AR.....	47
Figure 18 – Drive Unit Structure.....	54
Figure 19 – Configuration and communication channels for the Modular Drive Unit type at PROFIBUS DP	55
Figure 20 – Meaning of parameter PNU978 (list of all DO-IDs) for the DU at PROFIBUS DP.....	56
Figure 21 – Example of P978 for a complex Modular Drive Unit at PROFIBUS DP.....	57
Figure 22 – Sequence of an isochronous DP cycle.....	58
Figure 23 – Time settings	59
Figure 24 – Example: Simplest DP cycle.....	61
Figure 25 – Example: Optimised DP cycle.....	62
Figure 26 – Example: Optimised DP cycle ($T_{MAPC} = 2 \times T_{DP}$)	63
Figure 27 – Running-up (sequence with respect to time).....	64
Figure 28 – Phase 1: Slave parameterisation, configuration.....	65
Figure 29 – Phase 2: Synchronisation of the PLL to the Clock Global Control	66
Figure 30 – Phase 3: Synchronisation of the slave application with the master's Sign-Of-Life	68
Figure 31 – State diagram of Phases 2 and 3 of the run-up.....	69
Figure 32 – Phase 4: Synchronisation of the master application to the slave's Sign-Of-Life	70
Figure 33 – Example: Running-up to cyclic operation (Phase 1) ($T_{MAPC}/T_{DP} = 2/1$).....	71
Figure 34 – Example: Running-up to cyclic operation (Phase 2) ($T_{MAPC}/T_{DP} = 2/1$).....	72
Figure 35 – Example: Running-up to cyclic operation (Phase 3) ($T_{MAPC}/T_{DP} = 2/1$).....	72
Figure 36 – Example: Running-up to cyclic operation (Phase 4) ($T_{MAPC}/T_{DP} = 2/1$).....	73
Figure 37 – Example: Running-up to cyclic operation (Phase 5) ($T_{MAPC}/T_{DP} = 2/1$).....	73
Figure 38 – PLL for clock regeneration in the slave.....	77
Figure 39 – Run time compensation.....	79
Figure 40 – DP cycle violation.....	80
Figure 41 – Example: Clock failure (fault after 4 DP cycles).....	81
Figure 42 – PROFINET IO Devices in a PROFIdrive drive system.....	85
Figure 43 – PROFIdrive Devices and their relationship for PROFINET IO	86
Figure 44 – General Communication Model for PROFIdrive at PROFINET IO.....	87
Figure 45 – Synchronous communication for PROFIdrive at PROFINET IO.....	88

Figure 46 – Overview about the P-Device communication model on PROFINET IO	88
Figure 47 – Contents of IO AR and Supervisor AR	89
Figure 48 – M CR used for Cyclic Data Exchange between P-Devices	90
Figure 49 – Mapping of the Base Model State Machine at PROFINET IO	91
Figure 50 – PROFINET IO specific Logical P-Device model (multi axis drive)	92
Figure 51 – Representation of the PROFIdrive DO by PROFINET IO Submodules (CO).....	93
Figure 52 – Hierarchical model of the P-Device on PROFINET IO	94
Figure 53 – Modularity of the DO IO Data block (example).....	96
Figure 54 – Data flow for request and response for the Base Mode Parameter Access	99
Figure 55 – Configuration and communication channels for the Modular Drive Unit type at PROFINET IO	100
Figure 56 – Meaning of parameter P978 "List of all DO-IDs" for the DU at PROFINET IO	101
Figure 57 – Generation of Diagnosis Data according to the fault classes mechanism.....	103
Figure 58 – Sequence of an isochronous Data Cycle	105
Table 1 – Mapping of data types	22
Table 2 – DP IDs and PROFIdrive IDs of the standard telegrams.....	32
Table 3 – 1 Drive Axis, standard telegram 3.....	33
Table 4 – 2 Drive Axes, standard telegram 3.....	33
Table 5 – 2 Drive Axes, standard telegram 3, per axis one DXB link each with 2 words	34
Table 6 – 1 Drive Axis, standard telegram 20.....	34
Table 7 – Slave No.11 (Publisher)	37
Table 8 – Slave No.12 (Publisher and Subscriber)	37
Table 9 – Configuration of the DXB communication link of the coating drive.....	38
Table 10 – Slave No.10 (Subscriber)	38
Table 11 – Configuration of the DXB communication links of the unwinder.....	38
Table 12 – Parameters (Set_Prm, GSD) for slave-to-slave communication (Data- eXchange Broadcast).....	43
Table 13 – Services used for Parameter Access on PROFIBUS DP	46
Table 14 – Defined PAPs for Parameter Access.....	46
Table 15 – State machine for DP-slave processing	48
Table 16 – MS1/MS2 AR telegram frame, Write request.....	48
Table 17 – MS1/MS2 AR telegram frame, Write response	49
Table 18 – MS1/MS2 AR telegram frame, Read request	49
Table 19 – MS1/MS2 AR telegram frame, Read response	49
Table 20 – Process data ASE telegram frame, Error response	50
Table 21 – Allocation of Error class and code for PROFIdrive	51
Table 22 – Data block lengths.....	51
Table 23 – Limits due to the Process data ASE data block length	52
Table 24 – GSD parameters for the MS1/MS2 AR services	53
Table 25 – DP services for running-up, cyclic operation	63
Table 26 – Parameters (Set_Prm, GSD) for "Clock Cycle Synchronous Drive Interface"	74
Table 27 – Possible synchronisation type combinations	75

Table 28 – Conditions for Isochronous Mode	76
Table 29 – Input signals of the PLL	77
Table 30 – Output signals of the PLL	78
Table 31 – Overview of the specific PROFIBUS DP parameters for “Communication system interfaces”	81
Table 32 – PROFIdrive specific parameter listed by number	82
Table 33 – Coding of the data rate in parameter 963	82
Table 34 – Specified communication functions for the Application Classes	83
Table 35 – Mapping of data types	84
Table 36 – Structure of the Submodule-ID	95
Table 37 – Definition of Submodule-Type Classes	95
Table 38 – Definition of Parameter Access Modes (PAP)	97
Table 39 – Use of the AlarmNotification-PDU	102
Table 40 – Use of ChannelDiagnosisData	102
Table 41 – Use of ChannelErrorType	104
Table 42 – Use of the DiagnosisData	104
Table 43 – Overview of the specific PROFINET IO parameters for “Communication system interfaces”	106
Table 44 – PROFIdrive Specific Parameter listed by number	107
Table 45 – Specified communication functions for the Application Classes	108