

# INTERNATIONAL STANDARD

## NORME INTERNATIONALE

QC 300300

**Fixed capacitors for use in electronic equipment –  
Part 4: Sectional specification – Aluminium electrolytic capacitors with solid  
(MnO<sub>2</sub>) and non-solid electrolyte**

**Condensateurs fixes utilisés dans les équipements électroniques –  
Partie 4: Spécification intermédiaire – Condensateurs électrolytiques à  
l'aluminium, à électrolyte solide (MnO<sub>2</sub>) et non solide**



## THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2007 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.

If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de la CEI ou du Comité national de la CEI du pays du demandeur.

Si vous avez des questions sur le copyright de la CEI ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de la CEI de votre pays de résidence.

IEC Central Office  
3, rue de Varembe  
CH-1211 Geneva 20  
Switzerland  
Email: [inmail@iec.ch](mailto:inmail@iec.ch)  
Web: [www.iec.ch](http://www.iec.ch)

### About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

### About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

- Catalogue of IEC publications: [www.iec.ch/searchpub](http://www.iec.ch/searchpub)

The IEC on-line Catalogue enables you to search by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, withdrawn and replaced publications.

- IEC Just Published: [www.iec.ch/online\\_news/justpub](http://www.iec.ch/online_news/justpub)

Stay up to date on all new IEC publications. Just Published details twice a month all new publications released. Available on-line and also by email.

- Electropedia: [www.electropedia.org](http://www.electropedia.org)

The world's leading online dictionary of electronic and electrical terms containing more than 20 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary online.

- Customer Service Centre: [www.iec.ch/webstore/custserv](http://www.iec.ch/webstore/custserv)

If you wish to give us your feedback on this publication or need further assistance, please visit the Customer Service Centre FAQ or contact us:

Email: [csc@iec.ch](mailto:csc@iec.ch)  
Tel.: +41 22 919 02 11  
Fax: +41 22 919 03 00

### A propos de la CEI

La Commission Electrotechnique Internationale (CEI) est la première organisation mondiale qui élabore et publie des normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

### A propos des publications CEI

Le contenu technique des publications de la CEI est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

- Catalogue des publications de la CEI: [www.iec.ch/searchpub/cur\\_fut-f.htm](http://www.iec.ch/searchpub/cur_fut-f.htm)

Le Catalogue en-ligne de la CEI vous permet d'effectuer des recherches en utilisant différents critères (numéro de référence, texte, comité d'études,...). Il donne aussi des informations sur les projets et les publications retirées ou remplacées.

- Just Published CEI: [www.iec.ch/online\\_news/justpub](http://www.iec.ch/online_news/justpub)

Restez informé sur les nouvelles publications de la CEI. Just Published détaille deux fois par mois les nouvelles publications parues. Disponible en-ligne et aussi par email.

- Electropedia: [www.electropedia.org](http://www.electropedia.org)

Le premier dictionnaire en ligne au monde de termes électroniques et électriques. Il contient plus de 20 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans les langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International en ligne.

- Service Clients: [www.iec.ch/webstore/custserv/custserv\\_entry-f.htm](http://www.iec.ch/webstore/custserv/custserv_entry-f.htm)

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions, visitez le FAQ du Service clients ou contactez-nous:

Email: [csc@iec.ch](mailto:csc@iec.ch)  
Tél.: +41 22 919 02 11  
Fax: +41 22 919 03 00

# INTERNATIONAL STANDARD

## NORME INTERNATIONALE

QC 300300

**Fixed capacitors for use in electronic equipment –  
Part 4: Sectional specification – Aluminium electrolytic capacitors with solid  
(MnO<sub>2</sub>) and non-solid electrolyte**

**Condensateurs fixes utilisés dans les équipements électroniques –  
Partie 4: Spécification intermédiaire – Condensateurs électrolytiques à  
l'aluminium, à électrolyte solide (MnO<sub>2</sub>) et non solide**

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

COMMISSION  
ELECTROTECHNIQUE  
INTERNATIONALE

PRICE CODE  
CODE PRIX

W

ICS 31.060.50

ISBN 2-8318-9905-2

## CONTENTS

FOREWORD.....	4
1 General.....	6
1.1 Scope.....	6
1.2 Object.....	6
1.3 Normative references.....	6
1.4 Information to be given in a detail specification.....	7
1.5 Terms and definitions.....	8
1.6 Marking.....	8
2 Preferred ratings and characteristics.....	9
2.1 Preferred characteristics.....	9
2.2 Preferred values of ratings.....	9
3 Quality assessment procedures.....	11
3.1 Primary stage of manufacture.....	11
3.2 Structurally similar components.....	11
3.3 Certified records of released lots.....	11
3.4 Qualification approval procedures.....	11
3.5 Quality conformance inspection.....	24
4 Test and measurement procedures.....	26
4.1 Pre-conditioning (for non-solid electrolyte capacitors only).....	26
4.2 Visual examination and check of dimensions.....	26
4.3 Electrical tests.....	26
4.4 Robustness of terminations.....	29
4.5 Resistance to soldering heat.....	29
4.6 Solderability.....	29
4.7 Rapid change of temperature.....	30
4.8 Vibration.....	30
4.9 Bump.....	30
4.10 Shock.....	31
4.11 Climatic sequence.....	31
4.12 Damp heat, steady state.....	32
4.13 Endurance.....	32
4.14 Surge.....	33
4.15 Reverse voltage (if required by the detail specification).....	34
4.16 Pressure relief (if required by the detail specification).....	34
4.17 Storage at high temperature.....	35
4.18 Storage at low temperature (for non-solid electrolyte capacitors only).....	35
4.19 Characteristics at high and low temperature.....	35
4.20 Charge and discharge (if required by the detail specification).....	35
4.21 High surge current (for solid electrolyte capacitors only and if required by the detail specification).....	36
4.22 Voltage transient overload.....	36

Table 1 – Fixed sample size test plan for qualification approval, assessment level EZ ..... 13

Table 2 – Test schedule for qualification approval..... 14

Table 3 – Lot-by-lot inspection ..... 25

Table 4 – Periodic inspection ..... 25

Table 5 – Leakage current requirements ..... 26

Table 6 – Amplitude and acceleration options ..... 30

Table 7 – Preferred severities ..... 31

Withdrawn

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

## FIXED CAPACITORS FOR USE IN ELECTRONIC EQUIPMENT –

**Part 4: Sectional specification –  
Aluminium electrolytic capacitors with solid (MnO<sub>2</sub>)  
and non-solid electrolyte**

## FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60384-4 has been prepared by IEC technical committee 40: Capacitors and resistors for electronic equipment.

This fourth edition cancels and replaces the third edition published in 1998 and its amendment 1 (2000). This edition constitutes a minor revision related to tables, figures and references.

This bilingual version, published in 2008, corresponds to the English version. It includes Corrigendum 1 (2007).

The text of this standard is based on the following documents:

CDV	Report on voting
40/1759/CDV	40/1819/RVC

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The French version of this standard has not been voted upon.

The QC number that appears on the front cover of this publication is the specification number in the IEC Quality Assessment System for Electronic Components (IECQ).

The list of all parts of the IEC 60384 series, under the general title *Fixed capacitors for use in electronic equipment*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the maintenance result date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

Withdrawn

## FIXED CAPACITORS FOR USE IN ELECTRONIC EQUIPMENT –

### Part 4: Sectional specification – Aluminium electrolytic capacitors with solid (MnO<sub>2</sub>) and non-solid electrolyte

#### 1 General

##### 1.1 Scope

This part of IEC 60384 applies to aluminium electrolytic capacitors with solid (MnO<sub>2</sub>) and non-solid electrolyte primarily intended for d.c. applications for use in electronic equipment. It covers capacitors for long-life applications and capacitors for general-purpose applications.

Capacitors for special-purpose applications may need additional requirements.

Capacitors for fixed surface mount aluminium electrolytic capacitors are not included but they are covered by IEC 60384-18.

##### 1.2 Object

The principal object of this standard is to prescribe preferred ratings and characteristics and to select from IEC 60384-1 the appropriate quality assessment procedures, tests and measuring methods and to give general performance requirements for this type of capacitor. Test severities and requirements prescribed in detail specifications referring to this sectional specification shall be of equal or higher performance level, because lower performance levels are not permitted.

##### 1.3 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60063, *Preferred number series for resistors and capacitors*

IEC 60068-1, *Environmental testing – Part 1: General and guidance*

IEC 60068-2-17, *Environmental testing – Part 2-17: Tests – Test Q: Sealing*

IEC 60068-2-54, *Environmental testing – Part 2-54: Tests – Test Ta: Solderability testing of electronic components by the wetting balance method*

IEC 60384-1:1999, *Fixed capacitors for use in electronic equipment – Part 1: Generic specification*

IEC 60384-4-1, *Fixed capacitors for use in electronic equipment – Part 4-1: Blank detail specification – Fixed aluminium electrolyte capacitors with non-solid electrolyte – Assessment level EZ*

IEC 60384-4-2, *Fixed capacitors for use in electronic equipment – Part 4-2: Blank detail specification – Fixed aluminium electrolyte capacitors with solid (MnO<sub>2</sub>) electrolyte – Assessment level EZ*

IEC 60410:1973, *Sampling plans and procedures for inspection by attributes*

## ISO 3, Preferred numbers – Series of preferred numbers

### 1.4 Information to be given in a detail specification

Detail specifications shall be derived from the relevant blank detail specification.

Detail specifications shall not specify requirements inferior to those of the generic, sectional or blank detail specification. When more severe requirements are included, they shall be listed in 1.9 of the detail specification and indicated in the test schedules, for example, by an asterisk.

NOTE The information given in 1.4.1 may, for convenience, be presented in tabular form.

The following information shall be given in each detail specification and the values quoted shall preferably be selected from those given in the appropriate clause of this sectional specification.

#### 1.4.1 Outline drawing and dimensions

There shall be an illustration of the capacitor as an aid to easy recognition and for comparison of the capacitor with others.

Dimensions and their associated tolerances, which affect interchangeability and mounting, shall be given in the detail specification. All dimensions shall preferably be stated in millimeters; however, when the original dimensions are given in inches, the converted metric dimensions in millimetres shall be added.

Normally, the numerical values shall be given for the length of the body, the width and height of the body and the wire spacing, or for cylindrical types, the body diameter, and the length and diameter of the terminations. When necessary, for example, when a number of items (capacitance values/voltage ranges) are covered by a detail specification, the dimensions and their associated tolerances shall be placed in a table below the drawing.

When the configuration is other than described above, the detail specification shall state such dimensional information as will adequately describe the capacitor. When the capacitor is not designed for use on printed boards, this shall be clearly stated in the detail specification.

#### 1.4.2 Mounting

The detail specification shall specify the method of mounting to be applied for normal use and for the application of the vibration and the bump or shock tests. The capacitors shall be mounted by their normal means. The design of the capacitor may be such that special mounting fixtures are required in its use. In this case, the detail specification shall describe the mounting fixtures and they shall be used in the application of the vibration and bump or shock tests.

#### 1.4.3 Ratings and characteristics

The ratings and characteristics shall be in accordance with the relevant clauses of this specification, together with the following.

##### 1.4.3.1 Rated capacitance range

See 2.2.1.

NOTE When products approved to the detail specification have different ranges, the following statement should be added: "The range of values available in each voltage range is given in IEC QC 001005."