

INTERNATIONAL STANDARD

NORME INTERNATIONALE

**Mobile and fixed offshore units – Electrical installations –
Part 6: Installation**

**Unités mobiles et fixes en mer – Installations électriques –
Partie 6: Installation**



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2013 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.

If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de la CEI ou du Comité national de la CEI du pays du demandeur.

Si vous avez des questions sur le copyright de la CEI ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de la CEI de votre pays de résidence.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

Useful links:

IEC publications search - www.iec.ch/searchpub

The advanced search enables you to find IEC publications by a variety of criteria (reference number, text, technical committee,...).

It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available on-line and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 30 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary (IEV) on-line.

Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

A propos de la CEI

La Commission Electrotechnique Internationale (CEI) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications CEI

Le contenu technique des publications de la CEI est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Liens utiles:

Recherche de publications CEI - www.iec.ch/searchpub

La recherche avancée vous permet de trouver des publications CEI en utilisant différents critères (numéro de référence, texte, comité d'études,...).

Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

Just Published CEI - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications de la CEI. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

Electropedia - www.electropedia.org

Le premier dictionnaire en ligne au monde de termes électroniques et électriques. Il contient plus de 30 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans les langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (VEI) en ligne.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: csc@iec.ch.

INTERNATIONAL STANDARD

NORME INTERNATIONALE

**Mobile and fixed offshore units – Electrical installations –
Part 6: Installation**

**Unités mobiles et fixes en mer – Installations électriques –
Partie 6: Installation**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

PRICE CODE
CODE PRIX



ICS 29.260.99, 47.020.60

ISBN 978-2-8322-1288-2

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

| | |
|-----------------------------------------------------------------------------|----|
| FOREWORD..... | 6 |
| INTRODUCTION..... | 8 |
| 1 Scope..... | 9 |
| 2 Normative references..... | 9 |
| 3 Terms and definitions..... | 10 |
| 4 General requirements..... | 12 |
| 4.1 Labelling..... | 12 |
| 4.2 Labels..... | 12 |
| 4.3 Protection from condensation..... | 12 |
| 4.4 Protection during installation period..... | 12 |
| 5 Equipment earthing and bonding..... | 12 |
| 5.1 General..... | 12 |
| 5.2 Earthing of exposed conductive parts..... | 13 |
| 5.3 Equipotential bonding..... | 14 |
| 5.4 Bonding connections..... | 15 |
| 5.5 Connections to the unit structure..... | 15 |
| 5.6 Protection against galvanic corrosion..... | 15 |
| 5.7 Metal coverings of cables..... | 15 |
| 5.8 Cable racks and cable trays..... | 16 |
| 5.9 Ductings of heating, ventilation, air-condition (HVAC) and vessels..... | 17 |
| 6 Cables and wiring..... | 17 |
| 6.1 General..... | 17 |
| 6.2 Installation..... | 17 |
| 6.3 Cable-runs..... | 18 |
| 6.4 Cable cleating and strapping..... | 18 |
| 6.5 Joints and tappings..... | 19 |
| 6.6 Cable ends..... | 19 |
| 6.7 Cable termination..... | 20 |
| 6.8 Cable ladders and trays..... | 21 |
| 6.9 Cables and wiring for interconnection of equipment..... | 22 |
| 7 Generators and motors..... | 22 |
| 7.1 General..... | 22 |
| 7.2 Installation..... | 22 |
| 8 Transformers..... | 22 |
| 8.1 Installation and location..... | 22 |
| 8.2 Isolation of windings..... | 23 |
| 9 Switchgear and controlgear assemblies..... | 23 |
| 9.1 Location..... | 23 |
| 9.2 Insulating mats..... | 23 |
| 9.3 Passageways in front of switchgear and controlgear assemblies..... | 24 |
| 9.4 Space at the rear and passageways..... | 24 |
| 9.5 Positions of section and distribution boards..... | 24 |
| 10 Semiconductor converters..... | 24 |
| 11 Secondary cells and batteries..... | 25 |
| 11.1 Location..... | 25 |
| 11.2 Electrical installation in secondary battery compartments..... | 26 |

| | | |
|--------|--------------------------------------------------------------------------------------|----|
| 11.3 | Protection against corrosion | 26 |
| 11.4 | Fixing and supports | 27 |
| 11.5 | Protection of circuits from secondary batteries | 27 |
| 11.6 | Additional requirements for valve regulated lead acid (VRLA) type batteries | 27 |
| 11.7 | Protection against electric shock | 27 |
| 11.8 | Identification labels or marking | 28 |
| 12 | Luminaires | 28 |
| 12.1 | Degree of protection and safety requirements | 28 |
| 12.2 | Emergency and escape lighting | 29 |
| 12.3 | Navigation aid system | 29 |
| 13 | Heating and cooking appliances | 29 |
| 13.1 | Guarding of combustible materials | 29 |
| 13.2 | Position of controlgear and switchgear | 29 |
| 13.3 | Mounting of space-heating appliances | 29 |
| 14 | Trace and surface heating | 29 |
| 14.1 | General | 29 |
| 14.2 | Trace heating cables | 29 |
| 14.3 | Marking | 30 |
| 14.4 | Protection | 30 |
| 14.5 | Requirements for installation in hazardous areas | 30 |
| 14.6 | Mechanical protection | 30 |
| 14.7 | Junction boxes | 30 |
| 15 | Control and instrumentation | 30 |
| 15.1 | General | 30 |
| 15.2 | Layout | 30 |
| 15.3 | Display colours | 31 |
| 15.4 | Protection against fluid leakage | 31 |
| 15.5 | Sensors | 31 |
| 15.5.1 | Location of sensors | 31 |
| 15.5.2 | Temperature sensors | 31 |
| 15.5.3 | Pressure sensors | 31 |
| 15.5.4 | Enclosure | 31 |
| 15.5.5 | Testing and calibration | 31 |
| 15.6 | Measurements and indications | 31 |
| 15.6.1 | Instrument similarity | 31 |
| 15.6.2 | Scale division | 32 |
| 15.6.3 | Automatic control sequence | 32 |
| 15.6.4 | Centralized control | 32 |
| 15.7 | Controls | 32 |
| 15.7.1 | Direction of motion | 32 |
| 15.7.2 | Control levers | 32 |
| 15.7.3 | Identification | 32 |
| 15.8 | Alarm system | 32 |
| 16 | Communication | 32 |
| 17 | Lightning protection | 33 |
| 17.1 | Protection against primary structural damage | 33 |
| 17.2 | Air terminals | 33 |
| 17.3 | Down conductors | 33 |

| | | |
|-----------------------|---------------------------------------------------------------------------------------------------------------------------|----|
| 17.4 | Protection against secondary damage | 34 |
| 18 | Test of completed installation..... | 34 |
| 18.1 | Inspections and tests..... | 34 |
| 18.2 | Insulation testing instruments | 35 |
| 18.3 | Insulation resistance | 35 |
| 18.3.1 | Wiring..... | 35 |
| 18.3.2 | Generators and motors | 36 |
| 18.3.3 | Switchboards, section boards and distribution boards | 36 |
| 18.4 | Generators..... | 36 |
| 18.5 | Switchgear | 36 |
| 18.6 | Lighting, heating and galley equipment | 37 |
| 18.7 | Communication systems..... | 37 |
| 18.8 | Emergency and safety systems | 37 |
| 18.9 | Earthing | 37 |
| 18.10 | Voltage drop..... | 37 |
| 18.11 | Requirements of international conventions and regulations | 37 |
| 19 | Documentation..... | 37 |
| 19.1 | General..... | 37 |
| 19.2 | Equipment..... | 37 |
| 19.3 | Testing..... | 38 |
| 19.4 | Maintenance | 38 |
| Annex A (informative) | Performance test..... | 39 |
| A.1 | Switchgear | 39 |
| A.2 | Generator..... | 39 |
| A.3 | Motor | 39 |
| A.4 | Circuits | 40 |
| A.5 | Communication, control and alarm systems | 40 |
| A.6 | Statutory requirements..... | 40 |
| A.7 | Interference..... | 40 |
| A.8 | Batteries | 40 |
| A.9 | Ventilation of battery installations | 40 |
| Annex B (informative) | Examples of cable termination | 41 |
| Bibliography | | 45 |
| Figure 1 | – Recommended arrangement for installation of single core cables – flat configuration | 18 |
| Figure 2 | – Recommended arrangement for installation of single core cables – trefoil configuration | 18 |
| Figure B.1 | – Equipment with through gland..... | 41 |
| Figure B.2 | – Equipment for voltage above 30 V AC or 50 V DC with Ex d armour clamping gland..... | 42 |
| Figure B.3 | – Equipment for voltage 30 V AC, 50 V DC and below with Ex d armour clamping gland – termination of instrument cable..... | 43 |
| Figure B.4 | – Equipment for voltage above 30 V AC or above 50 V DC with Ex d armour clamping gland – termination of power cable | 44 |
| Figure B.5 | – Detail of heat shrink isolation between outer braid and screen | 44 |
| Table 1 | – Sizes of earth continuity conductors and equipment earthing connections..... | 14 |

Table 2 – Enclosure-gland type 19

Table 3 – Location of batteries versus charging power – vented cell type 25

Table 4 – Location of batteries versus charging power– VRLA or sealed cell type 26

Table 5 – Test voltages 35

Withdrawn

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**MOBILE AND FIXED OFFSHORE UNITS –
ELECTRICAL INSTALLATIONS –****Part 6: Installation**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61892-6 has been prepared by IEC technical committee 18: Electrical installations of ships and of mobile and fixed offshore units.

This third edition cancels and replaces the second edition published in 2007. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition.

- a) Table 1, size of earth continuity conductors has been replaced with the table in IEC 61892-4.
- b) The requirements for installation of batteries has been rewritten in order to distinguish better between batteries of the vented type and VRLA/sealed type.
- c) An informative annex regarding cable termination has been added.

- d) The applicability for DC installations has been increased from 750 V to 1 500 V, in accordance with Part 1 of the series.

The text of this standard is based on the following documents:

| FDIS | Report on voting |
|--------------|------------------|
| 18/1351/FDIS | 18/1360/RVD |

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of the IEC 61892 series, under the general title *Mobile and fixed offshore units – Electrical installations*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

Withdrawn

INTRODUCTION

The IEC 61892 series of International Standards is intended to ensure safety in the design, selection, installation, maintenance and use of electrical equipment for the generation, storage, distribution and utilization of electrical energy for all purposes in offshore units which are used for the exploration or exploitation of petroleum resources.

This part of IEC 61892 series also incorporates and co-ordinates, as far as possible, existing rules and forms a code of interpretation, where applicable, of the requirements laid down by the International Maritime Organization, and constitutes a guide for future regulations which may be prepared and a statement of practice for offshore unit owners, constructors and appropriate organizations.

This standard is based on equipment and practices which are in current use, but it is not intended in any way to impede development of new or improved techniques.

The ultimate aim has been to produce a set of International Standards exclusively for the offshore petroleum industry.

Withdrawn

MOBILE AND FIXED OFFSHORE UNITS – ELECTRICAL INSTALLATIONS –

Part 6: Installation

1 Scope

This part of IEC 61892 contains provisions for electrical installation in mobile and fixed offshore units including pipeline, pumping or 'pigging' stations, compressor stations and exposed location single buoy moorings, used in the offshore petroleum industry for drilling, processing and for storage purposes.

It applies to all installations, whether permanent, temporary, transportable or hand-held, to AC installations up to and including 35 000 V and DC installations up to and including 1 500 V (AC and DC voltages are nominal values).

This standard does not apply to electrical installations in rooms used for medical purposes, or in tankers.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60092-350:2008, *Electrical installations in ships – Part 350: General construction and test methods of power, control and instrumentation cables for shipboard and offshore applications*

IEC 60447, *Basic and safety principles for man-machine interface, marking and identification – Actuating principles*

IEC 60623, *Secondary cells and batteries containing alkaline or other non-acid electrolytes – Vented nickel-cadmium prismatic rechargeable single cells*

IEC 60825 (all parts), *Safety of laser products*

IEC 60896-11, *Stationary lead-acid batteries – Part 11: Vented types – General requirements and methods of tests*

IEC 61892-1, *Mobile and fixed offshore units – Electrical installations – Part 1: General requirements and conditions*

IEC 61892-2:2012, *Mobile and fixed offshore units – Electrical installations – Part 2: System design*

IEC 61892-3, *Mobile and fixed offshore units – Electrical installations – Part 3: Equipment*

IEC 61892-4:2007, *Mobile and fixed offshore units – Electrical installations – Part 4: Cables*

IEC 61892-7, *Mobile and fixed offshore units – Electrical installations – Part 7: Hazardous areas*

ISO 8468, *Ships and marine technology – Ship's bridge layout and associated equipment – Requirements and guidelines*

SOLAS 1974 *International Convention for the Safety of Life at Sea, Consolidated edition 2009*

IMO, MODU code, *Code for the construction and equipment of mobile offshore drilling units*

IMO, *Code on Alerts and Indicators, 2009*

3 Terms and definitions

For the purposes of this document the terms and definitions given in IEC 61892-1 as well as the following apply.

3.1

battery compartment

compartment comprising dedicated rooms, dedicated lockers and dedicated boxes for installation of batteries

3.2

equipotential bonding

provision of electric connections between conductive parts, intended to achieve equipotentiality

[SOURCE: IEC 60050-195:1998, 195.01.10]

3.3

cable tray system

cable ladder system

assembly of cable supports consisting of cable tray lengths or cable ladder lengths and other system components

[SOURCE: IEC 61537:2006, 3.1]

3.4

surface heating

trace heating

heat generated in the surface layer of a body to be heated by electrical means in order to raise or maintain its temperature

3.5

exposed conductive part

conductive part which can readily be touched and which is not normally alive, but which may become alive under fault conditions

Note 1 to entry: Typical exposed conductive parts are walls of enclosures, operating handles, etc.

[SOURCE: IEC 60050-441:1984, 441.11.10]

3.6

extraneous-conductive-part

conductive part not forming a part of the electrical installation and liable to introduce an electric potential, generally the potential of a local earth

[SOURCE: IEC 60050-195:1998, 195.06.11]

3.7

primary structural damage

damage which can result from lightning strike to units which do not provide a path of low resistance to earth for the passage of lightning currents

EXAMPLE Units of non-metallic construction or those having substantial non-metallic members.

3.8

extra-low voltage

ELV

voltage which does not exceed 50 V AC r.m.s. between conductors, or between any conductor and earth

Note 1 to entry: The voltage limit should not be exceeded, either at full load or no load, but it is assumed, for the purpose of this definition, that any transformer or converter is operated at its rated supply voltage.

Note 2 to entry: Information about protection by extra-low voltage is given in IEC 60364-4-41.

3.9

sealed cell

cell which remains closed and does not release either gas or liquid when operated within the limits specified by the manufacturer

Note 1 to entry: A sealed cell may be equipped with a safety device, to prevent a dangerously high internal pressure and is designed to operate during its life in its original sealed state.

[SOURCE IEC 60050-482:2004: 482.05.17)

3.10

secondary damage

damage to units or to their electrical installations, which can result as an indirect consequence of a lightning strike to a unit or to its immediate vicinity

Note 1 to entry: A path to earth of low resistance may not prevent secondary damage, which may occur as a result of high values of induced or resistance drop voltages produced by the passage of lightning currents.

3.11

superstructure

any additional structure which is above a baseline

EXAMPLE Hull.

3.12

support device

system component designed to provide mechanical support and which may limit movement of a cable runway

[SOURCE: IEC 61537:2006, 3.7]

3.13

system component

part used within the system as cable tray length or cable ladder length, cable tray fitting or cable ladder fitting, support device, mounting device and system accessory

Note 1 to entry: System components may not necessarily be included together in a system. Different combinations of system components may be used.

[SOURCE: IEC 61537:2006, 3.2]

3.14 **valve regulated lead acid battery** **VRLA**

secondary battery in which cells are closed but have a valve which allows the escape of gas if the internal pressure exceeds a predetermined value

Note 1 to entry: The cell or battery cannot normally receive addition to the electrolyte.

Note 2 to entry: This note applies to the French language only.

[SOURCE IEC 60050-482:2004, 482.05.15]

3.15 **vented cell**

secondary cell having a cover provided with an opening through which products of electrolysis and evaporation are allowed to escape freely from the cell to the atmosphere

[SOURCE: IEC 60050-482:2004, 482.05.14]

4 General requirements

4.1 Labelling

Each control panel, subpanel, indicating instrument, control handle, alarm, signal lamp, recording instrument, etc. shall be clearly and systematically identified by means of self-explanatory and unambiguous labels.

4.2 Labels

Labels shall be permanently secured, placed consistently relative to instruments, etc. and shall be made of durable material, bearing clear and indelible characters and numbers.

The labels shall be engraved or embossed on plastic-laminated or metallic material and be permanently fixed.

If other fixing means than screws or rivets are used, they shall provide an equivalent level of reliability.

4.3 Protection from condensation

As far as practicable, arrangements shall be made to prevent condensation in enclosures.

4.4 Protection during installation period

Electrical equipment shall be well protected during the installation period to prevent damage from welding, caulking, painting and similar injurious operations.

5 Equipment earthing and bonding

5.1 General

5.1.1 All metallic parts of a unit, that are not normally current-carrying parts, shall be designated as either an exposed conductive part or an extraneous-conductive-part.

- a) Exposed conductive parts shall be connected to earth under the specific conditions for each type of system earthing:
- for IT-systems, the exposed conductive parts shall be connected directly to earth;