

INTERNATIONAL STANDARD

NORME INTERNATIONALE

Radiation protection instrumentation – Installed radiation portal monitors (RPMs) for the detection of illicit trafficking of radioactive and nuclear materials

Instrumentation pour la radioprotection – Portiques de détection des rayonnements (RPM) installés pour la détection du trafic illicite de matières radioactives et nucléaires





THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2019 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

67 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Recherche de publications IEC -

webstore.iec.ch/advsearchform

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.

Electropedia - www.electropedia.org

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 000 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 16 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Glossaire IEC - std.iec.ch/glossary

67 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

INTERNATIONAL STANDARD

NORME INTERNATIONALE

Radiation protection instrumentation – Installed radiation portal monitors (RPMs) for the detection of illicit trafficking of radioactive and nuclear materials

Instrumentation pour la radioprotection – Portiques de détection des rayonnements (RPM) installés pour la détection du trafic illicite de matières radioactives et nucléaires

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 13.280

ISBN 978-2-8322-6660-1

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD.....	5
INTRODUCTION.....	7
1 Scope.....	8
2 Normative references	8
3 Terms and definitions, abbreviated terms and symbols, quantities and units.....	8
3.1 Terms and definitions.....	8
3.2 Abbreviated terms and symbols	10
3.3 Quantities and units	10
4 General characteristics and requirements.....	10
4.1 General.....	10
4.1.1 Overview	10
4.1.2 Pedestrian	11
4.1.3 Road vehicles.....	12
4.1.4 Rail vehicles (includes rail transported containers)	12
4.1.5 Conveyor	12
4.2 Configuration	13
4.3 Indication features	14
4.4 Speed control	14
4.5 Communication interface.....	14
4.5.1 Requirements	14
4.5.2 Method of test.....	15
4.6 Data.....	15
4.6.1 Requirements	15
4.6.2 Method of test.....	15
5 General test procedures	15
5.1 Statistical fluctuations	15
5.2 Standard test conditions	16
5.3 Functionality test.....	16
5.3.1 General	16
5.3.2 Pre-test measurements.....	16
5.3.3 Intermediate (during test) measurements.....	17
5.3.4 Post-test measurements	17
5.4 Reference radiation	17
5.4.1 Gamma.....	17
5.4.2 Neutron	17
6 Radiation detection requirements	18
6.1 False alarms	18
6.1.1 Requirements	18
6.1.2 Method of test.....	18
6.2 Background effects	18
6.2.1 Requirements	18
6.2.2 Method of test.....	18
6.3 Gamma radiation detection	19
6.3.1 Requirements	19
6.3.2 Method of test.....	19
6.4 Neutron radiation detection, if provided.....	19

6.4.1	Requirements	19
6.4.2	Method of test.....	19
6.5	Detection of neutron radiation in a high gamma field	19
6.5.1	Requirements	19
6.5.2	Method of test.....	19
6.6	Over-range indication.....	20
6.6.1	Requirements	20
6.6.2	Method of test.....	20
7	Climatic requirements	20
7.1	General.....	20
7.2	Ambient temperature.....	20
7.2.1	Requirements	20
7.2.2	Method of test.....	20
7.3	Relative humidity	21
7.3.1	Requirements	21
7.3.2	Method of test.....	21
7.4	Dust and moisture protection	21
7.4.1	Requirements	21
7.4.2	Method of test – dust	21
7.4.3	Method of test – moisture	22
7.5	Climatic exposure type test.....	22
7.5.1	Requirements	22
7.5.2	Method of test.....	22
8	Mechanical requirements.....	22
8.1	Vibration	22
8.1.1	Requirements	22
8.1.2	Method of test.....	22
8.2	Impact (microphonic)	23
8.2.1	Requirements	23
8.2.2	Method of test.....	23
9	Electric and electromagnetic requirements	23
9.1	Electrostatic Discharge (ESD).....	23
9.1.1	Requirements	23
9.1.2	Method of test.....	23
9.2	Radio Frequency (RF).....	23
9.2.1	Requirements	23
9.2.2	Method of test.....	23
9.3	Radiated RF emissions	24
9.3.1	Requirements	24
9.3.2	Method of test.....	24
9.4	Conducted disturbances.....	24
9.4.1	Requirements	24
9.4.2	Method of test.....	24
9.5	Surges and oscillatory waves.....	24
9.5.1	Requirements	24
9.5.2	Method of test.....	24
9.6	Line voltage and frequency fluctuations	25
9.6.1	Requirements	25
9.6.2	Method of test.....	25

10	Documentation	25
10.1	Operation and maintenance manual	25
10.2	Test certificate	25
10.3	Declaration of conformity	26
Figure 1 – Example of a two-sided system		11
Table 1 – Standards for instrumentation used to detect illicit trafficking of radioactive and nuclear materials		7
Table 2 – Speed of moving sources		12
Table 3 – Evaluation distances for different applications		13
Table 4 – Standard test conditions		16
Table 5 – Test result analysis		17
Table 6 – Summary of performance requirements (informative).....		26
Table 7 – Environmental requirements (informative)		27

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**RADIATION PROTECTION INSTRUMENTATION –
INSTALLED RADIATION PORTAL MONITORS (RPMS) FOR
THE DETECTION OF ILLICIT TRAFFICKING OF RADIOACTIVE
AND NUCLEAR MATERIALS**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62244 has been prepared by subcommittee 45B: Radiation protection instrumentation, of IEC technical committee 45: Nuclear instrumentation.

This second edition cancels and replaces the first edition issued in 2006. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) making the standard consistent with the new standards for detection of illicit trafficking of radioactive material (see the Introduction);
- b) creating unformed functionality test for all environmental, electromagnetic and mechanical tests and a requirement for the coefficient of variation of each nominal mean reading;
- c) reference to IEC 62706 for the environmental, electromagnetic and mechanical test conditions;

d) adding information regarding climatic exposures.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
45B/929/FDIS	45B/930/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

INTRODUCTION

Illicit and inadvertent movement of radioactive materials has become a problem of increasing importance. Radioactive sources out of regulatory control, so-called “orphan sources”, have frequently caused serious radiation exposures and widespread contamination. Although illicit trafficking of nuclear and other radioactive materials is not a new phenomenon, concern about a nuclear “black market” has increased in the last few years particularly in view of its terrorist potential.

In response to the technical policy of the International Atomic Energy Agency (IAEA), the World Customs Organization (WCO) and the International Criminal Police Organization (Interpol) related to the detection and identification of special nuclear materials and security trends, nuclear instrumentation companies are developing and manufacturing radiation instrumentation to assist in the detection of illicit movement of radioactive and special nuclear materials. This type of instrumentation is widely used for security purposes at nuclear facilities, border control checkpoints, and international seaports and airports.

However, to ensure that measurement results made at different locations are consistent it is imperative that radiation instrumentation be designed to rigorous specifications based upon agreed performance requirements stated in international standards. Several IEC standards have been developed to address body-worn, hand-held and portal instruments, see Table 1.

Table 1 – Standards for instrumentation used to detect illicit trafficking of radioactive and nuclear materials

Type of instrumentation	IEC number	Title of the standard
Body-worn	62401	Radiation protection instrumentation – Alarming Personal Radiation Devices (PRDs) for the detection of illicit trafficking of radioactive material
	62618	Radiation protection instrumentation – Spectroscopy-Based Alarming Personal Radiation Detectors (SPRD) for the detection of illicit trafficking of radioactive material
	62694	Radiation protection instrumentation – Backpack-type radiation detector (BRD) for the detection of illicit trafficking of radioactive material
Portable or hand-held	62327	Radiation protection instrumentation – Hand-held instruments for the detection and identification of radionuclides and for the estimation of ambient dose equivalent rate from photon radiation
	62533	Radiation protection instrumentation – Highly sensitive hand-held instruments for photon detection of radioactive material
	62534	Radiation protection instrumentation – Highly sensitive hand-held instruments for neutron detection of radioactive material
Portal	62244	Radiation protection instrumentation – Installed radiation portal monitors (RPMs) for the detection of illicit trafficking of radioactive and nuclear materials
	62484	Radiation protection instrumentation – Spectroscopy-based portal monitors used for the detection and identification of illicit trafficking of radioactive material
Data format	62755	Radiation protection instrumentation – Data format for radiation instruments used in the detection of illicit trafficking of radioactive materials

RADIATION PROTECTION INSTRUMENTATION – INSTALLED RADIATION PORTAL MONITORS (RPMS) FOR THE DETECTION OF ILLICIT TRAFFICKING OF RADIOACTIVE AND NUCLEAR MATERIALS

1 Scope

This document defines the performance requirements of installed monitors used for the detection of gamma and neutron radiation emitters. These monitors are commonly known as radiation portal monitors or RPMS. They are used to monitor vehicles, cargo containers, people, or packages and are typically located at national and international border crossings. They may be used at any location where there is a need for this type of monitoring.

This document establishes the general, radiological, climatic, mechanical, electric and electromagnetic, and documentation requirements and associated test methods. A summary of the performance requirements is provided as Table 6. An informative listing of environmental requirements from IEC 62706 is provided as Table 7.

This document does not apply to the performance of spectroscopy-based portal monitors covered in IEC 62484.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050-395, *International Electrotechnical Vocabulary – Part 395: Nuclear instrumentation: Physical phenomena, basic concepts, instruments, systems, equipment and detectors*

IEC 60068-2-5, *Environmental testing – Part 2-5: Tests – Test S: Simulated solar radiation at ground level and guidance for solar radiation testing and weathering*

IEC 60068-2-11, *Basic environmental testing procedures – Part 2-11: Tests – Test Ka: Salt mist*

IEC 61187, *Electrical and electronic equipment – Documentation*

IEC 62706, *Radiation protection instrumentation – Environmental, electromagnetic and mechanical performance requirements*

IEC 62755, *Radiation protection instrumentation – Data format for radiation instruments used in the detection of illicit trafficking of radioactive materials*

3 Terms and definitions, abbreviated terms and symbols, quantities and units

3.1 Terms and definitions

For the purposes of this document, the following terms and definitions, as well as those given in IEC 60050-395 apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

3.1.1 **coefficient of variation** **COV**

statistical measure of the dispersion of data points in a data series around the mean of those data points

$$\text{COV \%} = \frac{s}{\bar{x}} \times 100$$

Where:

s is the standard deviation;

\bar{x} is the mean.

3.1.2 **detection assembly**

component of the RPM that contains the detectors and associated electronic devices

3.1.3 **detection zone**

location from which radiation emitted by an object or person being monitored may be detected by the detection assembly(ies)

Note 1 to entry: For two sided RPMs, the detection zone is located between detection assemblies; for single-sided RPMs, the detection zone is adjacent to the front face of the detection assembly.

3.1.4 **nuclear material**

plutonium except that with isotopic concentration exceeding 80 % in plutonium-238; uranium-233; uranium enriched in the isotope 235 or 233; uranium containing the mixture of isotopes as occurring in nature other than in the form of ore or ore-residue; any material containing one or more of the foregoing

[SOURCE: IAEA-TECDOC-1311, September 2002]

3.1.5 **occupancy**

when an object such as a person, vehicle, package, or container is in the detection zone

3.1.6 **reference point <of an assembly>**

physical mark on a piece of equipment or assembly to be used in order to position a source at a point where the conventionally true value of the quantity to be measured is known

Note 1 to entry: For this document, the physical mark can be used to identify where a source is positioned.

Note 2 to entry: Two different physical marks could be used to identify positions for neutron and gamma radiation.

3.1.7 **type test**

conformity test of one or more items representative of the production

3.2 Abbreviated terms and symbols

COV	coefficient of variation
ESD	electrostatic discharge
DU	depleted uranium
HDPE	high density polyethylene
IP	international protection marking – degrees of protection provided by enclosures
NORM	naturally occurring radioactive material
PVT	polyvinyl toluene
RF	radio frequency
RH	relative humidity
RPM	radiation portal monitor

3.3 Quantities and units

In the present document, units of the International System (SI) are used¹. The definitions of radiation quantities are given in IEC 60050-395.

The following units may also be used:

- for energy: electron-volt (symbol: eV), $1 \text{ eV} = 1,602 \times 10^{-19} \text{ J}$;
- for time: years (symbol: y), days (symbol: d), hours (symbol: h), minutes (symbol: min);

Multiples and submultiples of SI units will be used, when practicable, according to the SI system.

4 General characteristics and requirements

4.1 General

4.1.1 Overview

RPMs are designed to detect radiation from gamma and/or neutron emitters transported by vehicle, carried by a person, or concealed in a cargo container or in a package moved by a conveyor belt.

RPMs issue a visual and/or audible alarm when the measured gamma or neutron radiation level exceeds an alarm threshold. Measurement occurs when an object passes through the detection zone.

According to their use, RPMs are classified as:

- pedestrian,
- road vehicle,

¹ International Bureau of Weights and Measures: The International System of Units, 8th edition, 2006.