

INTERNATIONAL STANDARD

Industrial communication networks – Profiles –
Part 1: Fieldbus profiles

Withdrawn



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2010 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.

If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland
Email: inmail@iec.ch
Web: www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

- Catalogue of IEC publications: www.iec.ch/searchpub

The IEC on-line Catalogue enables you to search by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, withdrawn and replaced publications.

- IEC Just Published: www.iec.ch/online_news/justpub

Stay up to date on all new IEC publications. Just Published details twice a month all new publications released. Available on-line and also by email.

- Electropedia: www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 20 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary online.

- Customer Service Centre: www.iec.ch/webstore/custserv

If you wish to give us your feedback on this publication or need further assistance, please visit the Customer Service Centre FAQ or contact us:

Email: csc@iec.ch
Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00



IEC 61784-1

Edition 3.0 2010-07

INTERNATIONAL STANDARD

Industrial communication networks – Profiles –
Part 1: Fieldbus profiles

Withhold

IEC 61784-1 Ed. 3.0 - Preview only Copy via ILNAS e-Shop

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

PRICE CODE **XH**

ICS 35.100.20, 35.240.50

ISBN 978-2-88912-062-8

CONTENTS

FOREWORD.....	13
INTRODUCTION.....	15
1 Scope.....	16
2 Normative references	17
3 Definitions	21
3.1 Terms and definitions	21
3.2 Abbreviations and symbols.....	21
3.2.1 IEC 61158 abbreviations and symbols	21
3.2.2 Other abbreviations and symbols.....	21
3.3 Conventions	22
3.3.1 Conventions common to all layers	22
3.3.2 Physical layer.....	23
3.3.3 Data-link layer	23
3.3.4 Application layer.....	24
4 Conformance to communication profiles	24
5 Communication Profile Family 1 (FOUNDATION® Fieldbus).....	25
5.1 General overview	25
5.2 Profile 1/1 (FF H1).....	26
5.2.1 Physical layer.....	26
5.2.2 Data-link layer	41
5.2.3 Application layer.....	105
5.3 Profile 1/2 (FF HSE).....	106
5.3.1 Physical layer.....	106
5.3.2 Data-link layer.....	106
5.3.3 Network layer	106
5.3.4 Transport layer.....	106
5.3.5 Application layer.....	107
5.4 Profile 1/3 (FF H2).....	107
5.4.1 Physical layer.....	107
5.4.2 Data-link layer	109
5.4.3 Application layer.....	109
6 Communication Profile Family 2 (CIP™).....	109
6.1 General overview	109
6.2 Profile 2/1 (ControlNet)	110
6.2.1 Physical layer.....	110
6.2.2 Data-link layer	111
6.2.3 Application layer.....	113
6.3 Profile 2/2 (EtherNet/IP)	114
6.3.1 Physical layer.....	114
6.3.2 Data-link layer	114
6.3.3 Application layer.....	115
6.4 Profile 2/3 (DeviceNet)	116
6.4.1 Physical layer.....	116
6.4.2 Data-link layer	116
6.4.3 Application layer.....	117
7 Communication Profile Family 3 (PROFIBUS & PROFINET).....	119

7.1	General overview	119
7.2	Profile 3/1 (PROFIBUS DP)	121
7.2.1	Physical layer	121
7.2.2	Data-link layer	123
7.2.3	Application layer	142
7.3	Profile 3/2 (PROFIBUS PA)	188
7.3.1	Physical layer	188
7.3.2	Data-link layer	191
7.3.3	Application layer	201
7.4	Profile 3/3 (PROFINET CBA)	201
7.4.1	Physical layer	201
7.4.2	Data-link layer	201
7.4.3	Application layer	202
8	Communication Profile Family 4 (P-NET®)	203
8.1	General overview	203
8.2	Profile 4/1 (P-NET RS-485)	203
8.2.1	Physical layer	203
8.2.2	Data-link layer	204
8.2.3	Application layer	205
8.3	Profile 4/2 (P-NET RS-232)	206
8.3.1	Physical layer	206
8.3.2	Data-link layer	207
8.3.3	Application layer	207
9	Communication Profile Family 5 (WorldFIP®)	208
9.1	General overview	208
9.2	Profile 5/1 (WorldFIP)	209
9.2.1	Physical layer	209
9.2.2	Data-link layer	210
9.2.3	Application layer	212
9.3	Profile 5/2 (WorldFIP)	217
9.3.1	Physical layer	217
9.3.2	Data-link layer	217
9.3.3	Application layer	217
9.4	Profile 5/3 (WorldFIP)	221
9.4.1	Physical layer	221
9.4.2	Data-link layer	222
9.4.3	Application layer	222
10	Communication Profile Family 6 (INTERBUS®)	223
10.1	General overview	223
10.2	Profile 6/1	224
10.2.1	Physical layer	224
10.2.2	Data-link layer	225
10.2.3	Application layer	226
10.3	Profile 6/2	227
10.3.1	Physical layer	227
10.3.2	Data-link layer	227
10.3.3	Application layer	228
10.4	Profile 6/3	230
10.4.1	Physical layer	230

10.4.2	Data-link layer	230
10.4.3	Application layer	231
11	Communication Profile Family 7 (This Clause has been removed)	232
12	Communication Profile Family 8 (CC-Link)	232
12.1	General overview	232
12.1.1	General	232
12.1.2	Profile 8/1	232
12.1.3	Profile 8/2	233
12.1.4	Profile 8/3	233
12.2	Profile 8/1	233
12.2.1	Physical layer	233
12.2.2	Data-link layer	234
12.2.3	Application layer	236
12.3	Profile 8/2	239
12.3.1	Physical layer	239
12.3.2	Data-link layer	239
12.3.3	Application layer	239
12.4	Profile 8/3	239
12.4.1	Physical layer	239
12.4.2	Data-link layer	240
12.4.3	Application layer	242
13	Communication Profile Family 9 (HART)	244
13.1	General Overview	244
13.2	Profile 9/1, universal command	244
13.2.1	Physical layer	244
13.2.2	Data-link layer	244
13.2.3	Application layer	244
14	Communication Profile Family 16 (SERCOS)	245
14.1	General overview	245
14.2	Profile 16/1 (SERCOS I)	246
14.2.1	Physical layer selection	246
14.2.2	Data-link layer	246
14.2.3	Application layer	247
14.3	Profile 16/2 (SERCOS II)	247
14.3.1	Physical layer	247
14.3.2	Data-link layer	248
14.3.3	Application layer	248
	Annex A (informative) Communication concepts	249
	Annex B (informative) Added value of IEC 61784-1	263
	Bibliography	264
	Figure 1 – Communication profile families and profiles	16
	Figure 2 – Example optical power budget for a 100/140 μm fiber system with a 16/16 optical passive star coupler	40
	Figure 3 – CP 3/2 Slave devices usable in applications	121
	Figure A.1 – Ring structure	261
	Figure A.2 – Topology example	262

Table 1 – Relations of Communication Profile Families to type numbers	17
Table 2 – Layout of profile (sub)clause selection tables	22
Table 3 – Contents of (sub)clause selection tables	22
Table 4 – Layout of service selection tables	22
Table 5 – Contents of service selection tables	23
Table 6 – Layout of parameter selection tables	23
Table 7 – Contents of parameter selection tables	23
Table 8 – Layout of class attribute selection tables	24
Table 9 – Contents of class attribute selection tables	24
Table 10 – CPF 1: overview of profile sets	25
Table 11 – CP 1/1: PhL selection for communicating devices and their MAUs	26
Table 12 – CP 1/1: PhL classification of MAUs and attached devices	28
Table 13 – CP 1/1: PhL selection of Clause 16 for devices and their MAUs	28
Table 14 – CP 1/1: PhL selection of Clause 12 for devices and their MAUs	29
Table 15 – CP 1/1: PhL selection of Clause 21 for devices and their MAUs (denigrated)	30
Table 16 – CP 1/1: PhL selection of recommended IS parameters for FF MAU classes 111, 112, 121, 122, 511 and 512	31
Table 17 – CP 1/1: PhL selection for media components	32
Table 18 – CP 1/1: PhL selection of imperative IS parameters for media in FISCO systems	32
Table 19 – CP 1/1: PhL selection for power supplies	33
Table 20 – CP 1/1: PhL selection of power supply types	33
Table 21 – CP 1/1: PhL selection of permissible output voltage and IS parameters for FISCO power supplies	34
Table 22 – CP 1/1: PhL selection for terminators	35
Table 23 – CP 1/1: PhL selection of IS parameters for terminators	35
Table 24 – CP 1/1: PhL selection of Clause 12 for intrinsic safety barriers	36
Table 25 – CP 1/1: PhL selection of recommended IS parameters for intrinsic safety barriers and galvanic isolators (Entity model only)	37
Table 26 – CP 1/1: PhL selection of Clause 12 for intrinsically safe galvanic isolators	38
Table 27 – CP 1/1: PhL selection of Clause 15, recommended optical fiber types	39
Table 28 – CP 1/1: PhL selection of passive star couplers, recommended maximum insertion loss	39
Table 29 – CP 1/1: PhL selection of active star couplers	39
Table 30 – CP 1/1: Optical power budget considerations	40
Table 31 – CP 1/1: DLL service selection	41
Table 32 – CP 1/1: DLL service selection of Clause 5	41
Table 33 – CP 1/1: DLL service selection of 5.4	41
Table 34 – CP 1/1: DLL service selection of 5.4.1	42
Table 35 – CP 1/1: DLL service selection of 5.4.3	42
Table 36 – CP 1/1: DLL service selection of 5.4.6	43
Table 37 – CP 1/1: DLL service selection of Clause 6	43
Table 38 – CP 1/1: DLL service selection of the summary of 6.3, DL-connection QoS	44
Table 39 – CP 1/1: DLL service selection of figures 9–14 of 6.4	44

Table 40 – CP 1/1: DLL service selection of 6.5.....	44
Table 41 – CP 1/1: DLL service selection: replacement for Table 13 of 6.5.....	45
Table 42 – CP 1/1: DLL service selection of 6.5, replacement for Table 14.....	45
Table 43 – CP 1/1: DLL service selection of 6.5 for use of addresses for peer DLC.....	46
Table 44 – CP 1/1: DLL service selection of 6.5 for use of addresses for multipeer DLC connect request at publisher.....	46
Table 45 – CP 1/1: DLL service selection of 6.5 for use of addresses for multipeer DLC connect request at subscriber.....	46
Table 46 – CP 1/1: DLL service selection of 6.6.....	46
Table 47 – CP 1/1: DLL service selection: replacement for Table 15 of 6.6.....	47
Table 48 – CP 1/1: DLL service selection of 6.7.....	47
Table 49 – CP 1/1: DLL service selection of 6.7, replacement for Table 16.....	47
Table 50 – CP 1/1: DLL service selection of 6.7, replacement for Table 17.....	47
Table 51 – CP 1/1: DLL service selection of 6.7, replacement for Table 18.....	48
Table 52 – CP 1/1: DLL service selection of Clause 7.....	48
Table 53 – CP 1/1: DLL service selection of 7.5, replacement for Table 23.....	49
Table 54 – CP 1/1: DLL service selection of Clause 8.....	49
Table 55 – CP 1/1: DLL service selection of 8.5, replacement for Table 28.....	49
Table 56 – CP 1/1: DLL protocol selection.....	50
Table 57 – CP 1/1: DLL protocol selection of Clause 4.....	50
Table 58 – CP 1/1: DLL protocol selection of 4.3.....	51
Table 59 – CP 1/1: DLL protocol selection of 4.3.2.1 for use of link designators.....	51
Table 60 – CP 1/1: DLL protocol selection of 4.3.2.2 for use of node designators.....	51
Table 61 – CP 1/1: DLL protocol selection of 4.3.3.1 for predefined flat non-local DL-addresses.....	51
Table 62 – CP 1/1: DLL protocol selection of 4.3.3.2 for predefined flat link-local DL-addresses.....	52
Table 63 – CP 1/1: DLL protocol selection of 4.3.3.3 for predefined node-local DL-addresses.....	52
Table 64 – CP 1/1: DLL protocol selection of 4.7.....	52
Table 65 – CP 1/1: DLL protocol selection of 4.7.4.....	53
Table 66 – CP 1/1: DLL protocol selection of 4.7.5.....	54
Table 67 – CP 1/1: DLL protocol selection of Clause 6.....	55
Table 68 – CP 1/1: DLL protocol selection, replacement for Table 10 of 6.0.....	56
Table 69 – CP 1/1: DLL protocol selection of 6.5.....	57
Table 70 – CP 1/1: DLL protocol selection of 6.7.....	60
Table 71 – CP 1/1: DLL protocol selection of 6.8.....	64
Table 72 – CP 1/1: DLL protocol selection of 6.11.....	65
Table 73 – CP 1/1: DLL protocol selection of 6.12.....	65
Table 74 – CP 1/1: DLL protocol selection of 6.15.....	66
Table 75 – CP 1/1: DLL protocol selection of 6.20.....	67
Table 76 – CP 1/1: DLL protocol selection of Clause 7.....	68
Table 77 – CP 1/1: DLL protocol selection of 7.4.....	69
Table 78 – CP 1/1: DLL protocol selection of Clause 8.....	70
Table 79 – CP 1/1: DLL protocol selection of 8.2.....	71