

INTERNATIONAL STANDARD

NORME INTERNATIONALE

**High-voltage fuses –
Part 1: Current-limiting fuses**

**Fusibles à haute tension –
Partie 1: Fusibles limiteurs de courant**



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2009 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.

If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de la CEI ou du Comité national de la CEI du pays du demandeur.

Si vous avez des questions sur le copyright de la CEI ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de la CEI de votre pays de résidence.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland
Email: inmail@iec.ch
Web: www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

- Catalogue of IEC publications: www.iec.ch/searchpub

The IEC on-line Catalogue enables you to search by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, withdrawn and replaced publications.

- IEC Just Published: www.iec.ch/online_news/justpub

Stay up to date on all new IEC publications. Just Published details twice a month all new publications released. Available on-line and also by email.

- Electropedia: www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 20 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary online.

- Customer Service Centre: www.iec.ch/webstore/custserv

If you wish to give us your feedback on this publication or need further assistance, please visit the Customer Service Centre FAQ or contact us:

Email: csc@iec.ch
Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00

A propos de la CEI

La Commission Electrotechnique internationale (CEI) est la première organisation mondiale qui élabore et publie des normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications CEI

Le contenu technique des publications de la CEI est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

- Catalogue des publications de la CEI: www.iec.ch/searchpub/cur_fut-f.htm

Le Catalogue en-ligne de la CEI vous permet d'effectuer des recherches en utilisant différents critères (numéro de référence, texte, comité d'études,...). Il donne aussi des informations sur les projets et les publications retirées ou remplacées.

- Just Published CEI: www.iec.ch/online_news/justpub

Restez informé sur les nouvelles publications de la CEI. Just Published détaille deux fois par mois les nouvelles publications parues. Disponible en-ligne et aussi par email.

- Electropedia: www.electropedia.org

Le premier dictionnaire en ligne au monde de termes électroniques et électriques. Il contient plus de 20 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans les langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International en ligne.

- Service Clients: www.iec.ch/webstore/custserv/custserv_entry-f.htm

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions, visitez le FAQ du Service clients ou contactez-nous:

Email: csc@iec.ch
Tél.: +41 22 919 02 11
Fax: +41 22 919 03 00

INTERNATIONAL STANDARD

NORME INTERNATIONALE

**High-voltage fuses –
Part 1: Current-limiting fuses**

**Fusibles à haute tension –
Partie 1: Fusibles limiteurs de courant**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

PRICE CODE **XC**
CODE PRIX

ICS 29.120.50

ISBN 978-2-88910-090-3

CONTENTS

FOREWORD.....	6
1 General	8
1.1 Scope.....	8
1.2 Normative references	8
2 Normal and special service conditions.....	8
2.1 Normal service conditions	8
2.2 Other service conditions	10
2.3 Special service conditions.....	10
2.4 Environmental behaviour	10
3 Terms and definitions	10
3.1 Electrical characteristics	10
3.2 Fuses and their component parts	14
3.3 Additional terms.....	15
4 Ratings and characteristics	17
4.1 General	17
4.2 Rated voltage	17
4.3 Rated insulation level (of a fuse-base)	18
4.4 Rated frequency	19
4.5 Rated current of the fuse-base.....	19
4.6 Rated current of the fuse-link.....	19
4.7 Temperature-rise limits	20
4.8 Rated breaking capacity.....	22
4.8.1 Rated maximum breaking current.....	22
4.8.2 Rated minimum breaking current and class	22
4.9 Limits of switching voltage	22
4.10 Rated transient recovery voltage (rated TRV).....	24
4.10.1 General	24
4.10.2 Representation of TRV.....	25
4.10.3 Representation of rated TRV.....	25
4.11 Time-current characteristics.....	26
4.12 Cut-off characteristic	27
4.13 I^2t characteristics	27
4.14 Mechanical characteristics of strikers.....	27
4.15 Special requirement for Back-Up fuses intended for use in switch-fuse combination according to IEC 62271-105	28
4.15.1 General	28
4.15.2 Maximum body temperature under pre-arcing conditions	29
4.15.3 Maximum arcing withstand time	29
5 Design, construction and performance	29
5.1 General requirements with respect to fuse operation	29
5.1.1 General	29
5.1.2 Standard conditions of use.....	29
5.1.3 Standard conditions of behaviour	30
5.2 Identifying markings.....	30
5.3 Dimensions	31
6 Type tests.....	31

6.1	Conditions for making the tests.....	31
6.2	List of type tests	31
6.3	Common test practices for all type tests.....	31
6.3.1	General	31
6.3.2	Condition of device to be tested	32
6.3.3	Mounting of fuses	32
6.4	Dielectric tests.....	32
6.4.1	Test practices	32
6.4.2	Application of test voltage for impulse and power-frequency test	32
6.4.3	Atmospheric conditions during test.....	33
6.4.4	Lightning impulse voltage dry tests.....	33
6.4.5	Power-frequency voltage dry tests.....	33
6.4.6	Power-frequency wet tests	33
6.5	Temperature-rise tests and power-dissipation measurement.....	34
6.5.1	Test practices	34
6.5.2	Measurement of temperature	35
6.5.3	Measurement of power dissipation	36
6.6	Breaking tests	36
6.6.1	Test practices	36
6.6.2	Test procedure	43
6.6.3	Alternative test methods for Test Duty 3.....	47
6.6.4	Breaking tests for fuse-links of a homogeneous series	48
6.6.5	Acceptance of a homogeneous series of fuse-links by interpolation	49
6.6.6	Acceptance of a homogeneous series of fuse-links of different lengths.....	50
6.7	Tests for time-current characteristics.....	50
6.7.1	Test practices	50
6.7.2	Test procedures.....	50
6.8	Tests of strikers.....	51
6.8.1	General	51
6.8.2	Strikers to be tested	51
6.8.3	Operation tests	51
6.8.4	Test performance	52
6.9	Electromagnetic compatibility (EMC).....	53
7	Special tests.....	53
7.1	General.....	53
7.2	List of special tests.....	53
7.3	Thermal shock tests	53
7.3.1	Test sample.....	53
7.3.2	Arrangement of the equipment	54
7.3.3	Test method	54
7.4	Power-dissipation tests for fuses not intended for use in enclosures.....	54
7.5	Waterproof test (ingress of moisture).....	54
7.5.1	Test conditions	54
7.5.2	Test sample.....	54
7.5.3	Test method	54
7.6	Tests for Back-Up fuses for use in switch-fuse combination of IEC 62271-105	54
7.6.1	General	54
7.6.2	Pre-arcing temperature rise test.....	54
7.6.3	Arcing duration withstand test	55

7.7	Oil-tightness tests.....	55
8	Routine tests	56
9	Application guide	56
9.1	Object	56
9.2	General	56
9.3	Application.....	56
9.3.1	Mounting.....	56
9.3.2	Selection of the rated current of the fuse-link	57
9.3.3	Selection according to class (see 3.3.2) and minimum breaking current.....	58
9.3.4	Selection of the rated voltage of the fuse-link	59
9.3.5	Selection of the rated insulation level	59
9.3.6	Time-current characteristics of high-voltage fuses	60
9.3.7	Fuses connected in parallel.....	60
9.4	Operation	61
9.4.1	Locking of the fuse-link in the service position.....	61
9.4.2	Replacement of the fuse-link.....	61
9.5	Disposal	61
	Annex A (normative) Method of drawing the envelope of the prospective transient recovery voltage of a circuit and determining the representative parameters	62
	Annex B (informative) Reasons which led to the choice of TRV values for Test Duties 1, 2 and 3	64
	Annex C (informative) Preferred arrangements for temperature-rise tests of oil-tight fuse-links for switchgear.....	66
	Annex D (informative) Types and dimensions of current-limiting fuse-links specified in existing national standards.....	67
	Annex E (normative) Requirements for certain types of fuse-links intended for use at surrounding temperatures above 40 °C.....	70
	Annex F (informative) Determination of derating when the ambient temperature of the fuse exceeds 40 °C	74
	Annex G (informative) Criteria for determining I_t testing validity.....	82
	Bibliography.....	83
	Figure 1 – Terminology	14
	Figure 2 – Permissible switching voltages for fuse-links of small current ratings (Table 8).....	23
	Figure 3 – Representation of a specified TRV by a two-parameters reference line and a delay line	26
	Figure 4 – Various stages of the striker travel.....	28
	Figure 5 – Example of a two-parameters reference line for a TRV complying with the conditions of the type test.....	39
	Figure 6 – Breaking tests – Arrangement of the equipment	43
	Figure 7 – Breaking tests – Typical circuit diagram for Test Duties 1 and 2	44
	Figure 8 – Breaking tests – Typical circuit diagram for Test Duty 3	44
	Figure 9 – Breaking tests – Interpretation of oscillograms for Test Duty 1	45
	Figure 10 – Breaking tests – Interpretation of oscillograms for Test Duty 2 (calibration traces as in a) of Figure 9)	46
	Figure 11 – Breaking tests – Interpretation of oscillograms for Test Duty 3	46

Figure A.1 – Example of a two-parameters reference line for a TRV whose initial portion is concave towards the left	63
Figure A.2 – Example of a two-parameters reference line for an exponential TRV	63
Figure C.1 – Test tank for temperature-rise tests of oil-tight fuses	66
Figure C.2 – Details of clamping arrangement for fuse-link in the tank	66
Figure F.1 – Derating curves for some allowed temperature limits.....	78
Figure F.2 – Practical example: dimensions.....	79
Figure F.3 – Extract from IEC 60890	80
Figure F.4 – Practical example of application.....	81
Table 1 – Altitude correction factors – Test voltage and rated voltage	9
Table 2 – Altitude correction factors – Rated current and temperature rise	9
Table 3 – Rated voltages.....	17
Table 4 – Fuse-base rated insulation levels – Series I	18
Table 5 – Fuse-base rated insulation levels – Series II	19
Table 6 – Limits of temperature and temperature rise for components and materials.....	21
Table 7 – Maximum permissible switching voltages	22
Table 8 – Maximum permissible switching voltages for certain fuse-links of small current ratings.....	23
Table 9 – Standard values of rated TRV – Series I	24
Table 10 – Standard values of rated TRV – Series II.....	25
Table 11 – Mechanical characteristics of strikers	28
Table 12 – Electrical connection to the test circuit – Conductor sizes	34
Table 13 – Breaking tests – Parameters.....	38
Table 14 – TRV for Test Duty 2 – Series I.....	40
Table 15 – TRV for Test Duty 2 – Series II.....	41
Table 16 – Breaking test requirements for fuse-links of a homogeneous series	49
Table F.1 – Temperature limits extracted from Table 6	77

INTERNATIONAL ELECTROTECHNICAL COMMISSION

HIGH-VOLTAGE FUSES –

Part 1: Current-limiting fuses

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60282-1 has been prepared by subcommittee 32A: High-voltage fuses, of IEC technical committee 32: Fuses.

This seventh edition cancels and replaces the sixth edition published in 2005. The changes introduced by this new edition are only editorial.

The text of this standard is based on the following documents:

FDIS	Report on voting
32A/274/FDIS	32A/277/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of IEC 60282 series, under the general title *High-voltage fuses*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the maintenance result date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

Withdrawn